

**INDEX TO UNPUBLISHED "HERBARIUM NAMES" FOR CASTILLEJA  
AND SYNONYMOUS NAMES FROM RELATED GENERA  
(OROBANCHACEAE)**

**J. MARK EGGER**

Herbarium, Burke Museum of Natural History and Culture  
University of Washington  
Seattle, Washington 98195-5325  
m.egger@comcast.net

**ABSTRACT**

A listing is provided of unpublished, informal herbarium names associated with the genus *Castilleja* and synonymous names from the genera *Bartsia*, *Euchroma*, and *Orthocarpus*. This list may prove useful to herbarium personnel and botanical specialists, especially in the determination of the validity of herbarium specimens originally annotated as nomenclatural types.

This paper is intended to provide a reasonably comprehensive list of unpublished, informal, and invalid names associated with the genus *Castilleja* Mutis found as original labels or annotations on specimen sheets in a wide variety of herbaria. Many of these names are found on sheets in multiple herbaria, while others are rarely encountered or found only in a single herbarium. Also included are names originally assigned to other genera, including *Bartsia* L., *Euchroma* Nutt., and *Orthocarpus* Nutt., but whose validly published and ultimately accepted names were subsequently moved to *Castilleja*. This list is intended to assist in the proper identification and disposition of these sheets by herbarium personnel and others wishing to properly identify or sort for storage the large number of accepted species in *Castilleja*. The list should also prove useful in the verification of potential type specimens, as many of the names listed below were originally intended as new species but were never published by their authors or were eventually published under different names. Also included are some names only published as *nomina subnuda* and which are occasionally seen on herbarium sheets, especially those collected by T. Nuttall and listed in synonymy by A. Gray (1862). Most of Nuttall's applicable herbarium names were annotated for inclusion in his genus *Euchroma*. At the time of its publication, Nuttall (1818) included only two species in *Euchroma*. The subsequent herbarium names were evidently intended for inclusion therein but were never validly published. Synonymy for these names should prove useful in the annotation of sheets collected by Nuttall and in clarifying their status as potential type collections.

The publication of any name provided in the present list is in no way intended to result in its effective publication as a nomenclatural or taxonomic entity. The synonymies listed here are based only on herbarium specimens observed by the author for this study. It is possible that a small number of these names were applied to specimens of more than one validly published and accepted species, though I have not seen any cases of this to date, except as noted in the list below. It is also crucial to note that this paper makes no attempt to provide a full synonymy of validly published names in *Castilleja*. Such a synonymy is in preparation and will be presented in a future paper.

This list was compiled during my review and annotation of over 30,000 herbarium sheets of *Castilleja* and related genera, including over 2,000 type sheets of nomenclatural significance, from the following herbaria and a number of additional smaller, agency-related and private collections: ALA, ARIZ, ASC, ASU, BKL, BM, BR, BRIT, CM, CAN, CAS, CGE, CIIDIR, COLO, CPUN, DES, DS, DUKE, E, ENCB, F, G, GH, HAL, HAO, HU, HUT, IA, IA-ISC, ID, IEB, ILL, K, KANU, LIV, LY-BON, LY-GAN, LINN, MICH, MIN, MO, MEXU, MONT, MSC, MT, MW, NA, ND,

NDG, NMC, NO, NY, OKLA, OSC, OSC-ORE, OSC-WILLU, P, PH, RENO, RM, RSA, RSA-POM, S, SD, SJNM, TEX/LL, TUR, UC/JEPS, U, UBC, UCR, UNM, US, USF, UT, UTC, UVSC, V, UVIC, VT, WIS, WS, WTU, YU, Z, and ZEA.

In the following list, the unpublished, synonymous name is given first, along with the name of the person providing that annotated identification, using standard abbreviations where appropriate. The equivalent, validly published, synonymous name follows, along with the author's name. The list is arranged in alphabetical order by unpublished species name. In a few cases, I could not determine the precise identity of the specimen, and this is noted in the listing. The accepted names are determined in accordance with my continuing studies in *Castilleja* and match those found in my publications, including the forthcoming treatment of *Castilleja* in the Flora of North America, Vol. 17. Any corrections and/or emendation to this list would be appreciated by the author.

- Castilleja affinis* Hook. & Arn. var. *californica* (Abrams) Bacig. = *Castilleja affinis* Hook. & Arn. var. *affinis*  
*Castilleja alba* Pennell = *Castilleja mexicana* (Hemsl.) A. Gray  
*Castilleja alvarensis* Pennell = *Castilleja glandulosa* Greenm.  
*Castilleja arctica* Kryl. & Serg. subsp. *ussensis* Rebr. = *Castilleja arctica* Kryl. & Serg.  
*Castilleja arvensis* Schltdl. & Cham. var. *minor* Conzatti = *Castilleja arvensis* Schltdl. & Cham.  
*Castilleja atrolabiata* Pennell = *Castilleja occidentalis* Torr.  
*Castilleja attenuata* Pennell = *Castilleja integrifolia* L.f. var. *chiapensis* (Brandegee) J.M. Egger  
*Castilleja bajacalifornica* Moran = *Castilleja lanata* A. Gray  
*Castilleja bipinnata* DC. = *Castilleja gracilis* Benth.  
*Castilleja bipinnata* M. Ownbey = *Castilleja chromosa* A. Nelson  
*Castilleja brachyloba* Piper = *Castilleja brevilobata* Piper  
*Castilleja breedlovei* Chuang & Heckard = *Castilleja filiflora* Nesom  
*Castilleja brevicalyx* C.H. Harvey = *Castilleja tenuiflora* Benth. var. *tenuiflora*  
*Castilleja bryantii* Brandegee subsp. *insularis* Moran = *Castilleja socorrensis* Moran  
*Castilleja caustrina* Pennell = *Castilleja nervata* Eastw.  
*Castilleja chlorantha* Pennell = *Castilleja mexicana* (Hemsl.) A. Gray  
*Castilleja chromosa* A. Nelson f. *dubia* (A. Nelson) M. Ownbey = *Castilleja angustifolia* Nutt. var. *dubia* A. Nelson  
*Castilleja chromosa* A. Nelson var. *dubia* (A. Nelson) Pennell = *Castilleja angustifolia* Nutt. var. *dubia* A. Nelson  
*Castilleja cinerula* Pennell = *Castilleja peckiana* Pennell  
*Castilleja cinerula macrodonta* Pennell = *Castilleja peckiana* Pennell  
*Castilleja citrescens* Pennell = *Castilleja angustata* (B.L. Rob. & Seaton) Eastw.  
*Castilleja confusa* Greene var. *pubens* A. Nelson & Macbr. = *Castilleja miniata* Douglas ex Hook. var. *miniata*  
*Castilleja cuneatus* Nutt. = *Castilleja affinis* Hook. & Arn. var. *affinis*  
*Castilleja davisiana* Pennell = *Castilleja rigida* Eastw.  
*Castilleja digitalis* DC. = *Castilleja scorzonerifolia* Kunth  
*Castilleja diversicolor* Pennell = *Castilleja miniata* Douglas ex Hook. var. *miniata*  
*Castilleja elatior* Piper = *Castilleja elata* Piper  
*Castilleja exerta* (or) *exserta* Eastw. = *Castilleja subinclusa* Greene var. *jepsonii* (Bacig. & Heckard) J.M. Egger  
*Castilleja exsertiflora* Pennell = *Castilleja sessiliflora* Pursh, color form found in Arizona and New Mexico  
*Castilleja fallax* Pennell = *Castilleja elata* Piper  
*Castilleja fernaldiana* Pennell = *Castilleja hispida* Benth. var. *acuta* (Pennell) M. Ownbey  
*Castilleja flammea* Pennell = *Castilleja glandulosa* Eastw., undescribed variety



- Castilleja retroflexifolia* Pennell = *Castilleja tenuiflora* Benth. var. *tenuiflora*  
*Castilleja richardsonii* Torr. (?) = *Castilleja foliolosa* Hook. & Arn.  
*Castilleja rubra* Pennell = (identity of specimen impossible to determine, but the name is  
 unpublished)  
*Castilleja salina* Pennell = *Castilleja sphaerostigma* Eastw.  
*Castilleja sanguinea* Pennell = *Castilleja perelegans* Nesom  
*Castilleja saxicola* Piper = *Castilleja rupicola* Piper  
*Castilleja schaffneri* Hemsley var. *cinerascens* Eastw. = *Castilleja moranensis* Kunth var. *cinerascens*  
 (Eastw.) J.M. Egger  
*Castilleja septentrionalis* Lindl. var. *rhexiifolia* (Rydb.) J.M. Egger = *Castilleja rhexiifolia* Rydb.  
*Castilleja shinnersiana* V.L. Cory = *Castilleja indivisa* Engelm.  
*Castilleja subulata* Sessé & Moç. = *Castilleja integrifolia* L.f.  
*Castilleja stokesii* (or) *stokesiae* Brandegee = *Castilleja chromosa* A. Nelson  
*Castilleja tenuifolia* M. Martens & Galeotti subsp. *aurea* (B.L. Rob. & Greenm.) Chuang = *Castilleja*  
*aurea* B.L. Rob. & Greenm.  
*Castilleja tricolor* Pennell = *Castilleja nervata* Eastw.  
*Castilleja turneri* Nesom = *Castilleja rigida* Eastw.  
*Castilleja undulata* (Pennell?) = *Castilleja arvensis* Schleidl. & Cham.  
*Castilleja undulata* Pennell [subsp.?] *glandulosa* Pennell = *Castilleja applegatei* Fern. var. *pinetorum*  
 (Fern.) N.H. Holmgren  
*Castilleja vanegatis* Pennell = *Castilleja galehintoniae* Nesom  
*Castilleja viscida* Rydb. [subsp.?] *galeata* Pennell = *Castilleja miniata* Douglas ex Hook. var. *miniata*  
 (or) *C. applegatei* Fern. var. *viscida* (Rydb.) M. Ownbey  
*Castilleja vulgaris* I. Holmgren = *Castilleja fissifolia* L.f.  
*Castilleja wascoensis* Pennell = *Castilleja xanthotricha* Pennell
- Bartsia pallida* (L.) Spreng. var. *latifolia* Nutt. = *Castilleja unalaschensis* (Cham. & Schleidl.) Malte
- Euchroma albida* Nutt. = *Castilleja attenuata* (Benth.) T.I Chuang & Heckard  
*Euchroma flava* Nutt. = *Castilleja cusickii* Greenm.  
*Euchroma integrifolia* Nutt. = *Castilleja miniata* Douglas ex Hook. var. *miniata*  
*Euchroma lanceolata* Nutt. = *Castilleja minor* (A. Gray) A. Gray var. *exilis* (A. Nelson) J.M. Egger  
*Euchroma laciniata* Nutt. = *Castilleja hispida* Benth. var. *hispida*  
*Euchroma lutescens* Nutt. = *Castilleja cuscikii* Greenm.  
*Euchroma macrocalyx* Nutt. = *Castilleja angustifolia* (Nutt.) G. Don var. *angustifolia*  
*Euchroma pallescens* Nutt. = *Castilleja pallescens* (A. Gray) Greenm. var. *pallescens*  
*Euchroma simplex* Nutt. = *Castilleja minor* (A. Gray) A. Gray var. *exilis* (A. Nelson) J.M. Egger  
*Euchroma villosa* Nutt. = *Castilleja angustifolia* (Nutt.) G. Don var. *angustifolia*  
*Euchroma viscosa* Nutt. = *Castilleja applegatei* Fernald var. *viscida* (Rydb.) M. Ownbey
- Orthocarpus castillejoides* [subsp.?] *purpureotincta* Pennell = *Castilleja ambigua* Hook. & Arn.  
*Orthocarpus chachapoyensis* Pennell = *Castilleja peruviana* Chuang & Heckard  
*Orthocarpus chlorotica* Piper = *Castilleja chlorotica* Piper  
*Orthocarpus hispidus* Benth. var. *tenuis* (A. Heller) Macbr. & Payson = *Castilleja tenuis* A. Heller  
*Orthocarpus maculatus* A. Heller, not Eastw. 1905 = *Castilleja exserta* (A. Heller) Chuang &  
 Heckard x *Castilleja brevistyla* (Hoover) Chuang & Heckard  
*Orthocarpus orientalis* Pennell = *Castilleja laciniata* Hook. & Arn.  
*Orthocarpus peruvianus* Pennell = *Castilleja profunda* Chuang & Heckard
- Philypan californica* Hartweg = *Castilleja ambigua* Hook. & Arn.

#### **ACKNOWLEDGEMENTS**

I extend my sincere appreciation to the staff of the many herbaria searched during my studies of *Castilleja*, especially to David Giblin, collections manager at WTU, for assistance with loans and related matters. A list of the consulted herbaria is included in the body of this paper.

#### **LITERATURE CITED**

- Gray, A. 1862. Revision of the genus *Castilleja*. Amer. J. Sci. Arts, ser. 2, 34: 335–339.  
Nuttall, T. 1818. The genera of North American plants, and a catalogue of the species to the year 1817. Philadelphia, D. Heartt.