

COEFFICIENTS OF CONSERVATISM FOR THE VASCULAR FLORA OF ARKANSAS

THEO WITSELL

Arkansas Natural Heritage Commission
Little Rock, Arkansas
(affiliation during this work)

Southeastern Grasslands Institute
Austin Peay State University
Clarksville, Tennessee
theo.witsell@segrasslands.org
(current affiliation)

VIRGINIA L. McDANIEL

Southern Research Station
Hot Springs, Arkansas
virginia.l.mcdaniel@usda.gov

BRENT T. BAKER

Dardanelle, Arkansas
btb2001@hotmail.com

DOUG M. ZOLLNER

The Nature Conservancy
Little Rock, Arkansas
dzollner@tnc.org

GABRIEL L. DE JONG

The Nature Conservancy
Little Rock, Arkansas
(affiliation during this work)

National Park Service
Southern Arizona Parks Group
Tucson, Arizona
gabriel_dejong@nps.gov
(current affiliation)

SUSAN L. HOOKS

Ouachita National Forest
(RETIRED)
Hot Springs, Arkansas
susan.hooks@usda.gov

ABSTRACT

Coefficients of Conservatism (C-values) are values given to plant taxa to describe and rank their fidelity to habitat quality and/or stability within a given region. In this paper, we present newly developed C-values for the vascular flora of Arkansas. Native taxa that show strong fidelity to intact, stable natural communities of high ecological integrity (and which are generally absent from highly altered, degraded, or destabilized communities) are assigned high values (8-10), whereas those tolerant of moderately altered, degraded, or destabilized communities are assigned mid-range values (4-7), and those that are tolerant of highly altered, degraded, or destabilized natural communities are given low values (1-3). Non-native taxa are given a value of 0. C-values have been developed for many states and ecoregions and can be used in various analyses, including Floristic Quality Assessments (FQAs), to assess the quality or health of a natural community, or to track the progress of ecosystem restoration efforts.

Maintaining healthy, biologically diverse native ecosystems in the southeastern USA is increasingly challenging due to various factors including land development and habitat fragmentation (McCauley et al. 2013; Moran et al. 2015), conversion of natural landscapes to agriculture (Noss 2012), increased pesticide use (Forister et al. 2016; Thogmartin et al. 2017), changes in ecosystem processes (Noss 2012), and invasion by non-native species (Adams & Engelhardt 2009; Lemke et al. 2011). Yet many natural areas are being actively restored, managed, and/or maintained by various conservation agencies, organizations, and private landowners, and more areas are acquired for conservation purposes each year (Hill & Barone 2018; Stein et al. 2000).

Having a methodology to objectively assess the quality of the natural communities on a site or to determine the effectiveness of restoration efforts is important to many ecologists, land managers, and other natural resource professionals. One such methodology, Floristic Quality Assessment (FQA), was first developed by Wilhelm (1977) in the Chicago region, and further refined over the next couple of decades (Swink & Wilhelm 1994; Wilhelm & Ladd 1988). To conduct an FQA, each plant taxon in a specified region is assigned a Coefficient of Conservatism, or C-value. These values usually range from 0 to 10 in some lists and from 1 to 10 in others (Freyman et al. 2016; Tables 1 and 2) and describe the relative conservatism of a species, or its fidelity to intact, stable habitats (where natural ecological processes [e.g., fire] are allowed to proceed). Plant species that are highly conservative and found primarily (or for some species only) in intact, stable habitats (e.g., remnant prairie) are given high C-values (8-10). Species that exist in a wide range of native habitats and ecological conditions and can tolerate some destabilization (e.g., logging or moderate grazing by cattle) are given mid-range values (4-7). Those species with a high tolerance for degradation (e.g., plowing, removal of topsoil by a bulldozer) are given low values (1-3).

Once C-values are assigned to the flora of a region and a floristic inventory of a particular plot, transect, or other area has been compiled, one can calculate a Floristic Quality Index (FQI) and/or mean C-value, both of which describe the floristic quality and ecological integrity of the area. FQI is calculated according to the following formula:

$$FQI = \bar{C}\sqrt{S}$$

where \bar{C} is the mean C-value and S is the total number of native species. As FQA metrics have been more widely employed over the years, certain patterns of interpretation have emerged. FQI has been found to be less helpful in assessing ecological integrity because it depends on species richness which can vary for reasons other than site quality (i.e. higher species richness varies with natural community type and does not necessarily indicate higher ecological integrity). Matthews et al. (2005) and Maginel et al. (2016) found mean C to be a more reliable FQA metric than FQI. It is now generally accepted that a $\bar{C} > 3.5$ is an indicator of at least marginal natural quality and a $\bar{C} > 4.5$ is an indicator of remnant quality habitat (Rothrock & Homoya 2005). The carefully informed assignment of C-values and the preceding metrics remove some of the subjectivity in assessing the quality of natural areas.

Two approaches have been widely employed in considering non-native species in FQA — (1) non-natives are not assigned C-values and are excluded from analyses altogether (i.e. not included in species tallies; Rothrock & Homoya 2005), or (2) non-native species are assigned a C-value of zero and are included in analyses, serving to “pull down” \bar{C} and thus FQI (Taft et al. 2006). We analyzed 38 lists of C-values available in the Universal Floristic Quality Assessment Calculator from different regions of the country (Freyman et al. 2016). We found that 19 (50%) ranked the native flora on a 1-10 scale and 19 (50%) used a 0-10 scale. Zomlefer et al. (2013) ranked native species on a scale from 2 to 10 and non-natives 0-1. We found regional patterns in these approaches, with the use of the 1-10 scale more prevalent in the northeastern and southeastern USA and the 0-10 scale more prevalent in the midwestern USA (Tables 1 and 2).

In recent years, the development and use of C-values for state or regional floras has increased (Tables 1 and 2). Subsequently, FQA has been widely used to assess the effectiveness of wetland restoration projects (Bried et al. 2013; Lopez & Fennessy 2002) and grassland restoration projects (Allain et al. 2004; Taft et al. 2006), as well as to analyze natural areas in general (Rothrock & Homoya 2005). Freyman et al. (2016) developed the Universal FQA Calculator (<http://universalFQA.org>), which houses over 70 lists of C-values (referred to as FQA databases) from different regions in the USA and Canada. Ecologists and site managers have uploaded transect, plot, or site inventory data and used these embedded FQA databases to determine a variety of conservatism metrics for thousands of projects (Freyman et al. 2016).

While there is much overlap of species between the Arkansas flora and the floras of many of the states presently included in the Universal FQA Calculator, many Arkansas species are not included. Furthermore, conservatism is not always consistent across a species' range, so the localized assignment of C-values is important. In our experience this is especially true near the edges of some species' ranges, where they often exhibit a stronger fidelity to intact examples of a given natural community. With Missouri as the only state bordering Arkansas to have a published statewide list of C-values (Ladd and Thomas 2015), the need for an Arkansas-specific list of C-values is clear.

In this paper, we present C-values for the known native and naturalized vascular flora of Arkansas as of March 2024. EPA Level III Ecoregions in Arkansas include the South Central Plains (Ecoregion 35; aka West Gulf Coastal Plain), Ouachita Mountains (Ecoregion 36), Arkansas Valley (Ecoregion 37), Boston Mountains (Ecoregion 38), Ozark Highlands (Ecoregion 39; aka Ozark Plateaus), Mississippi Alluvial Plain (Ecoregion 73; aka Mississippi Delta), and Mississippi Valley Loess Plains (Ecoregion 74; aka Crowley's Ridge) (Woods et al. 2004).

Methods

The C-values for Arkansas vascular plant species were developed by a committee of skilled field botanists and ecologists (all listed as co-authors of this paper) representing the Arkansas Natural Heritage Commission, The Nature Conservancy of Arkansas, and the Southern Research Station and Ouachita National Forest of the USDA Forest Service. This group met multiple times between April 2016 and March 2024 to accomplish this task.

Each taxon was discussed by the group until consensus was reached on a C-value based on where the taxon naturally occurs. In addition to utilizing the extensive field knowledge held within the group, key habitat information for specific taxa was also extracted from the Arkansas Heritage Program's Natural Heritage Database, digitized herbarium specimens available on SERNEC (SouthEast Regional Network of Expertise and Collections), accepted regional botanical and ecological literature, and other reliable sources. Justin Thomas (NatureCITE) provided additional input on assignment of *Dichanthelium* C-values and Ron Lance (North American Land Trust) provided additional input on assignment of *Crataegus* C-values. Some obscure, cryptic, or otherwise ambiguous taxa for which the team had insufficient information or field experience to rank were given a C-value of NMI (Need More Information).

Our criteria for establishing C-values are as follow:

- 0** Non-native taxa.
- 1-3** Native weedy and early successional taxa, displaying high opportunistic potential for occupancy of destabilized sites. These taxa are typically well adapted to highly degraded areas of the contemporary environment or to lands that have been heavily altered in the past.
- 4-7** Typically matrix taxa in intact, stable habitats, with some limited ability to respond to destabilizing forces and repopulate areas from which they have been extirpated.

- 8-10** Conservative taxa with strong fidelity to intact habitats. These taxa tend to exhibit late-successional characteristics like long lifespans with low seed sets and an inability for far ranging dispersal.
- NMI** Need More Information. Taxa lacking enough information to assign a value.

These criteria are modified from Ladd and Thomas (2015), differing primarily in 1) assigning a value of zero for all non-native taxa, 2) assigning all native taxa a value between 1 and 10, and 3) grouping C-values of 1-3, 4-7, and 8-10 into categories of low, medium, and high conservatism, respectively.

This paper represents a complete list of plant taxa documented in Arkansas as of March 2024 with selected hybrids included. Nomenclature and organization of the list presented here primarily follows the *Atlas of the Vascular Plants of Arkansas* (Gentry et al. 2013), with some exceptions and additions. We also include a column of nomenclatural equivalents from *Flora of the Southeastern United States* (Weakley et al. 2023). Most species were a one-to-one match. In cases where Weakley et al. (2023) recognized infraspecific taxa for a particular species but we did not, we included those found in Arkansas and excluded those not found in Arkansas. In cases where Weakley et al. (2023) did not recognize infraspecific taxa but we did, the Weakley et al. (2023) species is denoted with the name followed by “(in part).” Several taxa did not have an equivalent and those are denoted with “No match.”

We developed C-values for 3124 taxa (representing 192 families, 964 genera, 2944 species, 149 subspecies, 421 varieties, and 39 hybrids). Of the 3124 taxa documented in Arkansas, 2363 are native (76%), 750 are non-native (24%), and 11 are native in some part(s) of the state but have naturalized in others. Of the 750 non-native species, 162 of them are considered invasive in natural communities. There are 622 species that are taxa of state conservation concern (tracked by the Arkansas Natural Heritage Program) and 17 are considered endemic to Arkansas. C-values of native taxa in Arkansas have a median value of 7 (Figure 1).




Figure 1. Distribution of C-values for the vascular flora of Arkansas.

ACKNOWLEDGEMENTS

We would like to thank Justin and Dana Thomas (co-founders of NatureCITE and Science Director and President, respectively) for the suggestion to embark on the daunting but rewarding task of assigning C-values to the vascular flora of Arkansas and their support throughout the project. We appreciated Justin's vast knowledge of the genus *Dichanthelium*, his willingness to assist in assigning C-values to this complicated group, and his helpful comments on early drafts of this manuscript. Ron Lance (North American Land Trust) assisted with assigning C-values to the genus *Crataegus*. Chris Reid (Louisiana State University), Jason Singhurst (Texas Parks and Wildlife Department), and Joey Shaw (University of Tennessee at Chattanooga), provided helpful critique that greatly improved both this manuscript and the C-values presented. Dwayne Estes (Southeastern Grasslands Institute, Austin Peay State University) contributed countless hours of detailed discussion and debate regarding taxonomy, ecological requirements, natural history, and C-values of taxa on the list. Jennifer Ogle (University of Arkansas Herbarium) provided encouragement throughout the project and detailed editing on the final manuscript. Michael Lee and Alan Weakley (North Carolina Botanical Garden, University of North Carolina Chapel Hill) helped greatly in developing a taxonomic crosswalk between plant taxa in *Atlas of the Vascular Plants of Arkansas* and *Flora of the Southeastern United States*.

LITERATURE CITED

- Adams, S.N. and K.A.M. Engelhardt. 2009. Diversity declines in *Microstegium vimineum* (Japanese stiltgrass) patches. *Biol. Conserv.* 142: 1003–1010.
- Allain, L., L. Smith, C. Allen, M.F. Vidrine, and J.B. Grace. 2004. A floristic quality assessment system for the coastal prairie of Louisiana. *Proceedings of the North American Prairie Conferences*. Univ. of Nebraska, Lincoln. Paper 62.
- Armstrong, J., W. Hodgson, S. Jones, K. Barron, D. Setaro, and A.B. Raschke. 2021. Maricopa County Parks and Recreation and Desert Botanic Garden. Floristic Quality Assessment: development and application in Maricopa County, Arizona. <https://universalfqa.org/view_database/194> Accessed May 2024.
- Bried, J.T., S.K. Jog, and J.W. Matthews. 2013. Floristic quality assessment signals human disturbance over natural variability in a wetland system. *Ecol. Indicators* 34: 260–267.
- Cameron, D. and D. Faber-Langendoen. 2018. NatureServe-NEIWPCC Northeast FQA Project. Database of coefficients of conservatism for Omernik Level 3 Ecoregion 82. <https://universalfqa.org/view_database/134> Accessed May 2024.
- Colorado Natural Heritage Program. 2020. <https://universalfqa.org/view_database/202> Accessed May 2024.
- Drobney, P.D., G.S. Wilhelm, D. Horton, M. Leoschke, D. Lewis, J. Pearson, D. Roosa, and D. Smith. 2001. Floristic quality assessment for the state of Iowa. Unpublished report. <https://universalfqa.org/view_database/20> Accessed May 2024.
- Faber-Langendoen, D., K.S Walz, J. Hafstad, R. Ring, R. Goad, M. Harkness. 2021. Ecoregional Floristic Quality Assessment Tools tools for the Northeast and Mid-Atlantic regions: Linking EPA Region 1 (New Jersey and New York) with EPA Region 1 and 3. NatureServe. <https://universalfqa.org/view_database/206> Accessed May 2024.
- Fenneman, J. and T. McIntosh. 2018. Codes of conservatism (includes only wetlands species). British Columbia Wildlife Federation Project. <https://universalfqa.org/view_database/130> Accessed May 2024.
- Forister, M.L., B. Cousens, J.G. Harrison, K. Anderson, J.H. Thorne, D. Waetjen, C.C. Nice, M. De Parsia, M.L. Hladik, R. Meese, H. van Vliet, and A.M. Shapiro. 2016. Increasing neonicotinoid use and the declining butterfly fauna of lowland California. *Biol. Lett.* 12(8).
- Freeman, C.C. 2014. Coefficients of conservatism for Kansas vascular plants and selected life history attributes. Kansas Biological Survey and R.L. McGregor Herbarium, Univ. of Kansas, Lawrence.

- Freyman, W.A., L.A. Masters, and S. Packard. 2016. The Universal Floristic Quality Assessment (FQA) Calculator: An online tool for ecological assessment and monitoring. *Methods Ecol. Evol.* 7: 380–383.
- Gentry, J.L., G.P. Johnson, B.T. Baker, C.T. Witsell, and J.D. Ogle, eds. 2013. *Atlas of the Vascular Plants of Arkansas*. Univ. of Arkansas Herbarium, Fayetteville.
- Gianopoulos, K. 2014. Coefficient of conservatism database development for wetland plants occurring in the Southeast United States. North Carolina Dept. of Environment & Natural Resources, Division of Water Resources: Wetlands Branch. Report to the EPA, Region 4. <<https://doi.org/10.13140/RG.2.1.3732.7762>> Accessed May 2024.
- Gilman, A. and D. Faber-Langendoen. 2018. NatureServe-NEIWPCC Northeast FQA Project. Database of coefficients of conservatism for Omernik Level 3 Ecoregion 58. <https://universalfqa.org/view_database/131> Accessed May 2024.
- Hill, J.G. and J.A. Barone, eds. 2018. *Southeastern Grasslands: Biodiversity, Ecology, and Management*. Univ. of Alabama Press, Tuscaloosa.
- Ladd, D. and J.R. Thomas. 2015. Ecological checklist of the Missouri flora for floristic quality assessment. *Phytoneuron* 2015-12: 1–274.
- Lemke, D., P.E. Hulme, J.A. Brown, and W. Tadesse. 2011. Distribution modelling of Japanese honeysuckle (*Lonicera japonica*) invasion in the Cumberland Plateau and Mountain Region, USA. *Forest Ecol. Manag.* 262: 139–149.
- Lopez, R.D. and M.S. Fennessy. 2002. Testing the floristic quality assessment index as an indicator of wetland condition. *Ecol. Appl.* 12: 487–497.
- Maginel, C.J., B.O. Knapp, J.M. Kabrick, E.K. Olson, and R-M. Muzika. 2016. Floristic Quality Index for woodland ground flora restoration: Utility and effectiveness in a fire-managed landscape. *Ecol. Indicators* 67: 58–67.
- Matthews, J.W., P.A. Tessene, S.W. Wiesbrook, and B.W. Zercher. 2005. Effect of area and isolation on species richness and indices of floristic quality in Illinois, USA wetlands. *Wetlands* 25: 607–615.
- McAvoy, W.A. 2013. The Flora of Delaware Online Database. Delaware Division of Fish and Wildlife, Species Conservation and Research Program, Smyrna, Delaware. <https://universalfqa.org/view_database/23> Accessed May 2024.
- McCauley, L.A., D.G. Jenkins, and P.F. Quintana-Ascencio. 2013. Isolated wetland loss and degradation over two decades in an increasingly urbanized landscape. *Wetlands* 33: 117–127.
- Metzler, K. and D. Faber-Langendoen. 2018. NatureServe-NEIWPCC Northeast FQA Project. Database of coefficients of conservatism for Omernik Level 3 Ecoregion 59. <https://universalfqa.org/view_database/132> Accessed May 2024.
- Mid-Atlantic Wetland Workgroup (MAWWG). 2012. Floristic Quality Assessment Index (FQAI) calculator. <https://universalfqa.org/view_database/197> Accessed May 2024.
- Milburn, S.A., M. Bourdaghs, and J.J. Husveth. 2007. Floristic Quality Assessment for Minnesota Wetlands. Minnesota Pollution Control Agency, St. Paul, Minnesota. <https://universalfqa.org/view_database/10> Accessed May 2024.
- Moran, M.D., A.B. Cox, R.L. Wells, C.C. Benichou, and M.R. McClung. 2015. Habitat loss and modification due to gas development in the Fayetteville Shale. *Environ. Manag.* 55: 1276–1284.
- Mortellaro, S., M. Barry, G. Gann, J. Zahina, S. Channon, C. Hilsenbeck, D. Scofield, G. Wilder, and G. Wilhelm. 2009. Coefficients of conservation values and the floristic quality index for the vascular plants of south Florida. *Southeastern Naturalist* 11(mo3): 1–62.
- New England Interstate Water Pollution Control Commission. 2013. <https://universalfqa.org/view_database/83> Accessed May 2024.
- Noss, R.F. 2012. *Forgotten Grasslands of the South: Natural History and Conservation*. Island Press, Washington, D.C.

- Oldham, M.J., W.D. Bakowsky, and D.A. Sutherland. 1995. Floristic quality assessment system for southern Ontario. Natural Heritage Information Centre, Ontario Ministry of Natural Resources, Peterborough, Ontario. <https://universalfqa.org/view_database/2> Accessed May 2024.
- Reemts, C.M., and J.A. Eidson. 2019. Choosing plant diversity metrics: A tallgrass prairie case study. *Ecol. Restor.* 37: 233–245.
- Reznicek, A.A., M.R. Penskar, B.S. Walters, and B.S. Slaughter. 2014. Michigan Floristic Quality Assessment Database. Herbarium, University of Michigan, Ann Arbor, Michigan, and Michigan Natural Features Inventory, Michigan State University, Lansing, Michigan. <<https://lsa-miflora-p.lsait.lsa.umich.edu/>> Accessed May 2024.
- Rocchio, F.J. and R.C. Crawford. 2013. Floristic Quality Assessment for Washington vegetation. Washington Natural Heritage Program, Washington Department of Natural Resources, Olympia, Washington. Baseline nomenclature: USDA PLANTS. <https://universalfqa.org/view_database/6> Accessed May 2024.
- Ring, R. and D. Faber-Langendoen. 2018. NatureServe-NEIWPCC Northeast FQA Project. Database of coefficients of conservatism for Omernik Level 3 Ecoregion 83. <https://universalfqa.org/view_database/135> Accessed May 2024.
- Rolfsmeier, S. and G. Steinauer. 2003. Vascular Plants of Nebraska (Version I – July 2003). Nebraska Game and Parks Commission, Lincoln.
- Rothrock, P.E. 2004. Floristic quality assessment in Indiana: The concept, use, and development of coefficients of conservatism. Final Report for ARN A305-4-53, EPA Wetland Program Development Grant CD975586-01.
- Rothrock, P.E. and M.A. Homoya. 2005. An evaluation of Indiana's floristic quality assessment. *Proc. Indiana Acad. Sci.* 114: 9–18.
- Stein, B.A., L.S. Kutner, and J.S. Adams. 2000. Precious Heritage: The Status of Biodiversity in the United States. Oxford Univ. Press, Oxford.
- Swink, F. and G. Wilhelm. 1994. Plants of the Chicago Region, 4th ed. Indiana Academy of Science, Indianapolis.
- Taft, J.B., G.S. Wilhelm, D.M. Ladd, and L.A. Masters. 1997. Floristic quality assessment for vegetation in Illinois, a method for assessing vegetation integrity. Illinois Native Plant Society, Westville.
- Taft J.B., C. Hauser, and K.R. Robertson. 2006. Estimating floristic integrity in tallgrass prairie. *Biol. Conserv.* 131: 42–51.
- The Northern Great Plains Floristic Quality Assessment Panel. 2001. Coefficients of conservatism for the vascular flora of the Dakotas and adjacent grasslands. U.S. Geological Survey, Biological Resources Division, Information and Technology Report USGS/BRD/ITR-2001-0001, 32 p. <https://universalfqa.org/view_database/54> Accessed May 2024.
- Thogmartin, W.E., R. Wiederholt, K. Oberhauser, R.G. Drum, J.E. Diffendorfer, S. Altizer, O.R. Taylor, J. Pleasants, D. Semmens, B. Semmens, R. Erickson, K. Libby, and L. Lopez-Hoffman. 2017. Monarch butterfly population decline in North America: Identifying the threatening processes. *Royal Soc. Open Sci.* 4(9): 170760.
- University of Illinois at Urbana Champaign. 2019. C-values for New Mexico's Middle Rio Grande. <https://universalfqa.org/view_database/161> Accessed May 2024.
- Walz, K.S., L. Kelly, K. Anderson, K. Bowman, B. Andreas, R. Andrus, S. Schuette, W. Schumacher, S. Robinson, T. O'Brien, E. Karlin and J. Hafstad. 2018. Universal Floristic Quality Assessment Index for vascular plants and mosses of New Jersey: Coefficient of Conservancy (CoC) values for species and genera. New Jersey Department of Environmental Protection, New Jersey Forest Service, Office of Natural Lands Management, Trenton, NJ, 08625. Submitted to United States Environmental Protection Agency, Region 2, for State Wetlands Protection Development Grant, Section 104(B)(3); CFDA No. 66.461, CD97225809.
- Weakley, A.S. and Southeastern Flora Team. 2023. Flora of the Southeastern United States. Univ. of North Carolina Herbarium, North Carolina Botanical Garden, Chapel Hill.

- West Virginia Natural Heritage Program. 2015. Coefficients of Conservatism for the vascular flora of West Virginia. Wildlife Diversity Unit, West Virginia Division of Natural Resources, Elkins . <https://universalfqa.org/view_database/64> Accessed May 2024.
- Wilhelm, G.S. 1977. Ecological assessment of open land areas in Kane County, Illinois: A checklist of the Kane County flora with numerical evaluations: its basis, rationale and application. Kane County Urban Development Commission, Geneva, Illinois.
- Wilhelm, G. and D. Ladd. 1988. Natural area assessment in the Chicago region. Trans. 53rd N.A. Wildl. & Nat. Res. Conf. 53: 361–375.
- Woods, A.J., T.L. Foti, S.S. Chapman, J.M. Omernik, J.A. Wise, E.O. Murray, W.L. Prior, J.B. Pagan, Jr., J.A. Comstock, and M. Radford. 2004. Ecoregions of Arkansas (color poster with map, descriptive text, summary tables and photographs). Scale 1:1,000,000. U.S. Geological Survey, Reston, Virginia.
- Zomlefer, W.B., L.G. Chafin, J.R. Carter, and D.E. Giannasi. 2013. Coefficient of Conservatism rankings for the flora of Georgia: Wetland indicator species. Southeastern Naturalist 12: 790–808. <<https://doi.org/10.1656/058.012.0426>> Accessed May 2024.

Table 1. Public FQA Databases from the Universal FQA Calculator site that rank native species on a scale from 1 to 10 and non-native species with a 0.

| State/Region | Universal FQA citation | Short Citation |
|---|---|--|
| Allegheny Plateau, Glaciated | https://universalfqa.org/view_database/206 | Faber-Langendoen et al., 2021 |
| Appalachian Mountains of KY, TN, NC, SC, GA, AL | https://universalfqa.org/view_database/70 | Gianopoulos, 2014 |
| Atlantic Coastal Pine Barrens | https://universalfqa.org/view_database/204 | Faber-Langendoen et al., 2021 |
| Coastal Plain of the Southeast | https://universalfqa.org/view_database/73 | Gianopoulos, 2014 |
| Colorado | https://universalfqa.org/view_database/202 | Colorado Natural Heritage Program, 2020 |
| Delaware | https://universalfqa.org/view_database/23 | McAvoy, 2013 |
| Eastern British Columbia, Canada - East of Coast and Cascade Mountains | https://universalfqa.org/view_database/128 | Fenneman and McIntosh, 2018 |
| Eastern Great Lakes and Hudson Lowlands | https://universalfqa.org/view_database/135 | Ring and Faber-Langendoen, 2018 |
| Interior Plateau of KY, TN, and AL | https://universalfqa.org/view_database/69 | Gianopoulos, 2014 |
| Maine/New Brunswick Plains and Hills | https://universalfqa.org/view_database/134 | Cameron and Faber-Langendoen, 2018 |
| New Hampshire | https://universalfqa.org/view_database/83 | New England Interstate Water Pollution Control Commission, 2013 |
| New Jersey | https://universalfqa.org/view_database/157 | Walz et al., 2018 |
| New Mexico's Middle Rio Grande | https://universalfqa.org/view_database/161 | University of Illinois at Urbana Champaign, 2019 |
| Northeastern Coastal Zone | https://universalfqa.org/view_database/132 | Metzler and Faber-Langendoen, 2018 |

| | | |
|--|---|--|
| Northern Appalachian and Atlantic Maritime Highlands | https://universalfqa.org/view_database/131 | Gilman and Faber-Langendoen, 2018 |
| Piedmont region of the Southeast NC, SC, GA, AL, MS, FL, TN, KY | https://universalfqa.org/view_database/68 | Gianopoulos, 2014 |
| Southern Coastal Plain | https://universalfqa.org/view_database/74 | Gianopoulos, 2014 |
| West Virginia | https://universalfqa.org/view_database/64 | West Virginia Natural Heritage Program, 2015 |
| Western British Columbia, Canada - West of Coast and Cascade Mountains (wetland species) | https://universalfqa.org/view_database/130 | BC Wildlife Federation Project, 2018 |

Table 2. Public FQA Databases from the Universal FQA Calculator site that rank native species on a scale from 0 to 10 where non-natives are ranked as 0 or not ranked.

| State/Region | Universal FQA citation | Short Citation |
|--|---|--|
| Arizona (Maricopa County) | https://universalfqa.org/view_database/194 | Armstrong et al., 2021 |
| Chicago Region | https://universalfqa.org/view_database/1 | Swink and Wilhelm, 1994 |
| Dakotas (excluding the Black Hills) | https://universalfqa.org/view_database/54 | The Northern Great Plains Floristic Quality Assessment Panel, 2001 |
| Florida | | Mortellaro et al., 2009 |
| Illinois | https://universalfqa.org/view_database/7 | Taft et al., 1997 |
| Indiana | https://universalfqa.org/view_database/14 | Rothrock, 2004 |
| Iowa | https://universalfqa.org/view_database/20 | Drobney et al., 2001 |
| Kansas | https://universalfqa.org/view_database/37 | Freeman, 2014 |
| Louisiana (coastal prairie) | https://universalfqa.org/view_database/15 | Allain et al., 2004 |
| Michigan | https://universalfqa.org/view_database/50 | Reznicek et al., 2014 |
| Mid-Atlantic Piedmont with non-natives | https://universalfqa.org/view_database/197 | Mid-Atlantic Wetland Workgroup, 2012 |
| Minnesota (wetlands) | https://universalfqa.org/view_database/10 | Milburn et al., 2007 |
| Missouri | https://universalfqa.org/view_database/63 | Ladd and Thomas, 2015 |
| Nebraska | https://universalfqa.org/view_database/36 | Rolfsmeier and Steinauer, 2003 |
| Ontario | https://universalfqa.org/view_database/2 | Oldham et al., 1995 |
| Pennsylvania Piedmont | https://universalfqa.org/view_database/77 | Elbert et al., 2013 |
| Texas Blackland Prairies | https://universalfqa.org/view_database/160 | Reemts and Eidson, 2019 |
| Washington | https://universalfqa.org/view_database/6 | Rocchio and Crawford, 2013 |
| Wisconsin | https://universalfqa.org/view_database/85 | Chung-Gibson et al., 2017 |

Table 3. C-values (C), SCIENTIFIC NAME (GENTRY ET AL.), SCIENTIFIC NAME (WEAKLEY), COMMON NAME, and growth form (GRFRM) for the Arkansas flora arranged alphabetically by Gentry et al's scientific name. *GRFRM*: Fern – fern, Forb – forb, Gram – graminoid, Shrub – shrub, Tree – tree, WVn – woody vine; *Special Status in SCIENTIFIC NAME columns*: non-native taxa appear in ALL CAPS, taxa that are non-native and considered invasive in natural areas are in ALL CAPS and followed by an *, taxa considered native in part(s) of the state but naturalized in others are followed by an •, taxa of state conservation concern (tracked by the Arkansas Natural Heritage Program) are followed by a †, and taxa endemic to Arkansas are followed by a ‡. For further information see discussion in text.

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|------------------------------------|--|----------------------------|-------|
| 10 | Abutilon fruticosum† | Abutilon fruticosum† | Texas Indian-mallow | Forb |
| 0 | ABUTILON THEOPHRASTI | ABUTILON THEOPHRASTI | velvetleaf | Forb |
| 8 | Acaciella angustissima | Acaciella hirta | prairie acacia | Forb |
| 8 | Acalypha deamii† | Acalypha deamii† | Deam's copperleaf | Forb |
| 5 | Acalypha gracilens | Acalypha gracilens | slender three-seed mercury | Forb |
| 5 | Acalypha monococca | Acalypha monococca | one-seed mercury | Forb |
| 1 | Acalypha ostryifolia | Acalypha ostryifolia | hop-hornbeam copperleaf | Forb |
| 2 | Acalypha rhomboidea | Acalypha rhomboidea | rhombic copperleaf | Forb |
| 1 | Acalypha virginica | Acalypha virginica | Virginia copperleaf | Forb |
| 0 | ACANTHOSPERMUM AUSTRALE | ACANTHOSPERMUM AUSTRALE | Paraguay starbur | Forb |
| 0 | ACER GINNALA | ACER GINNALA | Amur maple | Tree |
| 3 | Acer negundo var. negundo | Acer negundo var. negundo | box elder | Tree |
| 3 | Acer negundo var. texanum | Acer negundo var. negundo | box elder | Tree |
| 0 | ACER PALMATUM | ACER PALMATUM | Japanese maple | Tree |
| 7 | Acer rubrum var. drummondii | Acer rubrum var. drummondii | swamp red maple | Tree |
| 4 | Acer rubrum var. rubrum | Acer rubrum var. rubrum | red maple | Tree |
| 4 | Acer rubrum var. trilobum | Acer rubrum var. trilobum | trident maple | Tree |
| 3 | Acer saccharinum | Acer saccharinum | silver maple | Tree |
| 6 | Acer saccharum var. floridanum | Acer floridanum | southern sugar maple | Tree |
| 8 | Acer saccharum var. leucoderme† | Acer leucoderme† | chalk maple | Tree |
| 10 | Acer saccharum var. nigrum† | Acer nigrum† | black maple | Tree |
| 5 | Acer saccharum var. saccharum | Acer saccharum [var. saccharum + var. schneckii] | sugar maple | Tree |
| 3 | Achillea millefolium | Achillea gracilis | yarrow | Forb |
| 5 | Acmella repens | Acmella repens | creeping spotflower | Forb |
| 0 | ACORUS CALAMUS* | ACORUS CALAMUS* | sweet-flag | Forb |
| 9 | Actaea pachypoda | Actaea pachypoda | doll's-eyes | Forb |
| 8 | Actaea racemosa | Actaea racemosa | black cohosh | Forb |
| 0 | ACTINIDIA CHINENSIS VAR. DELICIOSA | ACTINIDIA CHINENSIS VAR. DELICIOSA | kiwi | WVn |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|---|-----------------------------|-------|
| 9 | <i>Adiantum capillus-veneris</i> | <i>Adiantum capillus-veneris</i> | southern maidenhair fern | Fern |
| 7 | <i>Adiantum pedatum</i> | <i>Adiantum pedatum</i> | northern maidenhair fern | Fern |
| 0 | <i>ADONIS ANNUA</i> | <i>ADONIS ANNUA</i> | pheasant's-eye | Forb |
| 0 | <i>AEGILOPS CYLINDRICA</i> | <i>AEGILOPS CYLINDRICA</i> | jointed goat grass | Gram |
| 0 | <i>AESCHYNOMENE INDICA</i> | <i>AESCHYNOMENE INDICA</i> | joint-vetch | Forb |
| 0 | <i>AESCHYNOMENE RUDIS</i> | <i>AESCHYNOMENE RUDIS</i> | joint-vetch | Forb |
| 6 | <i>Aesculus glabra</i> var. <i>arguta</i> | <i>Aesculus glabra</i> var. <i>arguta</i> | Texas buckeye | Tree |
| 6 | <i>Aesculus glabra</i> var. <i>glabra</i> | <i>Aesculus glabra</i> var. <i>glabra</i> | Ohio buckeye | Tree |
| 6 | <i>Aesculus pavia</i> var. <i>pavia</i> | <i>Aesculus pavia</i> var. <i>pavia</i> | red buckeye | Tree |
| 10 | <i>Agalinis auriculata</i> † | <i>Agalinis auriculata</i> † | ear-leaf false foxglove | Forb |
| 4 | <i>Agalinis fasciculata</i> | <i>Agalinis fasciculata</i> var. <i>fasciculata</i> | false foxglove | Forb |
| 7 | <i>Agalinis gattingeri</i> | <i>Agalinis gattingeri</i> | Gattinger's false foxglove | Forb |
| 7 | <i>Agalinis heterophylla</i> | <i>Agalinis heterophylla</i> | prairie false foxglove | Forb |
| 8 | <i>Agalinis homalantha</i> | <i>Agalinis homalantha</i> | false foxglove | Forb |
| 7 | <i>Agalinis purpurea</i> | <i>Agalinis purpurea</i> | purple false foxglove | Forb |
| 10 | <i>Agalinis skinneriana</i> † | <i>Agalinis skinneriana</i> † | Skinner's false foxglove | Forb |
| 5 | <i>Agalinis tenuifolia</i> | <i>Agalinis tenuifolia</i> | slender-leaf false foxglove | Forb |
| 6 | <i>Agalinis viridis</i> | <i>Agalinis viridis</i> | green false foxglove | Forb |
| 6 | <i>Agastache nepetoides</i> | <i>Agastache nepetoides</i> | yellow giant-hyssop | Forb |
| 5 | <i>Ageratina altissima</i> var. <i>altissima</i> | <i>Ageratina altissima</i> | white snakeroot | Forb |
| 8 | <i>Agrimonia microcarpa</i> | <i>Agrimonia microcarpa</i> | agrimony | Forb |
| 7 | <i>Agrimonia parviflora</i> | <i>Agrimonia parviflora</i> | agrimony | Forb |
| 5 | <i>Agrimonia pubescens</i> | <i>Agrimonia pubescens</i> | agrimony | Forb |
| 5 | <i>Agrimonia rostellata</i> | <i>Agrimonia rostellata</i> | agrimony | Forb |
| 0 | <i>AGROSTEMMA GITHAGO VAR. GITHAGO</i> | <i>AGROSTEMMA GITHAGO VAR. GITHAGO</i> | corncockle | Forb |
| 7 | <i>Agrostis elliotiana</i> | <i>Agrostis elliotiana</i> | Elliott's bent grass | Gram |
| 0 | <i>AGROSTIS GIGANTEA</i> * | <i>AGROSTIS GIGANTEA</i> * | redtop | Gram |
| 2 | <i>Agrostis hyemalis</i> | <i>Agrostis hyemalis</i> | winter bent grass | Gram |
| 6 | <i>Agrostis perennans</i> | <i>Agrostis perennans</i> | autumn bent grass | Gram |
| 0 | <i>AGROSTIS STOLONIFERA</i> | <i>AGROSTIS STOLONIFERA</i> | creeping bent grass | Gram |
| 0 | <i>AILANTHUS ALTISSIMA</i> * | <i>AILANTHUS ALTISSIMA</i> * | tree-of-heaven | Tree |
| 0 | <i>AIRA CARYOPHYLLEA VAR. CAPILLARIS</i> * | <i>AIRA ELEGANS</i> * | annual hair grass | Gram |
| 0 | <i>AIRA CARYOPHYLLEA VAR. CARYOPHYLLEA</i> * | <i>AIRA CARYOPHYLLEA</i> * | silver hair grass | Gram |
| 0 | <i>AJUGA REPTANS</i> | <i>AJUGA REPTANS</i> | carpet bugle | Forb |
| 0 | <i>ALBIZIA JULIBRISSIN</i> * | <i>ALBIZIA JULIBRISSIN</i> * | mimosa | Tree |
| 9 | <i>Aletris aurea</i> † | <i>Aletris aurea</i> † | golden colicroot | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|------------------------------------|---------------------------------------|-------------------------|-------|
| 9 | Aletris farinosa | Aletris farinosa | white colicroot | Forb |
| 3 | Alisma subcordatum | Alisma subcordatum | water-plantain | Forb |
| 7 | Alisma triviale† | Alisma triviale† | northern water-plantain | Forb |
| 0 | ALLIARIA PETIOLATA* | ALLIARIA PETIOLATA* | garlic-mustard | Forb |
| 0 | ALLIUM AMPELOPRASUM | ALLIUM AMPELOPRASUM | wild leek | Forb |
| 10 | Allium burdickii† | Allium burdickii† | narrow-leaved ramps | Forb |
| 2 | Allium canadense var. canadense | Allium canadense | wild onion | Forb |
| 8 | Allium canadense var. lavendulare† | Allium lavendulare† | tall pink glade onion | Forb |
| 7 | Allium canadense var. mobilense | Allium mobilense | meadow wild onion | Forb |
| 0 | ALLIUM CEPA | ALLIUM CEPA | garden onion | Forb |
| 10 | Allium cernuum† | Allium cernuum† | nodding wild onion | Forb |
| 10 | Allium drummondii† | Allium drummondii† | Drummond's wild onion | Forb |
| 0 | ALLIUM SATIVUM | ALLIUM SATIVUM | garlic | Forb |
| 8 | Allium stellatum | Allium stellatum | glade onion | Forb |
| 0 | ALLIUM TUBEROSUM | ALLIUM TUBEROSUM | Chinese chives | Forb |
| 0 | ALLIUM VINEALE | ALLIUM VINEALE | field garlic | Forb |
| 7 | Alnus serrulata | Alnus serrulata | alder | Shrub |
| 1 | Alopecurus carolinianus | Alopecurus carolinianus | Carolina foxtail | Gram |
| 0 | ALOPECURUS PRATENSIS | ALOPECURUS PRATENSIS | meadow foxtail | Gram |
| 9 | Alophia drummondii† | Alophia drummondii† | pinewoods-lily | Forb |
| 0 | ALTERNANTHERA PARONYCHIOIDES | ALTERNANTHERA PARONYCHIOIDES | smooth joyweed | Forb |
| 0 | ALTERNANTHERA PHILOXEROIDES* | ALTERNANTHERA PHILOXEROIDES* | alligator-weed | Forb |
| 0 | ALTERNANTHERA SESSILIS* | ALTERNANTHERA SESSILIS* | sessile joyweed | Forb |
| 0 | ALYSICARPUS VAGINALIS | ALYSICARPUS OVALIFOLIUS | alyce-clover | Forb |
| 0 | ALYSSUM ALYSSOIDES | ALYSSUM ALYSSOIDES | pale alyssum | Forb |
| 1 | Amaranthus albus | Amaranthus albus | tumbleweed | Forb |
| 0 | AMARANTHUS ARENICOLA | AMARANTHUS ARENICOLA | sandhill amaranth | Forb |
| 1 | Amaranthus blitoides | Amaranthus blitoides | tumbleweed | Forb |
| 0 | AMARANTHUS BLITUM | AMARANTHUS BLITUM SSP. EMARGINATUS | purple amaranth | Forb |
| 1 | Amaranthus hybridus | Amaranthus hybridus ssp. hybridus | green amaranth | Forb |
| 0 | AMARANTHUS PALMERI | AMARANTHUS PALMERI | Palmer's amaranth | Forb |
| 0 | AMARANTHUS POWELLII | AMARANTHUS POWELLII | Powell's amaranth | Forb |
| 1 | Amaranthus retroflexus | Amaranthus retroflexus | red-root pigweed | Forb |
| 0 | AMARANTHUS SPINOSUS | AMARANTHUS SPINOSUS | spiny amaranth | Forb |
| 1 | Amaranthus tuberculatus | Amaranthus tuberculatus | water-hemp | Forb |
| 0 | AMARANTHUS VIRIDIS | AMARANTHUS VIRIDIS | slender amaranth | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|---|-----------------------|-------|
| 1 | <i>Ambrosia artemisiifolia</i> | <i>Ambrosia artemisiifolia</i> | common ragweed | Forb |
| 4 | <i>Ambrosia bidentata</i> | <i>Ambrosia bidentata</i> | lance-leaf ragweed | Forb |
| 6 | <i>Ambrosia psilostachya</i> | <i>Ambrosia psilostachya</i> | western ragweed | Forb |
| 2 | <i>Ambrosia trifida</i> | <i>Ambrosia trifida</i> var. <i>texana</i> | giant ragweed | Forb |
| 7 | <i>Amelanchier arborea</i> | <i>Amelanchier arborea</i> | downy service-berry | Tree |
| 8 | <i>Amianthium muscitoxicum</i> | <i>Amianthium muscitoxicum</i> | fly-poison | Forb |
| 3 | <i>Ammannia coccinea</i> | <i>Ammannia coccinea</i> | toothcup | Forb |
| 5 | <i>Ammannia robusta</i> | <i>Ammannia robusta</i> | toothcup | Forb |
| 2 | <i>Ammoselinum butleri</i> | <i>Ammoselinum butleri</i> | Butler's sand-parsley | Forb |
| 10 | <i>Amorpha canescens</i> † | <i>Amorpha canescens</i> † | lead-plant | Shru |
| 5 | <i>Amorpha fruticosa</i> | <i>Amorpha fruticosa</i> | indigo-bush | Shru |
| 6 | <i>Amorpha nitens</i> | <i>Amorpha nitens</i> | shining indigo-bush | Shru |
| 8 | <i>Amorpha ouachitensis</i> † | <i>Amorpha ouachitensis</i> † | Ouachita indigo-bush | Shru |
| 8 | <i>Amorpha paniculata</i> † | <i>Amorpha paniculata</i> † | panicled indigo-bush | Shru |
| 2 | <i>Ampelopsis arborea</i> | <i>Nekemias arborea</i> | peppervine | WVn |
| 2 | <i>Ampelopsis cordata</i> | <i>Ampelopsis cordata</i> | false grape | WVn |
| 3 | <i>Amphiachyris dracunculoides</i> | <i>Amphiachyris dracunculoides</i> | broomweed | Forb |
| 6 | <i>Amphicarpa bracteata</i> | <i>Amphicarpa bracteata</i> [var. <i>bracteata</i> + var. <i>comosa</i>] | hog-peanut | Forb |
| 9 | <i>Amsonia ciliata</i> var. <i>tenuifolia</i> | <i>Amsonia ciliata</i> | bluestar | Forb |
| 9 | <i>Amsonia hubrichtii</i> † | <i>Amsonia hubrichtii</i> † | Ouachita bluestar | Forb |
| 9 | <i>Amsonia illustris</i> | <i>Amsonia illustris</i> | shining bluestar | Forb |
| 7 | <i>Amsonia repens</i> † | <i>Amsonia repens</i> † | creeping bluestar | Forb |
| 7 | <i>Amsonia tabernaemontana</i> var. <i>salicifolia</i> | <i>Amsonia salicifolia</i> | willow-leaf bluestar | Forb |
| 7 | <i>Amsonia tabernaemontana</i> var. <i>tabernaemontana</i> | <i>Amsonia tabernaemontana</i> | eastern bluestar | Forb |
| 0 | <i>ANAGALLIS ARvensis</i> | <i>ANAGALLIS ARvensis</i> | scarlet pimpernel | Forb |
| 5 | <i>Anagallis minima</i> | <i>Centunculus minimus</i> | chaffweed | Forb |
| 0 | <i>ANCHUSA ARvensis</i> | <i>LYCOPSIS ARvensis</i> | small bugloss | Forb |
| 10 | <i>Andropogon dealbatus</i> † | <i>Andropogon dealbatus</i> † | chalky bluestem | Gram |
| 7 | <i>Andropogon gerardi</i> | <i>Andropogon gerardi</i> | big bluestem | Gram |
| 6 | <i>Andropogon glomeratus</i> | <i>Andropogon glomeratus</i> | bushy bluestem | Gram |
| 7 | <i>Andropogon gyrans</i> var. <i>gyrans</i> | <i>Andropogon gyrans</i> | Elliott's bluestem | Gram |
| 0 | <i>ANDROPOGON HALLII</i> | <i>ANDROPOGON HALLII</i> | sand bluestem | Gram |
| 5 | <i>Andropogon hirsutior</i> | <i>Andropogon hirsutior</i> | flatwoods broomsedge | Gram |
| 4 | <i>Andropogon tenuispatheus</i> | <i>Andropogon tenuispatheus</i> | bushy bluestem | Gram |
| 6 | <i>Andropogon ternarius</i> var. <i>ternarius</i> | <i>Andropogon ternarius</i> | split-beard bluestem | Gram |
| 2 | <i>Andropogon virginicus</i> var. <i>virginicus</i> | <i>Andropogon virginicus</i> var. <i>virginicus</i> | broomsedge | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|---|--|--|----------------------|-------|
| 5 | <i>Androsace occidentalis</i> † | <i>Androsace occidentalis</i> † | rock-jasmine | Forb |
| 9 | <i>Anemone acutiloba</i> † | <i>Hepatica acutiloba</i> † | sharp-lobe hepatica | Forb |
| 8 | <i>Anemone americana</i> | <i>Hepatica americana</i> | round-lobe hepatica | Forb |
| 8 | <i>Anemone berlandieri</i> | <i>Anemone berlandieri</i> | ten-petal anemone | Forb |
| 8 | <i>Anemone caroliniana</i> | <i>Anemone caroliniana</i> | Carolina anemone | Forb |
| 9 | <i>Anemone quinquefolia</i> var. <i>quinquefolia</i> † | <i>Anemone quinquefolia</i> † | wood anemone | Forb |
| 7 | <i>Anemone virginiana</i> var. <i>virginiana</i> | <i>Anemone virginiana</i> var. <i>virginiana</i> | thimbleweed | Forb |
| 0 | ANETHUM GRAVEOLENS | ANETHUM GRAVEOLENS | dill | Forb |
| 8 | <i>Angelica venenosa</i> | <i>Angelica venenosa</i> | hairy angelica | Forb |
| 0 | ANODA CRISTATA | ANODA CRISTATA | spurred anoda | Forb |
| 6 | <i>Antennaria neglecta</i> † | <i>Antennaria neglecta</i> † | field pussytoes | Forb |
| 6 | <i>Antennaria parlinii</i> subsp. <i>fallax</i> | <i>Antennaria parlinii</i> ssp. <i>fallax</i> | pussytoes | Forb |
| 6 | <i>Antennaria parlinii</i> subsp. <i>parlinii</i> | <i>Antennaria parlinii</i> ssp. <i>parlinii</i> | pussytoes | Forb |
| 6 | <i>Antennaria plantaginifolia</i> | <i>Antennaria plantaginifolia</i> | pussytoes | Forb |
| 0 | ANTHEMIS COTULA | ANTHEMIS COTULA | Mayweed | Forb |
| 8 | <i>Anthenantia texana</i> † | <i>Anthenantia texana</i> † | Kral's silkscale | Gram |
| 0 | ANTHOXANTHUM ARISTATUM | ANTHOXANTHUM ARISTATUM | annual vernal grass | Gram |
| 0 | ANTHOXANTHUM ODORATUM | ANTHOXANTHUM ODORATUM | sweet vernal grass | Gram |
| 0 | ANTHRISCUS CAUCALIS | ANTHRISCUS CAUCALIS | bur chervil | Forb |
| 0 | APHANES MICROCARPA | APHANES AUSTRALIS | parsley-piert | Forb |
| 4 | <i>Aphanostephus skirrhobasis</i> var. <i>skirrhobasis</i> † | <i>Aphanostephus skirrhobasis</i> var. <i>skirrhobasis</i> † | Arkansas lazy daisy | Forb |
| 5 | <i>Apios americana</i> | <i>Apios americana</i> | groundnut | Herb |
| 9 | <i>Aplectrum hyemale</i> | <i>Aplectrum hyemale</i> | Adam-and-Eve | Forb |
| 7 | <i>Apocynum ×floribundum</i> † | <i>Apocynum floribundum</i> † | hybrid dogbane | Forb |
| 8 | <i>Apocynum androsaemifolium</i> † | <i>Apocynum androsaemifolium</i> † | spreading dogbane | Forb |
| 2 | <i>Apocynum cannabinum</i> | <i>Apocynum cannabinum</i> | dogbane | Forb |
| 7 | <i>Apocynum sibiricum</i> † | <i>Apocynum sibiricum</i> † | clasping dogbane | Forb |
| 8 | <i>Aquilegia canadensis</i> | <i>Aquilegia canadensis</i> | columbine | Forb |
| 0 | ARABIDOPSIS THALIANA | ARABIDOPSIS THALIANA | mouse-ear cress | Forb |
| 7 | <i>Arabis hirsuta</i> var. <i>adpressipilis</i> † | <i>Arabis adpressipilis</i> † | hairy rockcress | Forb |
| 0 | ARACHNIODES SIMPLICIOR | ARACHNIODES SIMPLICIOR | simpler holly fern | Fern |
| 9 | <i>Aralia racemosa</i> | <i>Aralia racemosa</i> | American spikenard | Forb |
| 4 | <i>Aralia spinosa</i> | <i>Aralia spinosa</i> | devil's-walkingstick | Tree |
| 0 | ARCTIUM MINUS* | ARCTIUM MINUS* | common burdock | Forb |
| 0 | ARENARIA SERPYLLIFOLIA VAR. SERPYLLIFOLIA | ARENARIA SERPYLLIFOLIA | thyme-leaf sandwort | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|-------------------------------------|-----------------------------|-------|
| 0 | ARENARIA SERPYLLIFOLIA VAR. TENUIOR | ARENARIA LEPTOCLADOS | thyme-leaf sandwort | Forb |
| 7 | Argemone albiflora subsp. texana | Argemone albiflora var. texana | white prickly-poppy | Forb |
| 10 | Argyrochosma dealbata† | Argyrochosma dealbata† | powdery cloak fern | Fern |
| 5 | Arisaema dracontium | Arisaema dracontium | green-dragon | Forb |
| 7 | Arisaema pusillum | Arisaema pusillum | swamp Jack-in-the-pulpit | Forb |
| 7 | Arisaema quinatum | Arisaema quinatum | southern Jack-in-the-pulpit | Forb |
| 7 | Arisaema triphyllum | Arisaema triphyllum | Jack-in-the-pulpit | Forb |
| 8 | Aristida desmantha† | Aristida desmantha† | curly three-awn | Gram |
| 5 | Aristida dichotoma var. curtissii | Aristida curtissii | church-mouse three-awn | Gram |
| 5 | Aristida dichotoma var. dichotoma | Aristida dichotoma | church-mouse three-awn | Gram |
| 8 | Aristida lanosa† | Aristida lanosa† | woolly three-awn | Gram |
| 6 | Aristida longespica var. geniculata | Aristida geniculata | slim-spike three-awn | Gram |
| 5 | Aristida longespica var. longespica | Aristida longespica | slim-spike three-awn | Gram |
| 2 | Aristida oligantha | Aristida oligantha | oldfield three-awn | Gram |
| 7 | Aristida purpurascens var. purpurascens | Aristida purpurascens | arrow-feather three-awn | Gram |
| 8 | Aristida purpurascens var. virgata | Aristida virgata | arrow-feather three-awn | Gram |
| 10 | Aristida purpurea var. purpurea† | Aristida purpurea var. purpurea† | purple three-awn | Gram |
| 6 | Aristida ramosissima† | Aristida ramosissima† | s-curve three-awn | Gram |
| 8 | Aristolochia reticulata | Endodeca reticulata | Texas Dutchman's-pipe | Forb |
| 6 | Aristolochia serpentaria | Endodeca serpentaria | Virginia snakeroot | Forb |
| 7 | Aristolochia tomentosa | Isotrema tomentosum | pipe-vine | WVn |
| 7 | Arnoglossum atriplicifolium | Arnoglossum atriplicifolium | pale Indian-plantain | Forb |
| 8 | Arnoglossum plantagineum | Arnoglossum plantagineum | Indian-plantain | Forb |
| 8 | Arnoglossum reniforme | Arnoglossum reniforme | great Indian-plantain | Forb |
| 0 | ARRHENATHERUM ELATIUS VAR. BULBOSUM | ARRHENATHERUM ELATIUS VAR. BULBOSUM | tall oat grass | Gram |
| 0 | ARRHENATHERUM ELATIUS VAR. ELATIUS | ARRHENATHERUM ELATIUS VAR. ELATIUS | tall oat grass | Gram |
| 0 | ARTEMISIA ANNUA | ARTEMISIA ANNUA | sweet wormwood | Forb |
| 4 | Artemisia campestris subsp. caudata | Artemisia caudata | wild wormwood | Forb |
| 5 | Artemisia ludoviciana subsp. ludoviciana | Artemisia ludoviciana | white sagebrush | Forb |
| 7 | Artemisia ludoviciana subsp. mexicana† | Artemisia mexicana† | white sagebrush | Forb |
| 0 | ARTEMISIA VULGARIS | ARTEMISIA VULGARIS | mugwort | Forb |
| 0 | ARTHRAXON HISPIDUS* | ARTHRAXON HISPIDUS VAR. HISPIDUS* | small carp grass | Gram |
| 0 | ARUM ITALICUM* | ARUM ITALICUM SSP. ITALICUM* | Italian lords-and-ladies | Forb |
| 9 | Aruncus dioicus var. pubescens | Aruncus dioicus var. pubescens | goat's-beard | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|------------------------|-------|
| 6 | <i>Arundinaria gigantea</i> | <i>Arundinaria gigantea</i> | river cane | Shru |
| 0 | ARUNDO DONAX* | ARUNDO DONAX* | giant reed | Gram |
| 10 | <i>Asarum canadense</i> var. <i>acuminatum</i> † | <i>Asarum acuminatum</i> † | taper-tip wild ginger | Forb |
| 7 | <i>Asarum canadense</i> var. <i>reflexum</i> | <i>Asarum reflexum</i> | wild ginger | Forb |
| 7 | <i>Asclepias amplexicaulis</i> | <i>Asclepias amplexicaulis</i> | curly milkweed | Forb |
| 7 | <i>Asclepias hirtella</i> | <i>Asclepias hirtella</i> | tall green milkweed | Forb |
| 6 | <i>Asclepias incarnata</i> subsp. <i>incarnata</i> | <i>Asclepias incarnata</i> var. <i>incarnata</i> | swamp milkweed | Forb |
| 9 | <i>Asclepias obovata</i> † | <i>Asclepias obovata</i> † | savannah milkweed | Forb |
| 6 | <i>Asclepias perennis</i> | <i>Asclepias perennis</i> | swamp milkweed | Forb |
| 7 | <i>Asclepias purpurascens</i> | <i>Asclepias purpurascens</i> | purple milkweed | Forb |
| 7 | <i>Asclepias quadrifolia</i> | <i>Asclepias quadrifolia</i> | four-leaf milkweed | Forb |
| 10 | <i>Asclepias stenophylla</i> † | <i>Asclepias stenophylla</i> † | narrow-leaf milkweed | Forb |
| 2 | <i>Asclepias syriaca</i> | <i>Asclepias syriaca</i> | common milkweed | Forb |
| 6 | <i>Asclepias tuberosa</i> subsp. <i>interior</i> | <i>Asclepias tuberosa</i> var. <i>cordata</i> | butterfly milkweed | Forb |
| 7 | <i>Asclepias variegata</i> | <i>Asclepias variegata</i> | white milkweed | Forb |
| 8 | <i>Asclepias verticillata</i> | <i>Asclepias verticillata</i> | whorled milkweed | Forb |
| 9 | <i>Asclepias viridiflora</i> | <i>Asclepias viridiflora</i> | green-flower milkweed | Forb |
| 6 | <i>Asclepias viridis</i> | <i>Asclepias viridis</i> | green milkweed | Forb |
| 7 | <i>Asimina parviflora</i> † | <i>Asimina parviflora</i> † | dwarf pawpaw | Shru |
| 7 | <i>Asimina triloba</i> | <i>Asimina triloba</i> | pawpaw | Tree |
| 0 | ASPARAGUS OFFICINALIS | ASPARAGUS OFFICINALIS | asparagus | Forb |
| 8 | <i>Asplenium ×ebenoides</i> † | <i>Asplenium ×ebenoides</i> † | Scott's spleenwort | Fern |
| 10 | <i>Asplenium ×gravesii</i> † | No match† | Graves' spleenwort | Fern |
| 10 | <i>Asplenium ×kentuckiense</i> † | No match† | Kentucky spleenwort | Fern |
| 10 | <i>Asplenium bradleyi</i> | <i>Asplenium bradleyi</i> | Bradley's spleenwort | Fern |
| 10 | <i>Asplenium pinnatifidum</i> † | <i>Asplenium pinnatifidum</i> † | lobed spleenwort | Fern |
| 4 | <i>Asplenium platyneuron</i> | <i>Asplenium platyneuron</i> | ebony spleenwort | Fern |
| 8 | <i>Asplenium resiliens</i> | <i>Asplenium resiliens</i> | black-stem spleenwort | Fern |
| 7 | <i>Asplenium rhizophyllum</i> | <i>Asplenium rhizophyllum</i> | walking fern | Fern |
| 10 | <i>Asplenium ruta-muraria</i> † | <i>Asplenium ruta-muraria</i> var. <i>cryptolepis</i> † | wall-rue spleenwort | Fern |
| 8 | <i>Asplenium trichomanes</i> subsp. <i>trichomanes</i> | <i>Asplenium trichomanes</i> | maidenhair spleenwort | Fern |
| 8 | <i>Astragalus canadensis</i> var. <i>canadensis</i> | <i>Astragalus canadensis</i> var. <i>canadensis</i> | rattle-weed | Forb |
| 9 | <i>Astragalus crassicarpus</i> var. <i>crassicarpus</i> † | <i>Astragalus crassicarpus</i> var. <i>crassicarpus</i> † | purple ground-plum | Forb |
| 7 | <i>Astragalus crassicarpus</i> var. <i>trichocalyx</i> | <i>Astragalus trichocalyx</i> | cream ground-plum | Forb |
| 9 | <i>Astragalus distortus</i> var. <i>distortus</i> | <i>Astragalus distortus</i> var. <i>distortus</i> | bent milk-vetch | Forb |
| 7 | <i>Astragalus distortus</i> var. <i>engelmannii</i> | <i>Astragalus distortus</i> var. <i>engelmannii</i> | Engelmann's milk-vetch | Forb |
| 8 | <i>Astragalus leptocarpus</i> † | <i>Astragalus leptocarpus</i> † | slim-pod milk-vetch | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|--|------------------------|-------|
| 9 | <i>Astragalus nuttallianus</i> var. <i>nuttallianus</i> † | <i>Astragalus nuttallianus</i> var. <i>nuttallianus</i> † | Nuttall's milk-vetch | Forb |
| 8 | <i>Astragalus soxmaniorum</i> † | <i>Astragalus soxmaniorum</i> † | Soxman's milk-vetch | Forb |
| 6 | <i>Astranthium ciliatum</i> | <i>Astranthium ciliatum</i> | western daisy | Forb |
| 6 | <i>Athyrium filix-femina</i> subsp. <i>asplenioides</i> | <i>Athyrium asplenioides</i> | southern lady fern | Fern |
| 6 | <i>Aureolaria flava</i> | <i>Aureolaria flava</i> | yellow false foxglove | Forb |
| 6 | <i>Aureolaria grandiflora</i> | <i>Aureolaria grandiflora</i> var. <i>serrata</i> | yellow false foxglove | Forb |
| 8 | <i>Aureolaria pectinata</i> | <i>Aureolaria pectinata</i> | yellow false foxglove | Forb |
| 0 | <i>AVENA FATUA</i> | <i>AVENA FATUA</i> | wild oats | Gram |
| 0 | <i>AVENA SATIVA</i> | <i>AVENA SATIVA</i> | oats | Gram |
| 4 | <i>Axonopus fissifolius</i> | <i>Axonopus fissifolius</i> | common carpet grass | Gram |
| 6 | <i>Axonopus furcatus</i> | <i>Axonopus furcatus</i> | big carpet grass | Gram |
| 4 | <i>Azolla caroliniana</i> † | <i>Azolla caroliniana</i> † | Carolina mosquito fern | Fern |
| 4 | <i>Azolla mexicana</i> | <i>Azolla microphylla</i> | Mexican mosquito fern | Fern |
| 1 | <i>Baccharis halimifolia</i> • | <i>Baccharis halimifolia</i> • | saltbush | Shru |
| 0 | <i>BACOPA EGENSIS</i> | <i>BACOPA EGENSIS</i> | Brazilian water-hyssop | Forb |
| 0 | <i>BACOPA MONNIERI</i> | <i>BACOPA MONNIERI</i> | coastal water-hyssop | Forb |
| 0 | <i>BACOPA REPENS</i> | <i>BACOPA REPENS</i> | creeping water-hyssop | Forb |
| 4 | <i>Bacopa rotundifolia</i> | <i>Bacopa rotundifolia</i> | disc water-hyssop | Forb |
| 6 | <i>Baptisia alba</i> var. <i>macrophylla</i> | <i>Baptisia lactea</i> | white wild indigo | Forb |
| 9 | <i>Baptisia australis</i> var. <i>minor</i> | <i>Baptisia minor</i> | blue wild indigo | Forb |
| 8 | <i>Baptisia bracteata</i> var. <i>leucophaea</i> | <i>Baptisia leucophaea</i> [var. <i>laevicaulis</i> + var. <i>leucophaea</i>] | cream wild indigo | Forb |
| 6 | <i>Baptisia nuttalliana</i> | <i>Baptisia nuttalliana</i> | Nuttall's wild indigo | Forb |
| 8 | <i>Baptisia sphaerocarpa</i> | <i>Baptisia sphaerocarpa</i> | yellow wild indigo | Forb |
| 0 | <i>BARBAREA Verna</i> | <i>BARBAREA Verna</i> | early yellow-rocket | Forb |
| 0 | <i>BARBAREA VULGARIS</i> * | <i>BARBAREA VULGARIS</i> * | yellow-rocket | Forb |
| 10 | <i>Bartonia paniculata</i> subsp. <i>paniculata</i> | <i>Bartonia paniculata</i> ssp. <i>paniculata</i> | screw-stem | Forb |
| 0 | <i>BERBERIS BEALEI</i> * | <i>MAHONIA BEALEI</i> * | mahonia | Shru |
| 10 | <i>Berberis canadensis</i> † | <i>Berberis canadensis</i> † | American barberry | Shru |
| 0 | <i>BERBERIS THUNBERGII</i> * | <i>BERBERIS THUNBERGII</i> * | Japanese barberry | Shru |
| 5 | <i>Berchemia scandens</i> | <i>Berchemia scandens</i> | rattan-vine | WVn |
| 6 | <i>Bergia texana</i> † | <i>Bergia texana</i> † | Texas bergia | Forb |
| 7 | <i>Berlandiera betonicifolia</i> | <i>Berlandiera betonicifolia</i> | green-eyes | Forb |
| 9 | <i>Berlandiera pumila</i> var. <i>pumila</i> † | <i>Berlandiera pumila</i> var. <i>pumila</i> † | sandhill green-eyes | Forb |
| 0 | <i>BERLANDIERA SUBACAULIS</i> | <i>BERLANDIERA SUBACAULIS</i> | Florida green-eyes | Forb |
| 0 | <i>BERTEROA INCANA</i> | <i>BERTEROA INCANA</i> | hoary-alyssum | Forb |
| 6 | <i>Betula nigra</i> | <i>Betula nigra</i> | river birch | Tree |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|---------------------------------------|-------------------------|-------|
| 0 | BIDENS ALBA | BIDENS ALBA VAR. RADIATA | beggar-ticks | Forb |
| 3 | Bidens aristosa | Bidens [aristosa + polylepis] | tickseed-sunflower | Forb |
| 3 | Bidens bipinnata | Bidens bipinnata | Spanish-needles | Forb |
| 6 | Bidens cernua | Bidens cernua | nodding bur-marigold | Forb |
| 5 | Bidens connata | Bidens connata | purplestem beggar-ticks | Forb |
| 7 | Bidens discoidea | Bidens discoidea | beggar-ticks | Forb |
| 3 | Bidens frondosa | Bidens frondosa | beggar-ticks | Forb |
| 7 | Bidens laevis | Bidens laevis | smooth bur-marigold | Forb |
| 2 | Bidens vulgata | Bidens vulgata | beggar-ticks | Forb |
| 10 | Bifora americana† | Atrema americanum† | prairie bishop | Forb |
| 5 | Bignonia capreolata | Bignonia capreolata | cross-vine | WVn |
| 7 | Blephilia ciliata | Blephilia ciliata | downy wood mint | Forb |
| 9 | Blephilia hirsuta† | Blephilia hirsuta† | hairy wood mint | Forb |
| 6 | Boechera canadensis | Borodinia canadensis | Canadian rockcress | Forb |
| 6 | Boechera laevigata | Borodinia laevigata | smooth rockcress | Forb |
| 6 | Boechera missouriensis | Borodinia missouriensis | Missouri rockcress | Forb |
| 7 | Boechera shortii | Borodinia dentata | Short's rockcress | Forb |
| 5 | Boehmeria cylindrica | Boehmeria cylindrica | false nettle | Forb |
| 0 | BOERHAVIA COCCINEA | BOERHAVIA COCCINEA | scarlet spiderling | Forb |
| 0 | BOERHAVIA ERECTA | BOERHAVIA ERECTA | erect spiderling | Forb |
| 7 | Bolboschoenus robustus† | Bolboschoenus robustus† | salt-marsh bulrush | Gram |
| 6 | Boltonia asteroides var. asteroides | Boltonia asteroides var. glastifolia | white doll's daisy | Forb |
| 6 | Boltonia asteroides var. latisquama | Boltonia asteroides var. latisquama | white doll's daisy | Forb |
| 6 | Boltonia asteroides var. recognita | Boltonia asteroides var. recognita | white doll's daisy | Forb |
| 5 | Boltonia diffusa var. diffusa | Boltonia diffusa var. diffusa | small-head doll's daisy | Forb |
| 5 | Boltonia diffusa var. interior | Boltonia diffusa var. interior | small-head doll's daisy | Forb |
| 0 | BOTHRIOCLOA BARBINODIS VAR. BARBINODIS | BOTHRIOCLOA BARBINODIS | cane bluestem | Gram |
| 0 | BOTHRIOCLOA BARBINODIS VAR. PERFORATA | BOTHRIOCLOA BARBINODIS | cane bluestem | Gram |
| 0 | BOTHRIOCLOA BLADHII* | BOTHRIOCLOA BLADHII* | Australian bluestem | Gram |
| 0 | BOTHRIOCLOA ISCHAEMUM* | BOTHRIOCLOA ISCHAEMUM VAR. SONGARICA* | yellow bluestem | Gram |
| 2 | Bothriochloa laguroides subsp. torreyana | Bothriochloa torreyana | silver beard grass | Gram |
| 1 | Bothriochloa longipaniculata• | Bothriochloa longipaniculata• | long-spike beard grass | Gram |
| 6 | Botrychium biternatum | Sceptridium biternatum | southern grape fern | Fern |
| 5 | Botrychium dissectum | Sceptridium dissectum | cut-leaf grape fern | Fern |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|----------------------|-------|
| 5 | <i>Botrychium lunarioides</i> | <i>Sceptridium lunarioides</i> | winter grape fern | Fern |
| 7 | <i>Botrychium virginianum</i> | <i>Botrypus virginianus</i> | rattlesnake fern | Fern |
| 0 | <i>BOUTELOUA BARBATA VAR. BARBATA</i> | <i>BOUTELOUA BARBATA VAR. BARBATA</i> | six-weeks grama | Gram |
| 8 | <i>Bouteloua curtipendula</i> var. <i>curtipendula</i> | <i>Bouteloua curtipendula</i> var. <i>curtipendula</i> | side-oats grama | Gram |
| 10 | <i>Bouteloua hirsuta</i> subsp. <i>hirsuta</i> † | <i>Bouteloua hirsuta</i> † | hairy grama | Gram |
| 8 | <i>Bouteloua rigidiseta</i> † | <i>Bouteloua rigidiseta</i> † | Texas grama | Gram |
| 0 | <i>BOWLESIA INCANA</i> | <i>BOWLESIA INCANA</i> | hoary bowlesia | Forb |
| 7 | <i>Brachyelytrum erectum</i> | <i>Brachyelytrum erectum</i> | bearded shorthusk | Gram |
| 4 | <i>Bradburia pilosa</i> | <i>Bradburia pilosa</i> | golden-aster | Forb |
| 4 | <i>Brasenia schreberi</i> | <i>Brasenia schreberi</i> | water-shield | Forb |
| 0 | <i>BRASSICA JUNCEA</i> | <i>BRASSICA JUNCEA</i> | Indian mustard | Forb |
| 0 | <i>BRASSICA NAPUS</i> | <i>BRASSICA NAPUS</i> | rapeseed | Forb |
| 0 | <i>BRASSICA NIGRA</i> | <i>RHAMPHOSPERMUM NIGRUM</i> | black mustard | Forb |
| 0 | <i>BRASSICA RAPA</i> | <i>BRASSICA RAPA</i> | field mustard | Forb |
| 7 | <i>Brickellia eupatorioides</i> var. <i>eupatorioides</i> | <i>Brickellia eupatorioides</i> | false boneset | Forb |
| 7 | <i>Brickellia eupatorioides</i> var. <i>texana</i> | <i>Brickellia ozarkana</i> | false boneset | Forb |
| 9 | <i>Brickellia grandiflora</i> † | <i>Brickellia grandiflora</i> † | tassel-flower | Forb |
| 0 | <i>BRIZA MINOR</i> | <i>BRIZA MINOR</i> | little quaking grass | Gram |
| 0 | <i>BROMUS CATHARTICUS</i> * | <i>BROMUS CATHARTICUS</i> VAR. <i>CATHARTICUS</i> * | rescue grass | Gram |
| 0 | <i>BROMUS COMMUTATUS</i> * | <i>BROMUS COMMUTATUS</i> * | meadow brome | Gram |
| 0 | <i>BROMUS DIANDRUS</i> * | <i>BROMUS RIGIDUS</i> * | ripgut grass | Gram |
| 0 | <i>BROMUS HORDEACEUS</i> SUBSP. <i>HORDEACEUS</i> * | <i>BROMUS HORDEACEUS</i> SSP. <i>HORDEACEUS</i> * | soft chess | Gram |
| 0 | <i>BROMUS HORDEACEUS</i> SUBSP. <i>PSEUDOTHOMINEI</i> * | <i>BROMUS HORDEACEUS</i> SSP. <i>PSEUDOTHOMINEI</i> * | soft chess | Gram |
| 0 | <i>BROMUS INERMIS</i> * | <i>BROMUS INERMIS</i> * | smooth brome | Gram |
| 0 | <i>BROMUS JAPONICUS</i> * | <i>BROMUS JAPONICUS</i> * | Japanese brome | Gram |
| 8 | <i>Bromus nottowayanus</i> † | <i>Bromus nottowayanus</i> † | satin brome | Gram |
| 6 | <i>Bromus pubescens</i> | <i>Bromus pubescens</i> | hairy woodland brome | Gram |
| 0 | <i>BROMUS RACEMOSUS</i> * | <i>BROMUS RACEMOSUS</i> * | bald brome | Gram |
| 0 | <i>BROMUS SECALINUS</i> * | <i>BROMUS SECALINUS</i> * | rye brome | Gram |
| 0 | <i>BROMUS STERILIS</i> * | <i>BROMUS STERILIS</i> * | poverty brome | Gram |
| 0 | <i>BROMUS TECTORUM</i> * | <i>BROMUS TECTORUM</i> * | cheat grass | Gram |
| 0 | <i>BROUSSONETIA PAPYRIFERA</i> * | <i>BROUSSONETIA PAPYRIFERA</i> * | paper-mulberry | Tree |
| 3 | <i>Brunnichia ovata</i> | <i>Brunnichia ovata</i> | ladies'-eardrops | WVn |
| 0 | <i>BUCHLOË DACTYLOIDES</i> | <i>BOUTELOUA DACTYLOIDES</i> | buffalo grass | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|-----|---|--|----------------------------|-------|
| 9 | Buchnera americana | Buchnera americana | American bluehearts | Forb |
| 9 | Buchnera floridana† | Buchnera floridana† | Florida bluehearts | Forb |
| 0 | BUGLOSSOIDES ARVENSIS | BUGLOSSOIDES ARVENSIS SSP. ARVENSIS | corn gromwell | Forb |
| 4 | Bulbostylis capillaris | Bulbostylis capillaris ssp. capillaris | capillary hairsedge | Gram |
| 9 | Bulbostylis ciliatifolia var. coarctata† | Bulbostylis coarctata† | fringe-leaf hairsedge | Gram |
| 0 | BUPLEURUM ROTUNDIFOLIUM | BUPLEURUM ROTUNDIFOLIUM | thoroughwax | Forb |
| 10 | Burmannia biflora† | Burmannia biflora† | northern bluethread | Forb |
| 5 | Cabomba caroliniana | Cabomba caroliniana | fanwort | Forb |
| 10 | Calamagrostis porteri subsp. insperata† | Calamagrostis insperata† | Porter's reed grass | Gram |
| 10 | Calamovilfa arcuata† | Calamovilfa arcuata† | Cumberland sand-reed | Gram |
| 5 | Callicarpa americana | Callicarpa americana | American beauty-berry | Shru |
| 0 | CALLICARPA DICHOTOMA | CALLICARPA DICHOTOMA | Chinese beauty-berry | Shru |
| 8 | Callirhoe alcaeoides† | Callirhoe alcaeoides† | plains poppy-mallow | Forb |
| 7 | Callirhoe bushii† | Callirhoe bushii† | Bush's poppy-mallow | Forb |
| 9 | Callirhoe digitata | Callirhoe digitata | winecup | Forb |
| 6 | Callirhoe involucrata var. involucrata | Callirhoe involucrata var. involucrata | purple poppy-mallow | Forb |
| 9 | Callirhoe papaver† | Callirhoe papaver† | woodland poppy-mallow | Forb |
| 9 | Callirhoe pedata | Callirhoe pedata | winecup | Forb |
| 5 | Callitricha heterophylla | Callitricha heterophylla var. heterophylla | water-starwort | Forb |
| 7 | Callitricha nuttallii† | Callitricha pedunculosa† | Nuttall's water-starwort | Forb |
| 7 | Callitricha peploides† | Callitricha peploides† | water-starwort | Forb |
| 5 | Callitricha terrestris | Callitricha terrestris | terrestrial water-starwort | Forb |
| 10 | Calopogon oklahomensis† | Calopogon oklahomensis† | Oklahoma grass-pink | Forb |
| 10 | Calopogon tuberosus var. tuberosus† | Calopogon tuberosus var. tuberosus† | tuberous grass-pink | Forb |
| 7 | Calycocarpum lyonii | Calycocarpum lyonii | cupseed | WVn |
| 0 | CALYPTOCARPUS VIALIS | CALYPTOCARPUS VIALIS | straggler daisy | Forb |
| 3 | Calystegia sepium subsp. angulata | Convolvulus species 4 [=angulatus] | hedge bindweed | Forb |
| NMI | Calystegia sepium subsp. appalachiana | Convolvulus species 2 [=appalachianus] | Appalachian hedge bindweed | Forb |
| 3 | Calystegia silvatica subsp. fraterniflora | Convolvulus fraterniflorus | hedge bindweed | Forb |
| 9 | Camassia angusta† | Camassia angusta† | prairie wild hyacinth | Forb |
| 8 | Camassia scilloides | Camassia scilloides | wild hyacinth | Forb |
| 10 | Camassia sp. nov.† | No match† | glade camas | Forb |
| 0 | CAMELINA MICROCARPA | CAMELINA MICROCARPA | false flax | Forb |
| 6 | Campanula americana | Campanulastrum americanum | tall bellflower | Forb |
| 2 | Campsis radicans | Campsis radicans | trumpet creeper | WVn |
| 0 | CANNABIS SATIVA | CANNABIS SATIVA | hemp | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|-----------------------------|-------|
| 0 | CAPERONIA PALUSTRIS | CAPERONIA PALUSTRIS | Mexican-weed | Forb |
| 0 | CAPSELLA BURSA-PASTORIS | CAPSELLA BURSA-PASTORIS | shepherd's-purse | Forb |
| 8 | Cardamine angustata† | Cardamine species 1† | slender toothwort | Forb |
| 4 | Cardamine bulbosa | Cardamine bulbosa | spring cress | Forb |
| 7 | Cardamine concatenata | Cardamine concatenata | cut-leaf toothwort | Forb |
| 0 | CARDAMINE DEBILIS | CARDAMINE HIRSUTA | bittercress | Forb |
| 10 | Cardamine dissecta† | Cardamine species 2† | fork-leaf toothwort | Forb |
| 9 | Cardamine douglassii† | Cardamine douglassii† | purple cress | Forb |
| 0 | CARDAMINE FLEXUOSA | CARDAMINE OCCULTA | bittercress | Forb |
| 0 | CARDAMINE HIRSUTA | CARDAMINE HIRSUTA | hairy bittercress | Forb |
| 3 | Cardamine parviflora var. arenicola | Cardamine parviflora var. arenicola | small-flower bittercress | Forb |
| 5 | Cardamine pensylvanica | Cardamine pensylvanica | Pennsylvania bittercress | Forb |
| 1 | Cardiospermum halicacabum | Cardiospermum halicacabum | balloon-vine | Herb |
| 0 | CARDUUS CRISPUS | CARDUUS CRISPUS | curly thistle | Forb |
| 0 | CARDUUS NUTANS* | CARDUUS NUTANS* | musk thistle | Forb |
| 0 | CARDUUS PYCNOCEPHALUS SUBSP. PYCNOCEPHALUS | CARDUUS PYCNOCEPHALUS SSP. PYCNOCEPHALUS | Italian thistle | Forb |
| 6 | Carex abscondita | Carex abscondita | sedge | Gram |
| 7 | Carex aggregata† | Carex aggregata† | cluster sedge | Gram |
| 8 | Carex alata† | Carex alata† | broad-wing sedge | Gram |
| 5 | Carex albicans var. albicans | Carex albicans var. albicans | sedge | Gram |
| 7 | Carex albicans var. australis | Carex albicans var. australis | sedge | Gram |
| 6 | Carex albolutescens | Carex albolutescens | sedge | Gram |
| 9 | Carex albursina | Carex albursina | sedge | Gram |
| 5 | Carex amphibola | Carex amphibola | sedge | Gram |
| 5 | Carex annectens | Carex annectens | sedge | Gram |
| 8 | Carex arkansana† | Carex arkansana† | Arkansas sedge | Gram |
| 8 | Carex atlantica subsp. atlantica† | Carex atlantica† | prickly bog sedge | Gram |
| 7 | Carex atlantica subsp. capillacea | Carex howei | capillary prickly bog sedge | Gram |
| 5 | Carex aureolensis | Carex aureolensis | sedge | Gram |
| 4 | Carex austrina | Carex austrina | sedge | Gram |
| 7 | Carex basiantha | Carex basiantha | sedge | Gram |
| 10 | Carex bicknellii† | Carex bicknellii† | Bicknell's sedge | Gram |
| 3 | Carex blanda | Carex blanda | sedge | Gram |
| 3 | Carex brevior | Carex brevior | sedge | Gram |
| 8 | Carex bromoides subsp. bromoides† | Carex bromoides ssp. bromoides† | brome sedge | Gram |
| 6 | Carex bulbostylis | Carex bulbostylis | sedge | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|---------------------|-------|
| 9 | <i>Carex bullata</i> † | <i>Carex bullata</i> [var. <i>bullata</i> + var. <i>greenei</i>]† | button sedge | Gram |
| 6 | <i>Carex bushii</i> | <i>Carex bushii</i> | Bush's sedge | Gram |
| 10 | <i>Carex buxbaumii</i> † | <i>Carex buxbaumii</i> † | brown bog sedge | Gram |
| 9 | <i>Carex careyana</i> † | <i>Carex careyana</i> † | Carey's sedge | Gram |
| 5 | <i>Carex caroliniana</i> | <i>Carex caroliniana</i> | Carolina sedge | Gram |
| 5 | <i>Carex cephalophora</i> | <i>Carex cephalophora</i> | sedge | Gram |
| 5 | <i>Carex cherokeensis</i> | <i>Carex cherokeensis</i> | Cherokee sedge | Gram |
| 9 | <i>Carex communis</i> var. <i>communis</i> | <i>Carex communis</i> | sedge | Gram |
| 9 | <i>Carex comosa</i> † | <i>Carex comosa</i> † | bottle-brush sedge | Gram |
| 7 | <i>Carex complanata</i> | <i>Carex complanata</i> | sedge | Gram |
| 7 | <i>Carex conjuncta</i> † | <i>Carex conjuncta</i> † | soft fox sedge | Gram |
| 10 | <i>Carex conoidea</i> † | <i>Carex conoidea</i> † | open-field sedge | Gram |
| 7 | <i>Carex corrugata</i> | <i>Carex corrugata</i> | sedge | Gram |
| 8 | <i>Carex crawei</i> | <i>Carex crawei</i> | Crawe's sedge | Gram |
| 5 | <i>Carex crebriflora</i> | <i>Carex crebriflora</i> | sedge | Gram |
| 7 | <i>Carex crinita</i> var. <i>brevicrinis</i> | <i>Carex crinita</i> var. <i>brevicrinis</i> | fringed sedge | Gram |
| 5 | <i>Carex crus-corvi</i> | <i>Carex crus-corvi</i> | crow-foot sedge | Gram |
| 8 | <i>Carex cumberlandensis</i> † | <i>Carex cumberlandensis</i> † | Cumberland sedge | Gram |
| 7 | <i>Carex davisii</i> | <i>Carex davisii</i> | Davis' sedge | Gram |
| 7 | <i>Carex debilis</i> var. <i>debilis</i> | <i>Carex debilis</i> | sedge | Gram |
| 8 | <i>Carex decomposita</i> † | <i>Carex decomposita</i> † | cypress-knee sedge | Gram |
| 7 | <i>Carex digitalis</i> var. <i>digitalis</i> | <i>Carex digitalis</i> var. <i>digitalis</i> | sedge | Gram |
| 7 | <i>Carex digitalis</i> var. <i>floridana</i> | <i>Carex digitalis</i> var. <i>floridana</i> | sedge | Gram |
| 7 | <i>Carex digitalis</i> var. <i>macropoda</i> | <i>Carex digitalis</i> var. <i>macropoda</i> | sedge | Gram |
| 7 | <i>Carex eburnea</i> | <i>Carex eburnea</i> | sedge | Gram |
| 9 | <i>Carex emoryi</i> † | <i>Carex emoryi</i> † | Emory's sedge | Gram |
| 4 | <i>Carex festucacea</i> | <i>Carex festucacea</i> | fescue sedge | Gram |
| 8 | <i>Carex fissa</i> var. <i>fissa</i> † | <i>Carex fissa</i> var. <i>fissa</i> † | hammock sedge | Gram |
| 6 | <i>Carex flaccosperma</i> | <i>Carex flaccosperma</i> | blue sedge | Gram |
| 6 | <i>Carex frankii</i> | <i>Carex frankii</i> | Frank's sedge | Gram |
| 9 | <i>Carex gigantea</i> † | <i>Carex gigantea</i> † | giant sedge | Gram |
| 9 | <i>Carex glaucescens</i> † | <i>Carex glaucescens</i> † | southern waxy sedge | Gram |
| 4 | <i>Carex glaucodea</i> | <i>Carex glaucodea</i> | blue sedge | Gram |
| 9 | <i>Carex gracilescens</i> † | <i>Carex gracilescens</i> † | slender wood sedge | Gram |
| 10 | <i>Carex gracillima</i> † | <i>Carex gracillima</i> † | graceful sedge | Gram |
| 5 | <i>Carex granularis</i> | <i>Carex granularis</i> | sedge | Gram |
| 5 | <i>Carex gravida</i> | <i>Carex gravida</i> | heavy sedge | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|----------------------|-------|
| 7 | <i>Carex grayi</i> | <i>Carex grayi</i> | globe sedge | Gram |
| 6 | <i>Carex grisea</i> | <i>Carex grisea</i> | sedge | Gram |
| 5 | <i>Carex hirsutella</i> | <i>Carex hirsutella</i> | sedge | Gram |
| 9 | <i>Carex hirtifolia</i> † | <i>Carex hirtifolia</i> † | hairy sedge | Gram |
| 10 | <i>Carex hitchcockiana</i> † | <i>Carex hitchcockiana</i> † | Hitchcock's sedge | Gram |
| 8 | <i>Carex hyalina</i> | <i>Carex hyalina</i> | sedge | Gram |
| 6 | <i>Carex hyalinolepis</i> | <i>Carex hyalinolepis</i> | shoreline sedge | Gram |
| 8 | <i>Carex hystericina</i> | <i>Carex hystericina</i> | porcupine sedge | Gram |
| 7 | <i>Carex ignota</i> | <i>Carex ignota</i> | sedge | Gram |
| 10 | <i>Carex interior</i> † | <i>Carex interior</i> † | inland star sedge | Gram |
| 6 | <i>Carex intumescens</i> | <i>Carex intumescens</i> var. <i>intumescens</i> | bladder sedge | Gram |
| 6 | <i>Carex jamesii</i> | <i>Carex jamesii</i> | James' sedge | Gram |
| 6 | <i>Carex joorii</i> | <i>Carex joorii</i> | Joor's sedge | Gram |
| 8 | <i>Carex kraliana</i> † | <i>Carex kraliana</i> † | Kral's sedge | Gram |
| 8 | <i>Carex laevivaginata</i> † | <i>Carex laevivaginata</i> † | smooth-sheath sedge | Gram |
| 8 | <i>Carex latebracteata</i> † | <i>Carex latebracteata</i> † | Waterfall's sedge | Gram |
| 7 | <i>Carex laxiculmis</i> var. <i>copulata</i> | <i>Carex copulata</i> | sedge | Gram |
| 7 | <i>Carex laxiculmis</i> var. <i>laxiculmis</i> | <i>Carex laxiculmis</i> | sedge | Gram |
| 8 | <i>Carex laxiflora</i> | <i>Carex laxiflora</i> | sedge | Gram |
| 2 | <i>Carex leavenworthii</i> | <i>Carex leavenworthii</i> | Leavenworth's sedge | Gram |
| 9 | <i>Carex leptalea</i> † | <i>Carex leptalea</i> [var. <i>harperi</i> + var. <i>leptalea</i>]† | bristly-stalk sedge | Gram |
| 5 | <i>Carex longii</i> | <i>Carex longii</i> | Long's sedge | Gram |
| 7 | <i>Carex louisianica</i> | <i>Carex louisianica</i> | Louisiana sedge | Gram |
| 10 | <i>Carex lupuliformis</i> † | <i>Carex lupuliformis</i> † | false hop sedge | Gram |
| 6 | <i>Carex lupulina</i> | <i>Carex lupulina</i> | hop sedge | Gram |
| 6 | <i>Carex lurida</i> | <i>Carex lurida</i> | sedge | Gram |
| 8 | <i>Carex meadii</i> | <i>Carex meadii</i> | Mead's sedge | Gram |
| 6 | <i>Carex mesochorea</i> | <i>Carex mesochorea</i> | sedge | Gram |
| 6 | <i>Carex microdonta</i> | <i>Carex microdonta</i> | little-tooth sedge | Gram |
| 6 | <i>Carex molesta</i> | <i>Carex molesta</i> | sedge | Gram |
| 5 | <i>Carex molestiformis</i> | <i>Carex molestiformis</i> | sedge | Gram |
| 6 | <i>Carex muehlenbergii</i> var. <i>enervis</i> | <i>Carex muehlenbergii</i> var. <i>enervis</i> | Muhlenberg's sedge | Gram |
| 6 | <i>Carex muehlenbergii</i> var. <i>muehlenbergii</i> | <i>Carex muehlenbergii</i> var. <i>muehlenbergii</i> | Muhlenberg's sedge | Gram |
| 9 | <i>Carex muskingumensis</i> † | <i>Carex muskingumensis</i> † | palm sedge | Gram |
| 8 | <i>Carex nigromarginata</i> var. <i>floridana</i> | <i>Carex floridana</i> | sedge | Gram |
| 5 | <i>Carex nigromarginata</i> var. <i>nigromarginata</i> | <i>Carex nigromarginata</i> | sedge | Gram |
| 6 | <i>Carex normalis</i> † | <i>Carex normalis</i> † | spreading oval sedge | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|----------------------|-------|
| 4 | <i>Carex oklahomensis</i> | <i>Carex oklahomensis</i> | Oklahoma sedge | Gram |
| 6 | <i>Carex oligocarpa</i> | <i>Carex oligocarpa</i> | sedge | Gram |
| 7 | <i>Carex opaca</i> † | <i>Carex opaca</i> † | opaque prairie sedge | Gram |
| 7 | <i>Carex ouachitana</i> | <i>Carex ouachitana</i> | Ouachita sedge | Gram |
| 6 | <i>Carex oxylepis</i> | <i>Carex oxylepis</i> | sharp-scale sedge | Gram |
| 7 | <i>Carex ozarkana</i> | <i>Carex ozarkana</i> | Ozark sedge | Gram |
| 8 | <i>Carex pellita</i> † | <i>Carex pellita</i> † | woolly sedge | Gram |
| 8 | <i>Carex pensylvanica</i> † | <i>Carex pensylvanica</i> † | Pennsylvania sedge | Gram |
| 6 | <i>Carex planispicata</i> | <i>Carex planispicata</i> | sedge | Gram |
| 10 | <i>Carex planostachys</i> † | <i>Carex planostachys</i> † | cedar sedge | Gram |
| 8 | <i>Carex prasina</i> † | <i>Carex prasina</i> † | drooping sedge | Gram |
| 7 | <i>Carex radiata</i> | <i>Carex radiata</i> | eastern star sedge | Gram |
| 7 | <i>Carex reniformis</i> | <i>Carex reniformis</i> | sedge | Gram |
| 7 | <i>Carex retroflexa</i> | <i>Carex retroflexa</i> | sedge | Gram |
| 8 | <i>Carex reznicekii</i> † | <i>Carex reznicekii</i> † | Reznicek's sedge | Gram |
| 6 | <i>Carex rosea</i> | <i>Carex rosea</i> | sedge | Gram |
| 8 | <i>Carex scoparia</i> var. <i>scoparia</i> † | <i>Carex scoparia</i> † | pointed broom sedge | Gram |
| 10 | <i>Carex seorsa</i> † | <i>Carex seorsa</i> † | swamp star sedge | Gram |
| 8 | <i>Carex shinnersii</i> † | <i>Carex shinnersii</i> † | Shinners' sedge | Gram |
| 5 | <i>Carex shortiana</i> | <i>Carex shortiana</i> | Short's sedge | Gram |
| 8 | <i>Carex socialis</i> | <i>Carex socialis</i> | sedge | Gram |
| 8 | <i>Carex sparganioides</i> † | <i>Carex sparganioides</i> † | bur-reed sedge | Gram |
| 6 | <i>Carex squarrosa</i> | <i>Carex squarrosa</i> | sedge | Gram |
| 6 | <i>Carex stipata</i> var. <i>stipata</i> † | <i>Carex stipata</i> var. <i>stipata</i> † | stalk-grain sedge | Gram |
| 9 | <i>Carex stricta</i> † | <i>Carex stricta</i> † | tussock sedge | Gram |
| 9 | <i>Carex suberecta</i> † | <i>Carex suberecta</i> † | prairie straw sedge | Gram |
| 6 | <i>Carex swanii</i> | <i>Carex swanii</i> | Swan's sedge | Gram |
| 10 | <i>Carex tetanica</i> † | <i>Carex tetanica</i> † | rigid sedge | Gram |
| 3 | <i>Carex texensis</i> | <i>Carex texensis</i> | Texas sedge | Gram |
| 8 | <i>Carex timida</i> † | <i>Carex timida</i> † | timid sedge | Gram |
| 7 | <i>Carex torta</i> | <i>Carex torta</i> | twisted sedge | Gram |
| 7 | <i>Carex triangularis</i> | <i>Carex triangularis</i> | sedge | Gram |
| 6 | <i>Carex tribuloides</i> var. <i>sangamonensis</i> | <i>Carex sangamonensis</i> | sedge | Gram |
| 7 | <i>Carex typhina</i> | <i>Carex typhina</i> | cat-tail sedge | Gram |
| 5 | <i>Carex umbellata</i> | <i>Carex umbellata</i> | sedge | Gram |
| 5 | <i>Carex vulpinoidea</i> | <i>Carex vulpinoidea</i> | fox sedge | Gram |
| 7 | <i>Carex willdenowii</i> † | <i>Carex willdenowii</i> † | Willdenow's sedge | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|-------------------------------|-------|
| 6 | <i>Carpinus caroliniana</i> subsp. <i>caroliniana</i> | <i>Carpinus caroliniana</i> var. <i>caroliniana</i> | musclewood | Tree |
| 6 | <i>Carpinus caroliniana</i> subsp. <i>virginiana</i> | <i>Carpinus caroliniana</i> var. <i>virginiana</i> | musclewood | Tree |
| 0 | CARTHAMUS TINCTORIUS | CARTHAMUS TINCTORIUS | safflower | Forb |
| 6 | <i>Carya alba</i> | <i>Carya tomentosa</i> | mockernut hickory | Tree |
| 7 | <i>Carya aquatica</i> | <i>Carya aquatica</i> | water hickory | Tree |
| 7 | <i>Carya cordiformis</i> | <i>Carya cordiformis</i> | bitternut hickory | Tree |
| 5 | <i>Carya glabra</i> | <i>Carya [glabra + ovalis]</i> | pignut hickory | Tree |
| 5 | <i>Carya illinoinensis</i> | <i>Carya illinoinensis</i> | pecan | Tree |
| 7 | <i>Carya laciniosa</i> | <i>Carya laciniosa</i> | shellbark hickory | Tree |
| 8 | <i>Carya myristiciformis</i> | <i>Carya myristiciformis</i> | nutmeg hickory | Tree |
| 7 | <i>Carya ovata</i> var. <i>ovata</i> | <i>Carya ovata</i> | shagbark hickory | Tree |
| 8 | <i>Carya pallida</i> † | <i>Carya pallida</i> † | pale hickory | Tree |
| 6 | <i>Carya texana</i> | <i>Carya texana</i> | black hickory | Tree |
| 0 | CASTANEA MOLLISSIMA | CASTANEA MOLLISSIMA | Chinese chestnut | Tree |
| 7 | <i>Castanea pumila</i> var. <i>ozarkensis</i> | <i>Castanea ozarkensis</i> | Ozark chinquapin | Tree |
| 7 | <i>Castanea pumila</i> var. <i>pumila</i> | <i>Castanea pumila</i> | Allegheny chinquapin | Tree |
| 9 | <i>Castilleja coccinea</i> | <i>Castilleja coccinea</i> | Indian-paintbrush | Forb |
| 8 | <i>Castilleja indivisa</i> † | <i>Castilleja indivisa</i> † | entire-leaf Indian-paintbrush | Forb |
| 0 | CATALPA BIGNONIOIDES | CATALPA BIGNONIOIDES | southern catalpa | Tree |
| 3 | <i>Catalpa speciosa</i> • | <i>Catalpa speciosa</i> • | northern catalpa | Tree |
| 10 | <i>Caulophyllum thalictroides</i> † | <i>Caulophyllum thalictroides</i> † | blue cohosh | Forb |
| 7 | <i>Cayaponia quinqueloba</i> | <i>Cayaponia quinqueloba</i> | cucumber vine | Herb |
| 8 | <i>Ceanothus americanus</i> | <i>Ceanothus americanus</i> var. <i>pitcheri</i> | New Jersey-tea | Shrub |
| 8 | <i>Ceanothus herbaceus</i> | <i>Ceanothus herbaceus</i> | inland New Jersey-tea | Shrub |
| 0 | CELASTRUS ORBICULATUS* | CELASTRUS ORBICULATUS* | Oriental bittersweet | WVN |
| 7 | <i>Celastrus scandens</i> | <i>Celastrus scandens</i> | American bittersweet | WVN |
| 0 | CELOSIA ARGENTEA | CELOSIA ARGENTEA | silver cock's-comb | Forb |
| 3 | <i>Celtis laevigata</i> | <i>Celtis laevigata</i> | sugarberry | Tree |
| 5 | <i>Celtis occidentalis</i> | <i>Celtis occidentalis</i> | hackberry | Tree |
| 8 | <i>Celtis reticulata</i> † | <i>Celtis reticulata</i> † | netleaf hackberry | Tree |
| 7 | <i>Celtis tenuifolia</i> | <i>Celtis pumila</i> | dwarf hackberry | Tree |
| 2 | <i>Cenchrus longispinus</i> | <i>Cenchrus longispinus</i> | long-spine sandbur | Gram |
| 2 | <i>Cenchrus spinifex</i> | <i>Cenchrus spinifex</i> | coastal sandbur | Gram |
| 0 | CENTAUREA BENEDICTA | CENTAUREA BENEDICTA | blessed thistle | Forb |
| 0 | CENTAUREA CYANUS | CYANUS SEGETUM | bachelor's-button | Forb |
| 0 | CENTAUREA STOEBE SUBSP. MICRANTHOS* | CENTAUREA STOEBE SSP. MICRANTHOS* | spotted knapweed | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|-----|--|---|-----------------------------|-------|
| 0 | CENTAURIUM TENUIFLORUM | CENTAURIUM TENUIFLORUM | slender centaury | Forb |
| 9 | Centaurium texense | Zeltnera texensis | Lady Bird's centaury | Forb |
| 0 | CENTELLA ERECTA | CENTELLA ERECTA | stiff spadeleaf | Forb |
| 7 | Centrosema virginianum | Centrosema virginianum var. virginianum | butterfly-pea | Herb |
| 5 | Cephalanthus occidentalis | Cephalanthus occidentalis | buttonbush | Shru |
| 0 | CERASTIUM BRACHYPETALUM | CERASTIUM BRACHYPETALUM | gray mouse-ear chickweed | Forb |
| 7 | Cerastium brachypodium | Cerastium brachypodium | mouse-ear chickweed | Forb |
| 0 | CERASTIUM DIFFUSUM | CERASTIUM DIFFUSUM | mouse-ear chickweed | Forb |
| 0 | CERASTIUM DUBIUM | CERASTIUM DUBIUM | mouse-ear chickweed | Forb |
| 0 | CERASTIUM FONTANUM SUBSP. VULGARE | CERASTIUM FONTANUM SSP. VULGARE | common mouse-ear chickweed | Forb |
| 0 | CERASTIUM GLOMERATUM | CERASTIUM GLOMERATUM | sticky mouse-ear chickweed | Forb |
| 4 | Cerastium nutans var. nutans | Cerastium nutans | nodding mouse-ear chickweed | Forb |
| 0 | CERASTIUM PUMILUM | CERASTIUM PUMILUM | dwarf mouse-ear chickweed | Forb |
| 0 | CERASTIUM SEMIDECANDRUM | CERASTIUM SEMIDECANDRUM | small mouse-ear chickweed | Forb |
| 9 | Cerastium velutinum var. velutinum† | Cerastium velutinum var. velutinum† | velvety chickweed | Forb |
| 4 | Ceratophyllum demersum | Ceratophyllum demersum | coontail | Forb |
| 9 | Ceratophyllum echinatum | Ceratophyllum echinatum | prickly coontail | Forb |
| 3 | Cercis canadensis var. canadensis | Cercis canadensis var. canadensis | eastern redbud | Tree |
| 0 | CHAENOMELES SPECIOSA | CHAENOMELES SPECIOSA | flowering-quince | Shru |
| 0 | CHAENORHINUM MINUS | CHAENORHINUM MINUS SSP. MINUS | dwarf-snapdragon | Forb |
| 4 | Chaerophyllum procumbens | Chaerophyllum procumbens [var. procumbens + var. shortii] | spreading chervil | Forb |
| 2 | Chaerophyllum tainturieri | Chaerophyllum tainturieri | wild chervil | Forb |
| 9 | Chaetopappa asteroides var. asteroides† | Chaetopappa asteroides† | Arkansas least-daisy | Forb |
| 0 | CHAITURUS MARRUBIASTRUM | CHAITURUS MARRUBIASTRUM | horehound motherwort | Forb |
| 3 | Chamaecrista fasciculata var. fasciculata | Chamaecrista fasciculata var. fasciculata | showy partridge-pea | Forb |
| 3 | Chamaecrista nictitans var. nictitans | Chamaecrista nictitans var. nictitans | sensitive partridge-pea | Forb |
| 9 | Chamaelirium luteum | Chamaelirium luteum | devil's-bit | Forb |
| NMI | Chamaenerion angustifolium subsp. circumvagum† | Chamaenerion angustifolium ssp. circumvagum† | narrow-leaf fireweed | Forb |
| 6 | Chasmanthium latifolium | Chasmanthium latifolium | river-oats | Gram |
| 6 | Chasmanthium laxum | Chasmanthium laxum | slender wood-oats | Gram |
| 6 | Chasmanthium sessiliflorum | Chasmanthium sessiliflorum var. sessiliflorum | long-leaf wood-oats | Gram |
| 8 | Cheilanthes alabamensis | Myriopteris alabamensis | Alabama lip fern | Fern |
| 10 | Cheilanthes eatonii† | Myriopteris rufa† | Eaton's lip fern | Fern |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|-----|--|--|--------------------------|-------|
| 9 | Cheilanthes feei | Myriopteris gracilis | slender lip fern | Fern |
| 7 | Cheilanthes lanosa | Myriopteris lanosa | hairy lip fern | Fern |
| 8 | Cheilanthes tomentosa | Myriopteris tomentosa | woolly lip fern | Fern |
| 9 | Chelone glabra† | Chelone glabra† | white turtlehead | Forb |
| 9 | Chelone obliqua var. speciosa† | Chelone obliqua var. speciosa† | rose turtlehead | Forb |
| 0 | CHENOPODIUM ALBUM | CHENOPODIUM ALBUM VAR. ALBUM | lamb's-quarters | Forb |
| 2 | Chenopodium berlandieri var. bushianum | Chenopodium berlandieri var. bushianum | pit-seed goosefoot | Forb |
| 2 | Chenopodium berlandieri var. zschackei | Chenopodium berlandieri var. zschackei | pit-seed goosefoot | Forb |
| 1 | Chenopodium missouriense | Chenopodium album var. missouriense | Missouri lamb's-quarters | Forb |
| 0 | CHENOPODIUM MURALE | CHENOPODIASTRUM MURALE | nettle-leaf goosefoot | Forb |
| NMI | Chenopodium pratericola | Chenopodium pratericola | desert goosefoot | Forb |
| 5 | Chenopodium simplex | Chenopodiastrum simplex | maple-leaf goosefoot | Forb |
| 6 | Chenopodium standleyanum | Chenopodium standleyanum | woodland goosefoot | Forb |
| 7 | Chionanthus virginicus | Chionanthus virginicus | fringe-tree | Shru |
| 2 | Chloris verticillata | Chloris verticillata | windmill grass | Gram |
| 0 | CHLORIS VIRGATA | CHLORIS VIRGATA | feather finger grass | Gram |
| 0 | CHORISPORA TENELLA | CHORISPORA TENELLA | blue-mustard | Forb |
| 0 | CICHORIUM INTYBUS* | CICHORIUM INTYBUS* | chicory | Forb |
| 6 | Cicuta maculata | Cicuta maculata var. maculata | water-hemlock | Forb |
| 7 | Cinna arundinacea | Cinna arundinacea | stout wood-reed | Gram |
| 6 | Ciraea canadensis subsp. canadensis | Ciraea canadensis | enchanter's-nightshade | Forb |
| 5 | Cirsium altissimum | Cirsium altissimum | tall thistle | Forb |
| 0 | CIRSIUM ARVENSE* | CIRSIUM ARVENSE* | Canadian thistle | Forb |
| 7 | Cirsium carolinianum | Cirsium carolinianum | Carolina thistle | Forb |
| 3 | Cirsium discolor | Cirsium discolor | field thistle | Forb |
| 5 | Cirsium engelmannii† | Cirsium engelmannii† | Engelmann's thistle | Forb |
| 2 | Cirsium horridulum var. megacanthum | Cirsium horridulum var. megacanthum | yellow thistle | Forb |
| 2 | Cirsium horridulum var. vittatum | Cirsium horridulum var. vittatum | yellow thistle | Forb |
| 10 | Cirsium muticum† | Cirsium muticum† | swamp thistle | Forb |
| 6 | Cirsium nuttallii† | Cirsium nuttallii† | Nuttall's thistle | Forb |
| 2 | Cirsium texanum | Cirsium texanum | Texas thistle | Forb |
| 0 | CIRSIUM VULGARE* | CIRSIUM VULGARE* | bull thistle | Forb |
| 8 | Cissus trifoliata | Cissus trifoliata | marine-ivy | WVn |
| 0 | CITRULLUS LANATUS VAR. LANATUS | CITRULLUS LANATUS | watermelon | Herb |
| 0 | CITRUS TRIFOLIATA* | CITRUS TRIFOLIATA* | trifoliate orange | Shru |
| 8 | Cladium jamaicense† | Cladium jamaicense† | saw-grass | Gram |
| 9 | Cladrastis kentukea | Cladrastis kentukea | yellow-wood | Tree |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|--|-----------------------------|-------|
| 10 | <i>Claytonia arkansana</i> ‡† | <i>Claytonia arkansana</i> ‡† | Arkansas spring-beauty | Forb |
| 0 | CLAYTONIA PERFOLIATA | CLAYTONIA PERFOLIATA SSP. PERFOLIATA | miner's-lettuce | Forb |
| 5 | <i>Claytonia virginica</i> | <i>Claytonia virginica</i> var. <i>virginica</i> | spring-beauty | Forb |
| 8 | <i>Clematis arenicola</i> † | <i>Clematis arenicola</i> † | sandhill leather-flower | Forb |
| 6 | <i>Clematis catesbyana</i> | <i>Clematis catesbyana</i> | Catesby's virgin's-bower | WVn |
| 7 | <i>Clematis crispa</i> | <i>Clematis crispa</i> | swamp leather-flower | Herb |
| 10 | <i>Clematis fremontii</i> † | <i>Clematis fremontii</i> † | Fremont's leather-flower | Forb |
| 7 | <i>Clematis glaucocephala</i> † | <i>Clematis glaucocephala</i> † | white-leaf leather-flower | Herb |
| 8 | <i>Clematis ouachitensis</i> † | <i>Clematis ouachitensis</i> † | Ouachita leather-flower | Forb |
| 7 | <i>Clematis pitcheri</i> var. <i>pitcheri</i> | <i>Clematis pitcheri</i> var. <i>pitcheri</i> | Pitcher's leather-flower | Herb |
| 7 | <i>Clematis</i> sp. nov. 'Interior Highlands' | No match | leather-flower | Forb |
| 7 | <i>Clematis</i> sp. nov. 'Ozarks' | No match | leather-flower | Herb |
| 0 | CLEMATIS TERNIFLORA* | CLEMATIS TERNIFLORA* | sweet autumn virgin's-bower | WVn |
| 7 | <i>Clematis versicolor</i> | <i>Clematis versicolor</i> | pale leather-flower | Herb |
| 5 | <i>Clematis virginiana</i> | <i>Clematis virginiana</i> | virgin's-bower | WVn |
| 0 | CLEOME GYNANDRA | GYNANDROPSIS GYNANDRA | spider-wisp | Forb |
| 0 | CLEOME HASSLERIANA | TARENAYA SPECIES 1 | spider-flower | Forb |
| 7 | <i>Clinopodium arkansanum</i> | <i>Clinopodium arkansanum</i> | Arkansas calamint | Forb |
| 7 | <i>Clinopodium glabellum</i> | <i>Clinopodium glabellum</i> | calamint | Forb |
| 0 | CLINOPODIUM GRACILE | CLINOPODIUM GRACILE | wild basil | Forb |
| 0 | CLINOPODIUM NEPETA | CLINOPODIUM CALAMINTHA | lesser calamint | Forb |
| 6 | <i>Clitoria mariana</i> | <i>Clitoria mariana</i> var. <i>marianna</i> | butterfly-pea | Herb |
| 6 | <i>Cnidoscolus texanus</i> | <i>Cnidoscolus texanus</i> | bull-nettle | Forb |
| 2 | <i>Cocculus carolinus</i> | <i>Nephroia carolina</i> | Carolina snailseed | WVn |
| 8 | <i>Coelorachis cylindrica</i> | <i>Mnesithea cylindrica</i> | Carolina joint-tail | Gram |
| 8 | <i>Coelorachis rugosa</i> † | <i>Mnesithea rugosa</i> † | wrinkled joint-tail | Gram |
| 9 | <i>Collinsia verna</i> † | <i>Collinsia verna</i> † | blue-eyed Mary | Forb |
| 8 | <i>Collinsia violacea</i> | <i>Collinsia violacea</i> | violet blue-eyed Mary | Forb |
| 9 | <i>Collinsonia canadensis</i> † | <i>Collinsonia</i> [canadensis + tuberosa]† | citronella horse balm | Forb |
| 0 | COLOCASIA ESCULENTA* | COLOCASIA ESCULENTA* | taro | Forb |
| 8 | <i>Comandra umbellata</i> subsp. <i>umbellata</i> | <i>Comandra umbellata</i> var. <i>umbellata</i> | bastard-toadflax | Forb |
| 0 | COMMELINA CAROLINIANA | COMMELINA CAROLINIANA | Carolina dayflower | Forb |
| 0 | COMMELINA COMMUNIS | COMMELINA COMMUNIS | Asiatic dayflower | Forb |
| 0 | COMMELINA DIFFUSA VAR. DIFFUSA | COMMELINA DIFFUSA | spreading dayflower | Forb |
| 7 | <i>Commelina erecta</i> | <i>Commelina erecta</i> var. <i>deamiana</i> | erect dayflower | Forb |
| 5 | <i>Commelina virginica</i> | <i>Commelina virginica</i> | Virginia dayflower | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|------------------------|-------|
| 0 | CONIUM MACULATUM* | CONIUM MACULATUM* | poison-hemlock | Forb |
| 5 | Conoclinium coelestinum | Conoclinium coelestinum | mist-flower | Forb |
| 0 | CONRINGIA ORIENTALIS | CONRINGIA ORIENTALIS | hare's-ear-mustard | Forb |
| 0 | CONSOLIDA AJACIS | DELPHINIUM AJACIS | rocket-larkspur | Forb |
| 0 | CONVALLARIA MAJALIS | CONVALLARIA MAJALIS | lily-of-the-valley | Forb |
| 0 | CONVOLVULUS ARVENSIS | CONVOLVULUS ARVENSIS | field bindweed | Herb |
| 3 | Convolvulus equitans† | Convolvulus equitans† | Texas bindweed | Herb |
| 0 | CONYZA BONARIENSIS | ERIGERON BONARIENSIS | asthma-weed | Forb |
| 1 | Conyza canadensis var. canadensis | Erigeron canadensis | horseweed | Forb |
| 4 | Conyza canadensis var. pusilla | Erigeron pusillus | horseweed | Forb |
| 1 | Conyzia ramosissima | Erigeron divaricatus | dwarf fleabane | Forb |
| 7 | Cooperia drummondii† | Zephyranthes chlorosolen† | rain-lily | Forb |
| 10 | Corallorrhiza odontorhiza var. odontorhiza | Corallorrhiza odontorhiza | autumn coralroot | Forb |
| 9 | Corallorrhiza wisteriana | Corallorrhiza wisteriana | spring coralroot | Forb |
| 3 | Coreopsis basalis† | Coreopsis basalis† | golden-mane tickseed | Forb |
| 7 | Coreopsis grandiflora var. grandiflora | Coreopsis grandiflora var. grandiflora | large-flower tickseed | Forb |
| 7 | Coreopsis grandiflora var. harveyana | Coreopsis grandiflora var. harveyana | large-flower tickseed | Forb |
| 9 | Coreopsis grandiflora var. saxicola† | Coreopsis grandiflora var. saxicola† | large-flower tickseed | Forb |
| 8 | Coreopsis intermedia† | Coreopsis intermedia† | golden-wave tickseed | Forb |
| 6 | Coreopsis lanceolata | Coreopsis lanceolata | lance-leaf tickseed | Forb |
| 8 | Coreopsis palmata | Coreopsis palmata | tickseed | Forb |
| 7 | Coreopsis pubescens | Coreopsis pubescens var. pubescens | star tickseed | Forb |
| 0 | COREOPSIS ROSEA | COREOPSIS ROSEA | pink tickseed | Forb |
| 2 | Coreopsis tinctoria | Coreopsis tinctoria var. tinctoria | Plains coreopsis | Forb |
| 7 | Coreopsis tripteris | Coreopsis tripteris | tall tickseed | Forb |
| 0 | CORIANDRUM SATIVUM | CORIANDRUM SATIVUM | coriander | Forb |
| 0 | CORISPERMUM AMERICANUM VAR. AMERICANUM | CORISPERMUM AMERICANUM VAR. AMERICANUM | bugseed | Forb |
| 8 | Cornus alternifolia | Swida alternifolia | alternate-leaf dogwood | Tree |
| 3 | Cornus drummondii | Swida drummondii | rough-leaf dogwood | Shru |
| 6 | Cornus florida | Benthamidia florida | flowering dogwood | Tree |
| 5 | Cornus foemina | Swida foemina | stiff dogwood | Shru |
| 5 | Cornus obliqua | Swida obliqua | silky dogwood | Shru |
| 6 | Cornus racemosa | Swida racemosa | gray dogwood | Shru |
| 7 | Corydalis crystallina | Corydalis crystallina | mealy corydalis | Forb |
| 5 | Corydalis flavula | Corydalis flavula | pale corydalis | Forb |
| 5 | Corydalis micrantha subsp. australis | Corydalis halei | southern corydalis | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|-----|---|---|------------------------------|-------|
| NMI | <i>Corydalis micrantha</i> subsp. <i>micrantha</i> | <i>Corydalis micrantha</i> | small-flower corydalis | Forb |
| 6 | <i>Corylus americana</i> | <i>Corylus americana</i> | hazelnut | Shru |
| 0 | <i>COSMOS BIPINNATUS</i> | <i>COSMOS BIPINNATUS</i> | cosmos | Forb |
| 0 | <i>COSMOS SULPHUREUS</i> | <i>COSMOS SULPHUREUS</i> | cosmos | Forb |
| 0 | <i>COTA TINCTORIA</i> | <i>COTA TINCTORIA</i> | yellow chamomile | Forb |
| 9 | <i>Cotinus obovatus</i> | <i>Cotinus obovata</i> | American smoke-tree | Tree |
| 7 | <i>Crassula aquatica</i> † | <i>Crassula [aquatica + drummondii]</i> † | water pygmyweed | Forb |
| NMI | <i>Crataegus ×amicalis</i> ‡ | <i>Crataegus ×amicalis</i> ‡ | friendly hawthorn | Tree |
| 10 | <i>Crataegus ×canescens</i> ‡† | <i>Crataegus ×canescens</i> ‡† | Stern's medlar | Shru |
| NMI | <i>Crataegus ×danielsii</i> | <i>Crataegus ×danielsii</i> | Daniel's hawthorn | Tree |
| NMI | <i>Crataegus ×dispessa</i> | <i>Crataegus ×dispessa</i> | dispessa hawthorn | Tree |
| 8 | <i>Crataegus ×harveyana</i> ‡ | <i>Crataegus ×harveyana</i> ‡ | Harvey's hawthorn | Shru |
| NMI | <i>Crataegus ×lacerá</i> ‡ | <i>Crataegus ×lacerá</i> ‡ | cutleaf downy hawthorn | Tree |
| NMI | <i>Crataegus ×nitida</i> | <i>Crataegus ×nitida</i> | shinning hawthorn | Tree |
| NMI | <i>Crataegus ×notha</i> ‡ | <i>Crataegus ×notha</i> ‡ | hybrid hawthorn | Tree |
| NMI | <i>Crataegus ×sicca</i> | <i>Crataegus ×sicca</i> | Missouri dryland hawthorn | Shru |
| 7 | <i>Crataegus ×spes-aestatum</i> | <i>Crataegus ×spes-aestatum</i> | Summer's hawthorn | Tree |
| 7 | <i>Crataegus ×thermopégaea</i> ‡ | <i>Crataegus ×thermopégaea</i> ‡ | Hot Springs hawthorn | Shru |
| NMI | <i>Crataegus ×vailiae</i> | <i>Crataegus ×vailiae</i> | Vail's hawthorn | Tree |
| 6 | <i>Crataegus berberifolia</i> var. <i>berberifolia</i> | <i>Crataegus berberifolia</i> var. <i>berberifolia</i> | barberry hawthorn | Shru |
| 6 | <i>Crataegus berberifolia</i> var. <i>englemannii</i> | <i>Crataegus berberifolia</i> var. <i>engelmannii</i> | Engleemann's hawthorn | Shru |
| 8 | <i>Crataegus brachyacantha</i> † | <i>Crataegus brachyacantha</i> † | blueberry hawthorn | Tree |
| 7 | <i>Crataegus calpodendron</i> | <i>Crataegus calpodendron</i> | pear hawthorn | Shru |
| 9 | <i>Crataegus coccinioides</i> † | <i>Crataegus coccinioides</i> † | Kansas hawthorn | Shru |
| 7 | <i>Crataegus collina</i> | <i>Crataegus collina</i> | hawthorn | Shru |
| 5 | <i>Crataegus crus-galli</i> var. <i>crus-galli</i> | <i>Crataegus crus-galli</i> var. <i>crus-galli</i> | cockspur hawthorn | Shru |
| 5 | <i>Crataegus crus-galli</i> var. <i>pyracanthifolia</i> | <i>Crataegus crus-galli</i> var. <i>pyracanthifolia</i> | narrowleaf cockspur hawthorn | Shru |
| 7 | <i>Crataegus intricata</i> var. <i>biltmoreana</i> | <i>Crataegus intricata</i> var. <i>biltmoreana</i> | Biltmore hawthorn | Shru |
| 6 | <i>Crataegus intricata</i> var. <i>intricata</i> | <i>Crataegus intricata</i> var. <i>intricata</i> | intricate hawthorn | Shru |
| 8 | <i>Crataegus intricata</i> var. <i>neobushii</i> | <i>Crataegus intricata</i> var. <i>neobushii</i> | Bush's hawthorn | Shru |
| 6 | <i>Crataegus intricata</i> var. <i>straminea</i> | <i>Crataegus intricata</i> var. <i>straminea</i> | straw-fruited hawthorn | Shru |
| 7 | <i>Crataegus iracunda</i> | <i>Crataegus iracunda</i> var. <i>iracunda</i> | stolon-baring hawthorn | Shru |
| 7 | <i>Crataegus macrosperma</i> † | <i>Crataegus macrosperma</i> † | fan-leaf hawthorn | Shru |
| 6 | <i>Crataegus marshallii</i> | <i>Crataegus marshallii</i> | parsley hawthorn | Shru |
| 6 | <i>Crataegus mollis</i> var. <i>dumetosa</i> | <i>Crataegus mollis</i> var. <i>dumetosa</i> | Missouri downy hawthorn | Tree |
| 6 | <i>Crataegus mollis</i> var. <i>mollis</i> | <i>Crataegus mollis</i> var. <i>mollis</i> | downy hawthorn | Tree |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|--|------------------------------|-------|
| 6 | <i>Crataegus mollis</i> var. <i>texana</i> | <i>Crataegus mollis</i> var. <i>texana</i> | Texas downy hawthorn | Tree |
| 7 | <i>Crataegus opaca</i> | <i>Crataegus opaca</i> | mayhaw | Tree |
| 8 | <i>Crataegus ouachitensis</i> var. <i>minor</i> ‡† | <i>Crataegus</i> × <i>minor</i> ‡† | small-leaf Ouachita hawthorn | Tree |
| 8 | <i>Crataegus ouachitensis</i> var. <i>ouachitensis</i> ‡‡ | <i>Crataegus ouachitensis</i> var. <i>ouachitensis</i> ‡‡ | Ouachita hawthorn | Shru |
| 7 | <i>Crataegus padifolia</i> | <i>Crataegus padifolia</i> | cherry-leaf hawthorn | Tree |
| 7 | <i>Crataegus palmeri</i> † | <i>Crataegus palmeri</i> † | Palmer's hawthorn | Shru |
| 8 | <i>Crataegus phaenopyrum</i> † | <i>Crataegus phaenopyrum</i> † | Washington hawthorn | Tree |
| 7 | <i>Crataegus pruinosa</i> var. <i>dissona</i> | <i>Crataegus pruinosa</i> var. <i>dissona</i> | northern frosted hawthorn | Tree |
| 6 | <i>Crataegus pruinosa</i> var. <i>gattingeri</i> | <i>Crataegus pruinosa</i> [var. <i>gattingeri</i> + var. <i>pruinosa</i>] | Gattinger's frosted hawthorn | Tree |
| 8 | <i>Crataegus pruinosa</i> var. <i>magnifolia</i> | <i>Crataegus pruinosa</i> var. <i>magnifolia</i> | large-leaf frosted hawthorn | Tree |
| 5 | <i>Crataegus pruinosa</i> var. <i>pruinosa</i> | <i>Crataegus pruinosa</i> [var. <i>dissona</i> + var. <i>parvula</i> + var. <i>pruinosa</i> + var. <i>rugosa</i>] | frosted hawthorn | Tree |
| 7 | <i>Crataegus pruinosa</i> var. <i>rugosa</i> | <i>Crataegus pruinosa</i> var. <i>rugosa</i> | Appalachian frosted hawthorn | Tree |
| 7 | <i>Crataegus pruinosa</i> var. <i>virella</i> | <i>Crataegus pruinosa</i> var. <i>virella</i> | hairy frosted hawthorn | Tree |
| 8 | <i>Crataegus reverchonii</i> † | <i>Crataegus reverchonii</i> † | Reverchon's hawthorn | Tree |
| 7 | <i>Crataegus schuettei</i> | <i>Crataegus schuettei</i> | Schuette's hawthorn | Tree |
| 5 | <i>Crataegus spathulata</i> | <i>Crataegus spathulata</i> | pasture hawthorn | Tree |
| 10 | <i>Crataegus triflora</i> † | <i>Crataegus triflora</i> † | three-flower hawthorn | Shru |
| 7 | <i>Crataegus uniflora</i> | <i>Crataegus uniflora</i> | dwarf hawthorn | Shru |
| 6 | <i>Crataegus viridis</i> var. <i>glabriuscula</i> | <i>Crataegus viridis</i> var. <i>glabriuscula</i> | Texas green hawthorn | Tree |
| 5 | <i>Crataegus viridis</i> var. <i>lanceolata</i> | <i>Crataegus viridis</i> var. <i>lanceolata</i> | narrow-leaf green hawthorn | Tree |
| 5 | <i>Crataegus viridis</i> var. <i>ovata</i> | <i>Crataegus viridis</i> var. <i>ovata</i> | oval-leaf green hawthorn | Tree |
| 6 | <i>Crataegus viridis</i> var. <i>velutina</i> | <i>Crataegus viridis</i> var. <i>velutina</i> | velvet-leaf green hawthorn | Tree |
| 5 | <i>Crataegus viridis</i> var. <i>viridis</i> | <i>Crataegus viridis</i> var. <i>viridis</i> | green hawthorn | Tree |
| 0 | CREPIS PULCHRA | CREPIS PULCHRA | small-flower hawk's-beard | Forb |
| 0 | CREPIS SETOSA | CREPIS SETOSA | bristly hawk's-beard | Forb |
| 10 | <i>Crocanthemum bicknellii</i> † | <i>Crocanthemum bicknellii</i> † | hoary frostweed | Forb |
| 8 | <i>Crocanthemum carolinianum</i> | <i>Crocanthemum carolinianum</i> | Carolina rock-rose | Forb |
| 7 | <i>Crocanthemum georgianum</i> | <i>Crocanthemum georgianum</i> | Georgia rock-rose | Forb |
| 10 | <i>Crocanthemum rosmarinifolium</i> † | <i>Crocanthemum rosmarinifolium</i> † | rosemary rock-rose | Forb |
| 5 | <i>Croptilon divaricatum</i> | <i>Croptilon divaricatum</i> | scratch-daisy | Forb |
| 6 | <i>Croptilon hookerianum</i> var. <i>validum</i> | <i>Croptilon hookerianum</i> var. <i>validum</i> | Hooker's scratch-daisy | Forb |
| 7 | <i>Crotalaria sagittalis</i> | <i>Crotalaria sagittalis</i> | rattlebox | Forb |
| 0 | CROTALARIA SPECTABILIS | CROTALARIA SPECTABILIS | showy rattlebox | Forb |
| 3 | <i>Croton capitatus</i> var. <i>capitatus</i> | <i>Croton capitatus</i> | woolly croton | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|-----|--|--|---------------------------|-------|
| 2 | <i>Croton capitatus</i> var. <i>lindheimeri</i> | <i>Croton lindheimeri</i> | woolly croton | Forb |
| 2 | <i>Croton glandulosus</i> var. <i>septentrionalis</i> | <i>Croton glandulosus</i> var. <i>septentrionalis</i> | tropic croton | Forb |
| 6 | <i>Croton lindheimerianus</i> var. <i>lindheimerianus</i> † | <i>Croton lindheimerianus</i> var. <i>lindheimerianus</i> † | Lindheimer's croton | Forb |
| 9 | <i>Croton michauxii</i> † | <i>Croton michauxii</i> † | narrow-leaf rushfoil | Forb |
| 3 | <i>Croton monanthogynus</i> | <i>Croton monanthogynus</i> | prairie-tea | Forb |
| 3 | <i>Croton willdenowii</i> | <i>Croton willdenowii</i> | rushfoil | Forb |
| 0 | CRUCIATA PEDEMONTANA | GALIUM PEDEMONTANUM | Piedmont bedstraw | Forb |
| 5 | <i>Cryptotaenia canadensis</i> | <i>Cryptotaenia canadensis</i> | honewort | Forb |
| 0 | CUCUMIS MELO | CUCUMIS MELO [VAR. CANTALUPO + VAR. INODORUS + VAR. TEXANUS] | Queen Anne's pocket melon | Herb |
| 0 | CUCUMIS METULIFERUS | CUCUMIS METULIFER | African horned melon | Herb |
| 1 | <i>Cucurbita foetidissima</i> | <i>Cucurbita foetidissima</i> | buffalo gourd | Herb |
| 0 | CUCURBITA MAXIMA | CUCURBITA MAXIMA | winter squash | Herb |
| 5 | <i>Cucurbita pepo</i> subsp. <i>ovifera</i> var. <i>ozarkana</i> | <i>Cucurbita melopepo</i> var. <i>ozarkana</i> | wild pear gourd | Herb |
| 5 | <i>Cucurbita pepo</i> subsp. <i>ovifera</i> var. <i>texana</i> | <i>Cucurbita melopepo</i> var. <i>texana</i> | Texas gourd | Herb |
| 6 | <i>Cunila origanoides</i> | <i>Cunila origanoides</i> | dittany | Forb |
| 0 | CUPHEA CARTHAGENENSIS | CUPHEA CARTHAGENENSIS | Colombian waxweed | Forb |
| 6 | <i>Cuphea viscosissima</i> | <i>Cuphea viscosissima</i> | blue waxweed | Forb |
| 5 | <i>Cuscuta campestris</i> | <i>Cuscuta campestris</i> | field dodder | Herb |
| 7 | <i>Cuscuta compacta</i> | <i>Cuscuta compacta</i> | compact dodder | Herb |
| 8 | <i>Cuscuta coryli</i> † | <i>Cuscuta coryli</i> † | hazel dodder | Herb |
| 6 | <i>Cuscuta cuspidata</i> | <i>Cuscuta cuspidata</i> | cusp dodder | Herb |
| 9 | <i>Cuscuta glomerata</i> † | <i>Cuscuta glomerata</i> † | rope dodder | Herb |
| 3 | <i>Cuscuta gronovii</i> | <i>Cuscuta gronovii</i> | common dodder | Herb |
| 8 | <i>Cuscuta indecora</i> var. <i>indecora</i> | <i>Cuscuta indecora</i> (in part) | large-seed dodder | Herb |
| 8 | <i>Cuscuta indecora</i> var. <i>longisepala</i> | <i>Cuscuta indecora</i> (in part) | large-seed dodder | Herb |
| NMI | <i>Cuscuta obtusiflora</i> var. <i>glandulosa</i> † | <i>Cuscuta obtusiflora</i> var. <i>glandulosa</i> † | glandular dodder | Herb |
| 8 | <i>Cuscuta pentagona</i> | <i>Cuscuta</i> [glabrior + <i>pentagona</i>] | field dodder | Herb |
| 6 | <i>Cuscuta polygonorum</i> | <i>Cuscuta polygonorum</i> | smartweed dodder | Herb |
| 5 | <i>Cycloloma atriplicifolium</i> | <i>Dysphania atriplicifolia</i> | winged pigweed | Forb |
| 2 | <i>Cyclospermum leptophyllum</i> | <i>Cyclospermum leptophyllum</i> | marsh-parsley | Forb |
| 0 | CYMBALARIA MURALIS | CYMBALARIA MURALIS | Kenilworth ivy | Herb |
| 1 | <i>Cynanchum laeve</i> | <i>Cynanchum laeve</i> | sandvine | Herb |
| 0 | CYNODON DACTYLON* | CYNODON DACTYLON* | Bermuda grass | Gram |
| 0 | CYNOGLOSSUM RETICULUM | CYNOGLOSSUM RETICULUM | blue hound's-tongue | Forb |
| 0 | CYNOGLOSSUM OFFICINALE | CYNOGLOSSUM OFFICINALE | garden comfrey | Forb |
| 6 | <i>Cynoglossum virginianum</i> | <i>Andersonglossum virginianum</i> | wild comfrey | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|-----------------------|-------|
| 0 | <i>CYNOGLOSSUM ZEYLANICUM*</i> | <i>CYNOGLOSSUM ZEYLANICUM*</i> | Ceylon hound's-tongue | Forb |
| 5 | <i>Cynosciadium digitatum</i> | <i>Cynosciadium digitatum</i> | dogshade | Forb |
| 0 | <i>CYNOSURUS ECHINATUS</i> | <i>CYNOSURUS ECHINATUS</i> | bristly dog's-tail | Gram |
| 5 | <i>Cyperus acuminatus</i> | <i>Cyperus acuminatus</i> | flatsedge | Gram |
| 5 | <i>Cyperus bipartitus</i> | <i>Cyperus bipartitus</i> | flatsedge | Gram |
| 2 | <i>Cyperus compressus</i> | <i>Cyperus compressus</i> | flatsedge | Gram |
| 4 | <i>Cyperus croceus</i> | <i>Cyperus croceus</i> | Baldwin's flatsedge | Gram |
| 0 | <i>CYPERUS CUSPIDATUS</i> | <i>CYPERUS CUSPIDATUS</i> | flatsedge | Gram |
| 0 | <i>CYPERUS DIFFORMIS</i> | <i>CYPERUS DIFFORMIS</i> | variable flatsedge | Gram |
| 5 | <i>Cyperus echinatus</i> | <i>Cyperus echinatus</i> | globe flatsedge | Gram |
| 3 | <i>Cyperus erythrorhizos</i> | <i>Cyperus erythrorhizos</i> | red-root flatsedge | Gram |
| 2 | <i>Cyperus esculentus</i> var. <i>leptostachyus</i> | <i>Cyperus esculentus</i> var. <i>leptostachyus</i> | yellow nutsedge | Gram |
| 2 | <i>Cyperus esculentus</i> var. <i>macrostachyus</i> | <i>Cyperus esculentus</i> var. <i>macrostachyus</i> | yellow nutsedge | Gram |
| 4 | <i>Cyperus flavescens</i> | <i>Cyperus flavescens</i> | yellow flatsedge | Gram |
| 0 | <i>CYPERUS FLAVICOMUS</i> | <i>CYPERUS FLAVICOMUS</i> | flatsedge | Gram |
| 0 | <i>CYPERUS FUSCUS</i> | <i>CYPERUS FUSCUS</i> | brown galingale | Gram |
| 10 | <i>Cyperus grayoides</i> † | <i>Cyperus grayoides</i> † | Illinois flatsedge | Gram |
| 7 | <i>Cyperus haspan</i> † | <i>Cyperus haspan</i> † | haspan flatsedge | Gram |
| 8 | <i>Cyperus hystricinus</i> † | <i>Cyperus hystricinus</i> † | bristly flatsedge | Gram |
| 0 | <i>CYPERUS IRIA</i> | <i>CYPERUS IRIA</i> | ricefield flatsedge | Gram |
| 7 | <i>Cyperus lancastriensis</i> | <i>Cyperus lancastriensis</i> | flatsedge | Gram |
| 0 | <i>CYPERUS LANCEOLATUS</i> | <i>CYPERUS LANCEOLATUS</i> | flatsedge | Gram |
| 0 | <i>CYPERUS LECONTEI</i> | <i>CYPERUS LECONTEI</i> | Le Conte's flatsedge | Gram |
| 7 | <i>Cyperus lupulinus</i> | <i>Cyperus lupulinus</i> [var. <i>lupulinus</i> + var. <i>macilentus</i>] | flatsedge | Gram |
| 4 | <i>Cyperus odoratus</i> | <i>Cyperus odoratus</i> var. <i>odoratus</i> | rusty flatsedge | Gram |
| 0 | <i>CYPERUS OXYLEPIS</i> | <i>CYPERUS OXYLEPIS</i> | flatsedge | Gram |
| 8 | <i>Cyperus plukenetii</i> | <i>Cyperus plukenetii</i> | Plukenet's flatsedge | Gram |
| 2 | <i>Cyperus polystachyos</i> | <i>Cyperus polystachyos</i> | flatsedge | Gram |
| 3 | <i>Cyperus pseudovegetus</i> | <i>Cyperus pseudovegetus</i> | marsh flatsedge | Gram |
| 6 | <i>Cyperus refractus</i> | <i>Cyperus refractus</i> | flatsedge | Gram |
| 6 | <i>Cyperus retroflexus</i> | <i>Cyperus retroflexus</i> [var. <i>pumilus</i> + var. <i>retroflexus</i>] | flatsedge | Gram |
| 7 | <i>Cyperus retrofractus</i> † | <i>Cyperus retrofractus</i> † | rough flatsedge | Gram |
| 4 | <i>Cyperus retrorsus</i> | <i>Cyperus retrorsus</i> | flatsedge | Gram |
| 0 | <i>CYPERUS ROTUNDUS</i> | <i>CYPERUS ROTUNDUS</i> | purple nutsedge | Gram |
| 2 | <i>Cyperus squarrosus</i> | <i>Cyperus squarrosus</i> var. <i>squarrosus</i> | flatsedge | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|---------------------------------|-------|
| 3 | <i>Cyperus strigosus</i> | <i>Cyperus strigosus</i> | false nutsedge | Gram |
| 0 | <i>CYPERUS SURINAMENSIS</i> | <i>CYPERUS SURINAMENSIS</i> | tropical flatsedge | Gram |
| 2 | <i>Cyperus virens</i> | <i>Cyperus virens</i> | flatsedge | Gram |
| 9 | <i>Cypripedium kentuckiense</i> † | <i>Cypripedium kentuckiense</i> † | Kentucky lady's-slipper | Forb |
| 9 | <i>Cypripedium parviflorum</i> var. <i>parviflorum</i> | <i>Cypripedium parviflorum</i> var. <i>parviflorum</i> | small yellow lady's-slipper | Forb |
| 9 | <i>Cypripedium parviflorum</i> var. <i>pubescens</i> | <i>Cypripedium parviflorum</i> var. <i>pubescens</i> | large yellow lady's-slipper | Forb |
| 10 | <i>Cypripedium reginae</i> † | <i>Cypripedium reginae</i> † | showy lady's-slipper | Forb |
| 0 | <i>CYRTOMIUM FALCATUM</i> * | <i>CYRTOMIUM FALCATUM</i> * | net-vein holly fern | Fern |
| 0 | <i>CYRTOMIUM FORTUNEI</i> * | <i>CYRTOMIUM FORTUNEI</i> * | Fortune's net-veined holly fern | Fern |
| 8 | <i>Cystopteris bulbifera</i> | <i>Cystopteris bulbifera</i> | bulblet bladder fern | Fern |
| 6 | <i>Cystopteris protrusa</i> | <i>Cystopteris protrusa</i> | southern bladder fern | Fern |
| 8 | <i>Cystopteris tennesseensis</i> | <i>Cystopteris tennesseensis</i> | Tennessee bladder fern | Fern |
| 10 | <i>Cystopteris tenuis</i> | <i>Cystopteris tenuis</i> | Mackay's bladder fern | Fern |
| 0 | <i>DACTYLIS GLOMERATA</i> * | <i>DACTYLIS GLOMERATA</i> * | orchard grass | Gram |
| 0 | <i>DACTYLOCTENIUM AEGYPTIUM</i> | <i>DACTYLOCTENIUM AEGYPTIUM</i> | Durban crowfoot | Gram |
| 8 | <i>Dalea candida</i> var. <i>candida</i> | <i>Dalea candida</i> | white prairie-clover | Forb |
| 10 | <i>Dalea compacta</i> var. <i>compacta</i> † | <i>Dalea compacta</i> var. <i>compacta</i> † | compact prairie-clover | Forb |
| 9 | <i>Dalea gattingeri</i> † | <i>Dalea gattingeri</i> † | Gattinger's prairie-clover | Forb |
| 8 | <i>Dalea lanata</i> var. <i>lanata</i> † | <i>Dalea lanata</i> † | woolly prairie-clover | Forb |
| 10 | <i>Dalea multiflora</i> † | <i>Dalea multiflora</i> † | round-head prairie-clover | Forb |
| 8 | <i>Dalea phleoides</i> var. <i>microphylla</i> † | <i>Dalea drummondiana</i> † | little-leaf prairie-clover | Forb |
| 10 | <i>Dalea purpurea</i> var. <i>purpurea</i> | <i>Dalea purpurea</i> | purple prairie-clover | Forb |
| 10 | <i>Dalea villosa</i> var. <i>grisea</i> † | <i>Dalea grisea</i> † | silky prairie-clover | Forb |
| 7 | <i>Danthonia sericea</i> † | <i>Danthonia sericea</i> † | downy oat grass | Gram |
| 5 | <i>Danthonia spicata</i> | <i>Danthonia spicata</i> | poverty oat grass | Gram |
| 7 | <i>Dasistoma macrophylla</i> | <i>Dasistoma macrophyllum</i> | mullein-foxglove | Forb |
| 0 | <i>DATURA INOXIA</i> | <i>DATURA INNOXIA</i> | jimsonweed | Forb |
| 0 | <i>DATURA QUERCIFOLIA</i> | <i>DATURA QUERCIFOLIA</i> | oak-leaf thorn-apple | Forb |
| 0 | <i>DATURA STRAMONIUM</i> | <i>DATURA STRAMONIUM</i> | jimsonweed | Forb |
| 0 | <i>DAUCUS CAROTA</i> * | <i>DAUCUS CAROTA</i> [SSP. <i>CAROTA</i> + SSP. <i>SATIVUS</i>]* | Queen Anne's-lace | Forb |
| 7 | <i>Daucus pusillus</i> | <i>Daucus pusillus</i> | rattlesnake-weed | Forb |
| 9 | <i>Decodon verticillatus</i> | <i>Decodon verticillatus</i> | swamp-loosestrife | Shrub |
| 8 | <i>Decumaria barbara</i> † | <i>Hydrangea barbara</i> † | climbing-hydrangea | WVN |
| 7 | <i>Delphinium carolinianum</i> subsp. <i>carolinianum</i> | <i>Delphinium carolinianum</i> ssp. <i>carolinianum</i> | Carolina larkspur | Forb |
| 9 | <i>Delphinium carolinianum</i> subsp. <i>vimineum</i> † | <i>Delphinium carolinianum</i> ssp. <i>vimineum</i> † | pinewoods larkspur | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|---|--|--|---------------------------|-------|
| 9 | <i>Delphinium carolinianum</i> subsp. <i>virescens</i> † | <i>Delphinium carolinianum</i> ssp. <i>virescens</i> † | plains larkspur | Forb |
| 9 | <i>Delphinium newtonianum</i> ‡† | <i>Delphinium newtonianum</i> ‡† | Moore's delphinium | Forb |
| 8 | <i>Delphinium treleasei</i> † | <i>Delphinium treleasei</i> † | Trelease's larkspur | Forb |
| 8 | <i>Delphinium tricorne</i> | <i>Delphinium tricorne</i> | dwarf larkspur | Forb |
| 9 | <i>Dennstaedtia punctilobula</i> † | <i>Sitobolium punctilobulum</i> † | hay-scented fern | Fern |
| 8 | <i>Deparia acrostichoides</i> | <i>Deparia acrostichoides</i> | silvery glade fern | Fern |
| 8 | <i>Deschampsia flexuosa</i> † | <i>Avenella flexuosa</i> † | wavy hair grass | Gram |
| 3 | <i>Descurainia pinnata</i> subsp. <i>brachycarpa</i> | <i>Descurainia pinnata</i> var. <i>brachycarpa</i> | tansy-mustard | Forb |
| 3 | <i>Descurainia pinnata</i> subsp. <i>pinnata</i> | <i>Descurainia pinnata</i> var. <i>pinnata</i> | tansy-mustard | Forb |
| 0 | DESCURAINIA SOPHIA | DESCURAINIA SOPHIA | tansy-mustard | Forb |
| 2 | <i>Desmanthus illinoensis</i> | <i>Desmanthus illinoensis</i> | Illinois bundleflower | Forb |
| 5 | <i>Desmodium canescens</i> | <i>Desmodium canescens</i> | hoary tick-trefoil | Forb |
| 7 | <i>Desmodium ciliare</i> | <i>Desmodium ciliare</i> | tick-trefoil | Forb |
| 7 | <i>Desmodium cuspidatum</i> | <i>Desmodium cuspidatum</i> | tick-trefoil | Forb |
| 4 | <i>Desmodium glabellum</i> | <i>Desmodium glabellum</i> | tick-trefoil | Forb |
| 7 | <i>Desmodium glutinosum</i> | <i>Hylodesmum glutinosum</i> | tick-trefoil | Forb |
| 8 | <i>Desmodium illinoense</i> † | <i>Desmodium illinoense</i> † | Illinois tick-trefoil | Forb |
| 7 | <i>Desmodium laevigatum</i> | <i>Desmodium laevigatum</i> | smooth tick-trefoil | Forb |
| 7 | <i>Desmodium marilandicum</i> | <i>Desmodium marilandicum</i> | tick-trefoil | Forb |
| 6 | <i>Desmodium nudiflorum</i> | <i>Hylodesmum nudiflorum</i> | naked-flower tick-trefoil | Forb |
| 7 | <i>Desmodium nuttallii</i> | <i>Desmodium nuttallii</i> | Nuttall's tick-trefoil | Forb |
| 7 | <i>Desmodium obtusum</i> | <i>Desmodium obtusum</i> | tick-trefoil | Forb |
| 4 | <i>Desmodium paniculatum</i> | <i>Desmodium paniculatum</i> var. <i>paniculatum</i> | panicked tick-trefoil | Forb |
| 7 | <i>Desmodium pauciflorum</i> | <i>Hylodesmum pauciflorum</i> | few-flower tick-trefoil | Forb |
| 5 | <i>Desmodium perplexum</i> | <i>Desmodium perplexum</i> | tick-trefoil | Forb |
| 6 | <i>Desmodium rotundifolium</i> | <i>Desmodium rotundifolium</i> | dollar-leaf | Forb |
| 8 | <i>Desmodium sessilifolium</i> | <i>Desmodium sessilifolium</i> | sessile-leaf tick-trefoil | Forb |
| 0 | DESMODIUM TORTUOSUM | DESMODIUM TORTUOSUM | Florida beggarweed | Forb |
| 7 | <i>Desmodium viridiflorum</i> | <i>Desmodium viridiflorum</i> | velvet-leaf tick-trefoil | Forb |
| 0 | DEUTZIA CRENATA VAR. CRENATA* | DEUTZIA CRENATA VAR. CRENATA* | deutzia | Shrub |
| 0 | DIANTHUS ARMERIA SUBSP. ARMERIA | DIANTHUS ARMERIA | Deptford pink | Forb |
| 0 | DIANTHUS BARBATUS SUBSP. BARBATUS | DIANTHUS BARBATUS SSP. BARBATUS | sweet-William | Forb |
| 6 | <i>Diaperia candida</i> † | <i>Diaperia candida</i> † | silver rabbit-tobacco | Forb |
| 6 | <i>Diaperia prolifera</i> var. <i>prolifera</i> † | <i>Diaperia prolifera</i> var. <i>prolifera</i> † | big-head rabbit-tobacco | Forb |
| 6 | <i>Diaperia verna</i> var. <i>verna</i> † | <i>Diaperia verna</i> var. <i>verna</i> † | many-stem rabbit-tobacco | Forb |
| 8 | <i>Diarrhena americana</i> | <i>Diarrhena americana</i> | American beakgrain | Gram |
| 7 | <i>Diarrhena obovata</i> | <i>Diarrhena obovata</i> | beakgrain | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|---|--|--|----------------------------|-------|
| 8 | <i>Dicentra cucullaria</i> | <i>Dicentra cucullaria</i> | Dutchman's-breeches | Forb |
| 4 | <i>Dichanthelium ×bicknellii</i> | <i>Dichanthelium bicknellii</i> (in part) | rosette grass | Gram |
| 4 | <i>Dichanthelium ×bushii</i> | No match | rosette grass | Gram |
| 4 | <i>Dichanthelium ×calliphyllosum</i> | <i>Dichanthelium bicknellii</i> (in part) | rosette grass | Gram |
| 7 | <i>Dichanthelium aciculare</i> | <i>Dichanthelium aciculare</i> | narrow-leaf rosette grass | Gram |
| 7 | <i>Dichanthelium acuminatum</i> | <i>Dichanthelium acuminatum</i> var. <i>acuminatum</i> (in part) | hairy rosette grass | Gram |
| 8 | <i>Dichanthelium albomarginatum</i> † | <i>Dichanthelium tenue</i> † | white-margin rosette grass | Gram |
| 8 | <i>Dichanthelium angustifolium</i> | <i>Dichanthelium angustifolium</i> | rosette grass | Gram |
| 8 | <i>Dichanthelium arenicoloides</i> † | <i>Dichanthelium arenicoloides</i> † | rosette grass | Gram |
| 7 | <i>Dichanthelium ashei</i> | <i>Dichanthelium commutatum</i> ssp. <i>ashei</i> | rosette grass | Gram |
| 7 | <i>Dichanthelium auburne</i> † | <i>Dichanthelium acuminatum</i> var. <i>acuminatum</i> (in part)† | rosette grass | Gram |
| 5 | <i>Dichanthelium boscii</i> | <i>Dichanthelium boscii</i> | Bosc's rosette grass | Gram |
| 7 | <i>Dichanthelium chrysopsisidifolium</i> † | <i>Dichanthelium filiramum</i> † | rosette grass | Gram |
| 5 | <i>Dichanthelium clandestinum</i> | <i>Dichanthelium clandestinum</i> | deer-tongue rosette grass | Gram |
| 7 | <i>Dichanthelium commonsianum</i> † | <i>Dichanthelium ovale</i> var. <i>addisonii</i> † | rosette grass | Gram |
| 6 | <i>Dichanthelium commutatum</i> | <i>Dichanthelium commutatum</i> ssp. <i>commutatum</i> | variable rosette grass | Gram |
| 7 | <i>Dichanthelium consanguineum</i> † | <i>Dichanthelium consanguineum</i> † | blood rosette grass | Gram |
| 8 | <i>Dichanthelium curtifolium</i> † | <i>Dichanthelium curtifolium</i> † | short-leaf rosette grass | Gram |
| 6 | <i>Dichanthelium depauperatum</i> | <i>Dichanthelium depauperatum</i> | starved rosette grass | Gram |
| 6 | <i>Dichanthelium dichotomum</i> | <i>Dichanthelium dichotomum</i> var. <i>dichotomum</i> | forked rosette grass | Gram |
| 6 | <i>Dichanthelium helleri</i> † | <i>Dichanthelium scribnerianum</i> (in part)† | rosette grass | Gram |
| 8 | <i>Dichanthelium implicatum</i> | <i>Dichanthelium meridionale</i> | rosette grass | Gram |
| 6 | <i>Dichanthelium inflatum</i> | <i>Dichanthelium sphaerocarpon</i> (in part) | rosette grass | Gram |
| 6 | <i>Dichanthelium joorii</i> | <i>Dichanthelium commutatum</i> ssp. <i>joorii</i> | rosette grass | Gram |
| 3 | <i>Dichanthelium lanuginosum</i> | <i>Dichanthelium acuminatum</i> var. <i>fasiculatum</i> | rosette grass | Gram |
| 8 | <i>Dichanthelium latifolium</i> † | <i>Dichanthelium latifolium</i> † | rosette grass | Gram |
| 4 | <i>Dichanthelium laxiflorum</i> | <i>Dichanthelium laxiflorum</i> | open-flower rosette grass | Gram |
| 8 | <i>Dichanthelium leucothrix</i> † | <i>Dichanthelium leucothrix</i> † | rosette grass | Gram |
| 6 | <i>Dichanthelium lindheimeri</i> | <i>Dichanthelium acuminatum</i> var. <i>lindheimeri</i> | rosette grass | Gram |
| 5 | <i>Dichanthelium linearifolium</i> | <i>Dichanthelium linearifolium</i> var. <i>linearifolium</i> (in part) | slim-leaf rosette grass | Gram |
| 4 | <i>Dichanthelium longiligulatum</i> | <i>Dichanthelium longiligulatum</i> | rosette grass | Gram |
| 8 | <i>Dichanthelium lucidum</i> † | <i>Dichanthelium lucidum</i> † | rosette grass | Gram |
| 4 | <i>Dichanthelium malacophyllum</i> | <i>Dichanthelium malacophyllum</i> | soft-leaf rosette grass | Gram |
| 5 | <i>Dichanthelium microcarpon</i> | <i>Dichanthelium microcarpon</i> | rosette grass | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--------------------------------------|--|---------------------------|-------|
| 8 | Dichanthelium neuranthum | Dichanthelium neuranthum (in part) | nerved rosette grass | Gram |
| 6 | Dichanthelium oligosanthes | Dichanthelium oligosanthes | few-flower rosette grass | Gram |
| 8 | Dichanthelium ovinum† | Dichanthelium neuranthum (in part)† | oval-flower rosette grass | Gram |
| 10 | Dichanthelium perlongum† | Dichanthelium linearifolium (in part)† | rosette grass | Gram |
| 4 | Dichanthelium polyanthes | Dichanthelium polyanthes | many-flower rosette grass | Gram |
| 10 | Dichanthelium praecocius† | No match† | rosette grass | Gram |
| 7 | Dichanthelium ravenelii | Dichanthelium ravenelii | Ravenel's rosette grass | Gram |
| 9 | Dichanthelium roanokense† | Dichanthelium roanokense† | Roanoke rosette grass | Gram |
| 8 | Dichanthelium scabriusculum† | Dichanthelium scabriusculum† | tall swamp rosette grass | Gram |
| 4 | Dichanthelium scoparium | Dichanthelium scoparium | velvet rosette grass | Gram |
| 6 | Dichanthelium scribnerianum | Dichanthelium scribnerianum (in part) | rosette grass | Gram |
| 5 | Dichanthelium sphaerocarpon | Dichanthelium sphaerocarpon (in part) | round-seed rosette grass | Gram |
| 9 | Dichanthelium spretum† | Dichanthelium spretum† | Eaton's rosette grass | Gram |
| 6 | Dichanthelium villosissimum | Dichanthelium villosissimum var. villosissimum | rosette grass | Gram |
| 6 | Dichanthelium wernerii | Dichanthelium linearifolium var. wernerii | rosette grass | Gram |
| 8 | Dichanthelium yadkinense† | Dichanthelium yadkinense† | rosette grass | Gram |
| 0 | DICHELOSTEMMA CONGESTUM | DICHELOSTEMMA CONGESTUM | ookow | Forb |
| 1 | Dichondra carolinensis | Dichondra carolinensis | pony-foot | Forb |
| 6 | Dicliptera brachiata | Dicliptera brachiata | dicliptera | Forb |
| 9 | Didiplis diandra† | Didiplis diandra† | water-purslane | Forb |
| 0 | DIGITARIA CILIARIS | DIGITARIA CILIARIS | southern crab grass | Gram |
| 4 | Digitaria cognata | Leptoloma cognatum | fall witch grass | Gram |
| 5 | Digitaria filiformis var. filiformis | Digitaria filiformis var. filiformis | slender crab grass | Gram |
| 5 | Digitaria filiformis var. villosa | Digitaria villosa | shaggy crab grass | Gram |
| 0 | DIGITARIA ISCHAEMUM | DIGITARIA ISCHAEMUM | smooth crab grass | Gram |
| 0 | DIGITARIA SANGUINALIS | DIGITARIA SANGUINALIS | hairy crab grass | Gram |
| 0 | DIGITARIA VIOLASCENS | DIGITARIA VIOLASCENS | violet crab grass | Gram |
| 5 | Dioclea multiflora | Lackeya multiflora | cluster-pea | Herb |
| 0 | DIODIA DASYCEPHALA | BORRERIA DASYCEPHALA | buttonweed | Forb |
| 7 | Diodia harperi | Diodia harperi | Harper's buttonweed | Forb |
| 2 | Diodia teres | Hexasepalum teres | poor-Joe | Forb |
| 3 | Diodia virginiana | Diodia [harperi + virginiana] | Virginia buttonweed | Forb |
| 0 | DIOSCOREA POLYSTACHYIA* | DIOSCOREA POLYSTACHYIA* | cinnamon vine | Herb |
| 5 | Dioscorea villosa | Dioscorea villosa | wild yam | Herb |
| 3 | Diospyros virginiana | Diospyros virginiana | persimmon | Tree |
| 5 | Diphasiastrum digitatum† | Diphasiastrum digitatum† | southern running-pine | Fern |
| 9 | Diplazium pycnocarpon | Diplaziopsis pycnocarpa | glade fern | Fern |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|-----|---|---|----------------------------|-------|
| 0 | DILOTAXIS MURALIS | DILOTAXIS MURALIS | stinking wall-rocket | Forb |
| 0 | DIPSACUS FULLONUM* | DIPSACUS FULLONUM* | common teasel | Forb |
| 0 | DIPSACUS LACINIATUS* | DIPSACUS LACINIATUS* | cut-leaf teasel | Forb |
| 10 | Dirca decipiens† | Dirca decipiens† | Ozark leatherwood | Shru |
| 8 | Dirca palustris | Dirca palustris | leatherwood | Shru |
| 8 | Distichlis spicata† | Distichlis spicata† | salt grass | Gram |
| 10 | Ditrysinia fruticosa† | Ditrysinia fruticosa† | Sebastian-bush | Shru |
| 8 | Doellingeria sericocarpoides | Doellingeria sericocarpoides | southern white-top aster | Forb |
| 9 | Draba aprica† | Abdra aprica† | open-ground whitlow-grass | Forb |
| 2 | Draba brachycarpa | Abdra brachycarpa | short-pod whitlow-grass | Forb |
| 7 | Draba cuneifolia var. cuneifolia | Tomostima cuneifolia | wedge-leaf whitlow-grass | Forb |
| 5 | Draba platycarpa | Tomostima platycarpa | whitlow-grass | Forb |
| 5 | Draba reptans | Tomostima reptans | whitlow-grass | Forb |
| 0 | DRABA Verna | DRABA Verna | whitlow-grass | Forb |
| 7 | Drosera brevifolia | Drosera brevifolia | sundew | Forb |
| 8 | Drosera capillaris† | Drosera capillaris† | pink sundew | Forb |
| 10 | Drymocallis arguta† | Drymocallis arguta† | tall cinquefoil | Forb |
| 9 | Dryopteris ×australis† | Dryopteris australis† | Dixie wood fern | Fern |
| 9 | Dryopteris ×leedsii† | No match† | Leed's wood fern | Fern |
| 10 | Dryopteris carthusiana† | Dryopteris carthusiana† | spinulose wood fern | Fern |
| 10 | Dryopteris celsa × D. goldiana | No match | hybrid wood fern | Fern |
| 10 | Dryopteris celsa† | Dryopteris celsa† | log fern | Fern |
| 0 | DRYOPTERIS ERYTHROSORA* | DRYOPTERIS ERYTHROSORA* | autumn fern | Fern |
| 10 | Dryopteris goldiana† | Dryopteris goldiana† | Goldie's wood fern | Fern |
| 10 | Dryopteris ludoviciana† | Dryopteris ludoviciana† | southern wood fern | Fern |
| 7 | Dryopteris marginalis | Dryopteris marginalis | marginal wood fern | Fern |
| 0 | DUCHESNEA INDICA | POTENTILLA INDICA | Indian-strawberry | Forb |
| 7 | Dulichium arundinaceum var. arundinaceum† | Dulichium arundinaceum var. arundinaceum† | three-way sedge | Gram |
| 0 | DYSPHANIA AMBROSIOIDES | DYSPHANIA AMBROSIOIDES | Mexican-tea | Forb |
| NMI | Dysphania anthelmintica | Dysphania anthelmintica | wormseed | Forb |
| 0 | DYSPHANIA CARINATA | DYSPHANIA CARINATA | goosefoot | Forb |
| 0 | DYSPHANIA PUMILIO | DYSPHANIA PUMILIO | clammy goosefoot | Forb |
| 4 | Dyssodia papposa | Dyssodia papposa | fetid-marigold | Forb |
| 8 | Echinacea pallida | Echinacea pallida | pale purple coneflower | Forb |
| 10 | Echinacea paradoxa var. paradoxa† | Echinacea paradoxa var. paradoxa† | yellow coneflower | Forb |
| 7 | Echinacea purpurea | Echinacea purpurea | purple coneflower | Forb |
| 9 | Echinacea sanguinea† | Echinacea sanguinea† | sanguine purple coneflower | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|-------------------------|-------|
| 8 | <i>Echinacea simulata</i> | <i>Echinacea simulata</i> | glade coneflower | Forb |
| 0 | <i>ECHINOCHLOA COLONA</i> | <i>ECHINOCHLOA COLONUM</i> | jungle-rice | Gram |
| 0 | <i>ECHINOCHLOA CRUS-GALLI*</i> | <i>ECHINOCHLOA CRUSGALLI VAR. CRUSGALLI*</i> | barnyard grass | Gram |
| 3 | <i>Echinochloa muricata</i> var. <i>microstachya</i> | <i>Echinochloa muricata</i> var. <i>microstachya</i> | American barnyard grass | Gram |
| 3 | <i>Echinochloa muricata</i> var. <i>muricata</i> | <i>Echinochloa muricata</i> var. <i>muricata</i> | American barnyard grass | Gram |
| 7 | <i>Echinochloa walteri</i> | <i>Echinochloa walteri</i> | coast barnyard grass | Gram |
| 6 | <i>Echinodorus berteroii†</i> | <i>Echinodorus berteroii†</i> | upright burhead | Forb |
| 4 | <i>Echinodorus cordifolius</i> subsp. <i>cordifolius</i> | <i>Echinodorus cordifolius</i> | creeping burhead | Forb |
| 0 | <i>ECHIUM VULGARE*</i> | <i>ECHIUM VULGARE*</i> | blueweed | Forb |
| 2 | <i>Eclipta prostrata</i> | <i>Eclipta prostrata</i> | false daisy | Forb |
| 0 | <i>EGERIA DENSA*</i> | <i>EGERIA DENSA*</i> | Brazilian waterweed | Forb |
| 0 | <i>EICHORNIA CRASSIPES*</i> | <i>OSHUNA CRASSIPES*</i> | water-hyacinth | Forb |
| 0 | <i>ELAEAGNUS PUNGENS*</i> | <i>ELAEAGNUS PUNGENS*</i> | thorny-olive | Shru |
| 0 | <i>ELAEAGNUS UMBELLATA*</i> | <i>ELAEAGNUS UMBELLATA*</i> | autumn-olive | Shru |
| 10 | <i>Elatine brachysperma</i> | <i>Elatine brachysperma</i> | short-seed waterwort | Forb |
| 2 | <i>Elatine rubella</i> | <i>Elatine [americana + rubella]</i> | waterwort | Forb |
| 5 | <i>Eleocharis acicularis</i> | <i>Eleocharis acicularis</i> | least spike-rush | Gram |
| 4 | <i>Eleocharis baldwinii</i> | <i>Eleocharis baldwinii</i> | Baldwin's spike-rush | Gram |
| 4 | <i>Eleocharis brittonii</i> | <i>Eleocharis brittonii</i> | Britton's spike-rush | Gram |
| 0 | <i>ELEOCHARIS CELLULOSA</i> | <i>ELEOCHARIS CELLULOSA</i> | Gulf Coast spike-rush | Gram |
| 5 | <i>Eleocharis compressa</i> var. <i>compressa</i> | <i>Eleocharis compressa</i> var. <i>compressa</i> | flat-stem spike-rush | Gram |
| 5 | <i>Eleocharis engelmannii</i> | <i>Eleocharis engelmannii</i> | Engelmann's spike-rush | Gram |
| 9 | <i>Eleocharis equisetoides†</i> | <i>Eleocharis equisetoides†</i> | horsetail spike-rush | Gram |
| 5 | <i>Eleocharis erythropoda</i> | <i>Eleocharis erythropoda</i> | spike-rush | Gram |
| 7 | <i>Eleocharis flavescens</i> var. <i>flavescens†</i> | <i>Eleocharis flavescens</i> var. <i>flavescens†</i> | yellow spike-rush | Gram |
| 7 | <i>Eleocharis flavescens</i> var. <i>olivacea†</i> | <i>Eleocharis olivacea</i> var. <i>olivacea†</i> | bright-green spike-rush | Gram |
| 3 | <i>Eleocharis lanceolata</i> | <i>Eleocharis lanceolata</i> | spike-rush | Gram |
| 5 | <i>Eleocharis macrostachya</i> | <i>Eleocharis macrostachya</i> | spike-rush | Gram |
| 4 | <i>Eleocharis microcarpa</i> var. <i>filiculmis</i> | <i>Eleocharis microcarpa</i> var. <i>filiculmis</i> | spike-rush | Gram |
| 5 | <i>Eleocharis montevidensis†</i> | <i>Eleocharis montevidensis†</i> | sand spike-rush | Gram |
| 3 | <i>Eleocharis obtusa</i> | <i>Eleocharis obtusa</i> | blunt spike-rush | Gram |
| 6 | <i>Eleocharis palustris</i> | <i>Eleocharis palustris</i> | spike-rush | Gram |
| 4 | <i>Eleocharis parvula</i> | <i>Eleocharis parvula</i> | small spike-rush | Gram |
| 5 | <i>Eleocharis quadrangulata</i> | <i>Eleocharis quadrangulata</i> | square-stem spike-rush | Gram |
| 4 | <i>Eleocharis tenuis</i> var. <i>verrucosa</i> | <i>Eleocharis verrucosa</i> | slender spike-rush | Gram |
| 8 | <i>Eleocharis tortilis</i> | <i>Eleocharis tortilis</i> | twisted spike-rush | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|---------------------------|-------|
| 7 | <i>Eleocharis tuberculosa</i> | <i>Eleocharis tuberculosa</i> | spike-rush | Gram |
| 7 | <i>Eleocharis wolfii</i> | <i>Eleocharis wolfii</i> | Wolf's spike-rush | Gram |
| 4 | <i>Elephantopus carolinianus</i> | <i>Elephantopus carolinianus</i> | Carolina elephant's-foot | Forb |
| 7 | <i>Elephantopus nudatus</i> | <i>Elephantopus nudatus</i> | smooth elephant's-foot | Forb |
| 5 | <i>Elephantopus tomentosus</i> | <i>Elephantopus tomentosus</i> | hairy elephant's-foot | Forb |
| 0 | ELEUSINE INDICA | ELEUSINE INDICA | goose grass | Gram |
| 0 | ELEUSINE TRISTACHYIA | ELEUSINE TRISTACHYIA | three-spike goose grass | Gram |
| 3 | <i>Ellisia nyctelea</i> | <i>Ellisia nyctelea</i> | Aunt Lucy | Forb |
| 10 | <i>Elodea canadensis</i> | <i>Elodea canadensis</i> | Canadian waterweed | Forb |
| 7 | <i>Elodea nuttallii</i> | <i>Elodea nuttallii</i> | Nuttall's waterweed | Forb |
| 5 | <i>Elymus canadensis</i> | <i>Elymus canadensis</i> var. <i>canadensis</i> | Canadian wild rye | Gram |
| 9 | <i>Elymus churchii</i> † | <i>Elymus churchii</i> † | Church's wild rye | Gram |
| 5 | <i>Elymus glabriflorus</i> | <i>Elymus glabriflorus</i> [var. <i>australis</i> + var. <i>glabriflorus</i>] | southeastern wild rye | Gram |
| 8 | <i>Elymus glaucus</i> subsp. <i>mackenziae</i> † | <i>Elymus glaucus</i> ssp. <i>mackenziae</i> † | Mackenzie's blue wild rye | Gram |
| 7 | <i>Elymus hystrix</i> | <i>Elymus hystrix</i> var. <i>hystrix</i> | bottle-brush grass | Gram |
| 7 | <i>Elymus macgregorii</i> | <i>Elymus macgregorii</i> var. <i>macgregorii</i> | early wild rye | Gram |
| 0 | ELYMUS REPENS | ELYMUS REPENS | quack grass | Gram |
| 7 | <i>Elymus riparius</i> † | <i>Elymus riparius</i> † | river-bank wild rye | Gram |
| 6 | <i>Elymus villosus</i> | <i>Elymus villosus</i> [var. <i>arkansanus</i> + var. <i>villosus</i>] | hairy wild rye | Gram |
| 7 | <i>Elymus virginicus</i> var. <i>intermedius</i> † | <i>Elymus hirsutiglumis</i> † | intermediate wild rye | Gram |
| 8 | <i>Elymus virginicus</i> var. <i>jejunus</i> | <i>Elymus jejunus</i> | Virginia wild rye | Gram |
| 5 | <i>Elymus virginicus</i> var. <i>virginicus</i> | <i>Elymus</i> [<i>hirsutiglumis</i> + <i>virginicus</i>] | Virginia wild rye | Gram |
| 0 | EMILIA SONCHIFOLIA | EMILIA SONCHIFOLIA VAR. SONCHIFOLIA | lilac-tassel-flower | Forb |
| 8 | <i>Enemion bibernatum</i> | <i>Enemion bibernatum</i> | false rue-anemone | Forb |
| 9 | <i>Engelmannia peristenia</i> † | <i>Engelmannia peristenia</i> † | Engelmann's daisy | Forb |
| 7 | <i>Epifagus virginiana</i> | <i>Epifagus virginiana</i> | beechdrops | Forb |
| 8 | <i>Epilobium coloratum</i> † | <i>Epilobium coloratum</i> † | willow-herb | Forb |
| 0 | EPIPACTIS HELLEBORINE | EPIPACTIS HELLEBORINE | helleborine | Forb |
| 5 | <i>Equisetum ×ferrissii</i> | <i>Equisetum ferrissii</i> | Ferriss' scouring-rush | Fern |
| 3 | <i>Equisetum arvense</i> | <i>Equisetum arvense</i> | field horsetail | Fern |
| 1 | <i>Equisetum hyemale</i> subsp. <i>affine</i> | <i>Equisetum praealtum</i> | common scouring-rush | Fern |
| 4 | <i>Equisetum laevigatum</i> † | <i>Equisetum laevigatum</i> † | smooth scouring-rush | Fern |
| 0 | ERAGROSTIS BARRELIERI | ERAGROSTIS BARRELIERI | Mediterranean love grass | Gram |
| 3 | <i>Eragrostis capillaris</i> | <i>Eragrostis capillaris</i> | lace grass | Gram |
| 0 | ERAGROSTIS CILIANENSIS | ERAGROSTIS CILIANENSIS | stink grass | Gram |
| 0 | ERAGROSTIS CURTIPIEDICELLATA | ERAGROSTIS CURTIPIEDICELLATA | gummy love grass | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|----------------------------|-------|
| 0 | ERAGROSTIS CURVULA* | ERAGROSTIS CURVULA* | weeping love grass | Gram |
| 5 | Eragrostis frankii | Eragrostis frankii | sandbar love grass | Gram |
| 6 | Eragrostis hirsuta | Eragrostis hirsuta | big-top love grass | Gram |
| 3 | Eragrostis hypnoides | Eragrostis hypnoides | teal love grass | Gram |
| 5 | Eragrostis intermedia | Eragrostis intermedia | plains love grass | Gram |
| 0 | ERAGROSTIS JAPONICA | ERAGROSTIS JAPONICA | pond love grass | Gram |
| 0 | ERAGROSTIS MINOR | ERAGROSTIS MINOR | little love grass | Gram |
| 1 | Eragrostis pectinacea var. pectinacea | Eragrostis pectinacea var. pectinacea | tufted love grass | Gram |
| 0 | ERAGROSTIS PILOSA VAR. PILOSA | ERAGROSTIS PILOSA VAR. PILOSA | Indian love grass | Gram |
| 7 | Eragrostis refracta | Eragrostis refracta | coastal love grass | Gram |
| 7 | Eragrostis reptans† | Eragrostis reptans† | creeping love grass | Gram |
| 6 | Eragrostis secundiflora subsp. oxylepis | Eragrostis oxylepis | red love grass | Gram |
| 4 | Eragrostis spectabilis | Eragrostis spectabilis | purple love grass | Gram |
| 1 | Erechtites hieraciifolius var. hieraciifolius | Erechtites hieraciifolius | fireweed | Forb |
| 0 | EREMOCHLOA OPHIUROIDES | EREMOCHLOA OPHIUROIDES | centipede grass | Gram |
| 8 | Erigenia bulbosa | Erigenia bulbosa | harbinger-of-spring | Forb |
| 2 | Erigeron annuus | Erigeron annuus | daisy fleabane | Forb |
| 2 | Erigeron philadelphicus var. philadelphicus | Erigeron philadelphicus var. philadelphicus | Philadelphia fleabane | Forb |
| 6 | Erigeron pulchellus var. pulchellus | Erigeron pulchellus var. pulchellus | Robin's-plantain | Forb |
| 5 | Erigeron strigosus var. septentrionalis | Erigeron strigosus var. septentrionalis | daisy fleabane | Forb |
| 5 | Erigeron strigosus var. strigosus | Erigeron strigosus var. strigosus | daisy fleabane | Forb |
| 6 | Erigeron tenuis | Erigeron tenuis | fleabane | Forb |
| 10 | Eriocaulon decangulare† | Eriocaulon decangulare var. decangulare† | large-head pipewort | Forb |
| 10 | Eriocaulon koernickianum† | Eriocaulon koernickeanum† | small-head pipewort | Forb |
| 10 | Eriocaulon texense† | Eriocaulon texense† | Texas hatpins | Forb |
| 1 | Eriochloa acuminata var. acuminata | Eriochloa acuminata var. acuminata | southwestern cup grass | Gram |
| 1 | Eriochloa contracta | Eriochloa contracta | prairie cup grass | Gram |
| 3 | Eriogonum annuum† | Eriogonum annuum† | annual wild buckwheat | Forb |
| 8 | Eriogonum longifolium var. longifolium | Eriogonum longifolium | umbrella-plant | Forb |
| 7 | Eriogonum multiflorum var. multiflorum† | Eriogonum multiflorum† | many-flower wild buckwheat | Forb |
| 0 | ERODIUM CICUTARIUM | ERODIUM CICUTARIUM | pink-needle | Forb |
| 5 | Eryngium hookeri† | Eryngium hookeri† | Hooker's eryngo | Forb |
| 8 | Eryngium integrifolium† | Eryngium integrifolium† | blue-flower eryngo | Forb |
| 4 | Eryngium leavenworthii† | Eryngium leavenworthii† | Leavenworth's eryngo | Forb |
| 5 | Eryngium prostratum | Eryngium prostratum | creeping eryngo | Forb |
| 8 | Eryngium yuccifolium | Eryngium yuccifolium var. yuccifolium | rattlesnake-master | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|-------------------------|-------|
| 7 | <i>Erysimum capitatum</i> var. <i>capitatum</i> † | <i>Erysimum capitatum</i> var. <i>capitatum</i> † | western wallflower | Forb |
| 0 | ERYSIMUM INCONSPICUUM | ERYSIMUM INCONSPICUUM | shy wallflower | Forb |
| 0 | ERYSIMUM REPANDUM | ERYSIMUM REPANDUM | spreading wallflower | Forb |
| 7 | <i>Erythrina herbacea</i> † | <i>Erythrina herbacea</i> † | coral-bean | Shru |
| 8 | <i>Erythronium albidum</i> | <i>Erythronium albidum</i> | white trout-lily | Forb |
| 10 | <i>Erythronium americanum</i> subsp. <i>americanum</i> † | <i>Erythronium americanum</i> ssp. <i>americanum</i> † | American trout-lily | Forb |
| 7 | <i>Erythronium mesochoreum</i> | <i>Erythronium mesochoreum</i> | prairie trout-lily | Forb |
| 7 | <i>Erythronium rostratum</i> | <i>Erythronium rostratum</i> | yellow trout-lily | Forb |
| 0 | EUONYMUS ALATUS* | EUONYMUS ALATUS* | burning-bush | Shru |
| 6 | <i>Euonymus americanus</i> | <i>Euonymus americanus</i> | strawberry-bush | Shru |
| 7 | <i>Euonymus atropurpureus</i> var. <i>atropurpureus</i> | <i>Euonymus atropurpureus</i> | wahoo | Shru |
| 0 | EUONYMUS FORTUNEI* | EUONYMUS FORTUNEI* | winter-creeper | WVn |
| 10 | <i>Euonymus obovatus</i> † | <i>Euonymus obovatus</i> † | running strawberry-bush | WVn |
| 3 | <i>Eupatorium ×pinnatifidum</i> | <i>Eupatorium ×pinnatifidum</i> | hybrid boneset | Forb |
| 4 | <i>Eupatorium ×truncatum</i> | <i>Eupatorium ×truncatum</i> | hybrid boneset | Forb |
| 7 | <i>Eupatorium album</i> | <i>Eupatorium album</i> | white thoroughwort | Forb |
| 6 | <i>Eupatorium altissimum</i> | <i>Eupatorium altissimum</i> | tall thoroughwort | Forb |
| 1 | <i>Eupatorium capillifolium</i> | <i>Eupatorium capillifolium</i> | dog-fennel | Forb |
| 2 | <i>Eupatorium compositifolium</i> | <i>Eupatorium compositifolium</i> | yankee-weed | Forb |
| 4 | <i>Eupatorium cordigerum</i> | <i>Eupatorium cordigerum</i> | hybrid boneset | Forb |
| 6 | <i>Eupatorium hyssopifolium</i> var. <i>hyssopifolium</i> | <i>Eupatorium hyssopifolium</i> | hyssop-leaf boneset | Forb |
| 7 | <i>Eupatorium lancifolium</i> | <i>Eupatorium lancifolium</i> | lance-leaf thoroughwort | Forb |
| 5 | <i>Eupatorium mohrii</i> × <i>E. lancifolium</i> | No match | thoroughwort | Forb |
| 7 | <i>Eupatorium mohrii</i> † | <i>Eupatorium mohrii</i> † | Mohr's thoroughwort | Forb |
| 4 | <i>Eupatorium perfoliatum</i> | <i>Eupatorium perfoliatum</i> | boneset | Forb |
| 6 | <i>Eupatorium rotundifolium</i> × <i>lancifolium</i> | No match | thoroughwort | Forb |
| 5 | <i>Eupatorium rotundifolium</i> var. <i>ovatum</i> | <i>Eupatorium pubescens</i> | round-leaf boneset | Forb |
| 7 | <i>Eupatorium rotundifolium</i> var. <i>rotundifolium</i> | <i>Eupatorium rotundifolium</i> | round-leaf boneset | Forb |
| 5 | <i>Eupatorium scabridum</i> | <i>Eupatorium scabridum</i> | round-leaf boneset | Forb |
| 6 | <i>Eupatorium semiserratum</i> | <i>Eupatorium semiserratum</i> | small-flower boneset | Forb |
| 2 | <i>Eupatorium serotinum</i> | <i>Eupatorium serotinum</i> | late boneset | Forb |
| 7 | <i>Eupatorium sessilifolium</i> | <i>Eupatorium sessilifolium</i> var. <i>sessilifolium</i> | upland boneset | Forb |
| 7 | <i>Eupatorium sullivaniae</i> | <i>Eupatorium sullivaniae</i> | Sullivan's thoroughwort | Forb |
| 5 | <i>Eupatorium torreyanum</i> | <i>Eupatorium torreyanum</i> | hyssop-leaf boneset | Forb |
| 8 | <i>Eupatorium vaseyi</i> † | <i>Eupatorium vaseyi</i> † | Vasey's thoroughwort | Forb |
| 2 | <i>Euphorbia bicolor</i> | <i>Euphorbia bicolor</i> | snow-on-the-prairie | Forb |
| 6 | <i>Euphorbia commutata</i> | <i>Euphorbia commutata</i> | wood spurge | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|-------------------------------|-------|
| 8 | <i>Euphorbia cordifolia</i> | <i>Euphorbia cordifolia</i> | heart-leaf spurge | Forb |
| 6 | <i>Euphorbia corollata</i> | <i>Euphorbia corollata</i> | flowering spurge | Forb |
| 5 | <i>Euphorbia cyathophora</i> | <i>Euphorbia cyathophora</i> | wild poinsettia | Forb |
| 0 | <i>EUPHORBIA CYPARISSIAS</i> | <i>EUPHORBIA CYPARISSIAS</i> | cypress spurge | Forb |
| 0 | <i>EUPHORBIA DAVIDII</i> | <i>EUPHORBIA DAVIDII</i> | David's spurge | Forb |
| 2 | <i>Euphorbia dentata</i> | <i>Euphorbia dentata</i> | toothed spurge | Forb |
| 6 | <i>Euphorbia discoidalis</i> | <i>Euphorbia discoidalis</i> | summer spurge | Forb |
| 0 | <i>EUPHORBIA GRAMINEA</i> | <i>EUPHORBIA GRAMINEA</i> | grass-leaf spurge | Forb |
| 0 | <i>EUPHORBIA HETEROPHYLLA</i> | <i>EUPHORBIA HETEROPHYLLA</i> | Mexican-fireplant | Forb |
| 8 | <i>Euphorbia hexagona</i> † | <i>Euphorbia hexagona</i> † | six-angle spurge | Forb |
| 0 | <i>EUPHORBIA HIRTA</i> | <i>EUPHORBIA HIRTA</i> | pill-pod spurge | Forb |
| 3 | <i>Euphorbia humistrata</i> | <i>Euphorbia humistrata</i> | spreading sandmat | Forb |
| 0 | <i>EUPHORBIA HYPERICIFOLIA</i> | <i>EUPHORBIA HYPERICIFOLIA</i> | graceful spurge | Forb |
| 0 | <i>EUPHORBIA HYSSOPIFOLIA</i> | <i>EUPHORBIA HYSSOPIFOLIA</i> | hyssop-leaf sandmat | Forb |
| 8 | <i>Euphorbia longicurvis</i> † | <i>Euphorbia longicurvis</i> † | wedge-leaf spurge | Forb |
| 1 | <i>Euphorbia maculata</i> | <i>Euphorbia maculata</i> | spotted spurge | Forb |
| 0 | <i>EUPHORBIA MARGINATA</i> | <i>EUPHORBIA MARGINATA</i> | snow-on-the-mountain | Forb |
| 9 | <i>Euphorbia missurica</i> † | <i>Euphorbia missurica</i> † | Missouri spurge | Forb |
| 1 | <i>Euphorbia nutans</i> | <i>Euphorbia nutans</i> | nodding spurge | Forb |
| 7 | <i>Euphorbia obtusata</i> † | <i>Euphorbia obtusata</i> † | woodland spurge | Forb |
| 0 | <i>EUPHORBIA OPHTHALMICA</i> | <i>EUPHORBIA OPHTHALMICA</i> | vagrant spurge | Forb |
| 8 | <i>Euphorbia ouachitana</i> † | <i>Euphorbia ouachitana</i> † | Ouachita spurge | Forb |
| 2 | <i>Euphorbia prostrata</i> | <i>Euphorbia prostrata</i> | prostrate spurge | Forb |
| 6 | <i>Euphorbia pubentissima</i> | <i>Euphorbia pubentissima</i> | Southeastern flowering spurge | Forb |
| 2 | <i>Euphorbia serpens</i> | <i>Euphorbia serpens</i> | ground spurge | Forb |
| 5 | <i>Euphorbia spathulata</i> | <i>Euphorbia spathulata</i> | warty spurge | Forb |
| 8 | <i>Eurybia hemispherica</i> | <i>Eurybia hemispherica</i> | southern prairie aster | Forb |
| 8 | <i>Eustoma exaltatum</i> † | <i>Eustoma exaltatum</i> † | catchfly prairie-gentian | Forb |
| 6 | <i>Euthamia graminifolia</i> † | <i>Euthamia lanceolata</i> † | grass-leaf flat-top goldenrod | Forb |
| 6 | <i>Euthamia gymnospermoides</i> | <i>Euthamia gymnospermoides</i> | flat-top goldenrod | Forb |
| 5 | <i>Euthamia leptcephala</i> | <i>Euthamia leptcephala</i> | flat-top goldenrod | Forb |
| 7 | <i>Eutrochium fistulosum</i> | <i>Eutrochium fistulosum</i> | Joe-pye-weed | Forb |
| 7 | <i>Eutrochium purpureum</i> var. <i>holzingeri</i> | <i>Eutrochium purpureum</i> var. <i>holzingeri</i> | Joe-pye-weed | Forb |
| 7 | <i>Eutrochium purpureum</i> var. <i>purpureum</i> | <i>Eutrochium purpureum</i> var. <i>purpureum</i> | Joe-pye-weed | Forb |
| 8 | <i>Evolvulus nuttallianus</i> | <i>Evolvulus nuttallianus</i> | shaggy dwarf morning-glory | Forb |
| 10 | <i>Evolvulus sericeus</i> † | <i>Evolvulus sericeus</i> var. <i>sericeus</i> † | silver dwarf morning-glory | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|-------------------------------------|--|---------------------------|-------|
| 0 | EXOCHORDA RACEMOSA* | EXOCHORDA RACEMOSA* | pearlbush | Shru |
| 0 | FACELIS RETUSA | FACELIS RETUSA | annual trampweed | Forb |
| 0 | FAGOPYRUM ESCULENTUM | FAGOPYRUM ESCULENTUM | buckwheat | Forb |
| 6 | Fagus grandifolia | Fagus grandifolia var. caroliniana | American beech | Tree |
| 0 | FALLOPIA CONVOLVULUS | FALLOPIA CONVOLVULUS | black-bindweed | Herb |
| 0 | FALLOPIA JAPONICA VAR. JAPONICA* | REYNOUTRIA JAPONICA* | Japanese knotweed | Forb |
| 5 | Fallopia scandens | Fallopia scandens | climbing false buckwheat | Herb |
| 0 | FATOUA VILLOSA | FATOUA VILLOSA | hairy crabweed | Forb |
| 8 | Festuca paradoxa | Festuca paradoxa | clustered fescue | Gram |
| 0 | FESTUCA RUBRA | FESTUCA RUBRA | red fescue | Gram |
| 6 | Festuca subverticillata | Festuca subverticillata | nodding fescue | Gram |
| 7 | Festuca versuta | Festuca versuta | Texas fescue | Gram |
| 0 | FICARIA Verna subsp. Verna* | FICARIA Verna ssp. Verna* | lesser celandine | Forb |
| 5 | Fimbristylis annua | Fimbristylis annua | fimbray | Gram |
| 3 | Fimbristylis autumnalis | Fimbristylis autumnalis | slender fimbray | Gram |
| 0 | FIMBRISTYLIS LITTORALIS | FIMBRISTYLIS LITTORALIS | fimbray | Gram |
| 7 | Fimbristylis puberula var. puberula | Fimbristylis puberula | fimbray | Gram |
| 0 | FIMBRISTYLIS TOMENTOSA | FIMBRISTYLIS TOMENTOSA | fimbray | Gram |
| 3 | Fimbristylis vahlii | Fimbristylis vahlii | Vahl's fimbray | Gram |
| 0 | FIRMIANA SIMPLEX* | FIRMIANA SIMPLEX* | Chinese parasol-tree | Tree |
| 5 | Fleischmannia incarnata | Fleischmannia incarnata | pink thoroughwort | Forb |
| 7 | Forestiera acuminata | Forestiera acuminata | swamp-privet | Tree |
| 8 | Forestiera ligustrina† | Forestiera ligustrina† | upland swamp-privet | Shru |
| 0 | FORSYTHIA SUSPENSA | FORSYTHIA SUSPENSA | weeping forsythia | Shru |
| 10 | Fothergilla major† | Fothergilla major† | witch-alder | Shru |
| 7 | Fragaria virginiana | Fragaria virginiana | wild strawberry | Forb |
| 4 | Frangula caroliniana | Frangula caroliniana | Carolina buckthorn | Tree |
| 8 | Frasera caroliniensis | Frasera caroliniensis | American columbo | Forb |
| 5 | Fraxinus americana | Fraxinus [americana + biltmoreana + smallii] | white ash | Tree |
| 7 | Fraxinus caroliniana | Fraxinus caroliniana | Carolina ash | Tree |
| 3 | Fraxinus pennsylvanica | Fraxinus pennsylvanica | green ash | Tree |
| 7 | Fraxinus profunda | Fraxinus profunda | pumpkin ash | Tree |
| 7 | Fraxinus quadrangulata | Fraxinus quadrangulata | blue ash | Tree |
| 5 | Froelichia floridana | Froelichia floridana var. campestris | cotton-weed | Forb |
| 2 | Froelichia gracilis | Froelichia gracilis | slender cotton-weed | Forb |
| 0 | FUIRENA BREVISETA | FUIRENA BREVISETA | salt-marsh umbrella sedge | Gram |
| 9 | Fuirena bushii† | Fuirena bushii† | Bush's umbrella sedge | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|---|---------------------------------|-------|
| 0 | FUIRENA LONGA | FUIRENA LONGA | Coastal Plain umbrella sedge | Gram |
| 8 | Fuirena pumila† | Fuirena pumila† | dwarf umbrella sedge | Gram |
| 0 | FUIRENA SCIRPOIDEA | FUIRENA SCIRPOIDEA | southern umbrella sedge | Gram |
| 7 | Fuirena simplex var. aristulata† | Fuirena simplex var. aristulata† | western umbrella sedge | Gram |
| 8 | Fuirena simplex var. simplex | Fuirena simplex var. simplex | creeping western umbrella sedge | Gram |
| 8 | Fuirena squarrosa† | Fuirena squarrosa† | hairy umbrella sedge | Gram |
| 0 | FUMARIA OFFICINALIS | FUMARIA OFFICINALIS | drug fumitory | Forb |
| 3 | Funastrum cynanchoides subsp. cynanchoides | Funastrum cynanchoides | climbing-milkweed | Herb |
| 8 | Gaillardia aestivalis | Gaillardia aestivalis [var. aestivalis + var. flavovirens + var. 1] | blanket-flower | Forb |
| 6 | Gaillardia pulchella var. pulchella | Gaillardia pulchella var. pulchella | Indian-blanket | Forb |
| 6 | Galactia regularis | Galactia regularis | eastern milk-pea | Herb |
| 7 | Galactia volubilis | Galactia volubilis | downy milk-pea | Forb |
| 10 | Galearis spectabilis | Galearis spectabilis | showy orchis | Forb |
| 0 | GALINSOGA QUADRIRADIATA | GALINSOGA QUADRIRADIATA | quick-weed | Forb |
| 0 | GALIUM ANGLICUM | GALIUM ANGLICUM | English bedstraw | Forb |
| 1 | Galium aparine | Galium aparine | cleavers | Forb |
| 7 | Galium arkansanum var. arkansanum | Galium arkansanum var. arkansanum | Arkansas bedstraw | Forb |
| 7 | Galium arkansanum var. pubiflorum‡† | Galium arkansanum var. pubiflorum‡† | hairy-flower Arkansas bedstraw | Forb |
| 5 | Galium circaeans | Galium circaeans | wild licorice | Forb |
| 7 | Galium concinnum | Galium concinnum | shining bedstraw | Forb |
| 0 | GALIUM DIVARICATUM | GALIUM DIVARICATUM | Lamarck's bedstraw | Forb |
| 8 | Galium lanceolatum† | Galium lanceolatum† | lance-leaf wild licorice | Forb |
| 5 | Galium obtusum | Galium obtusum var. obtusum | blunt-leaf bedstraw | Forb |
| 0 | GALIUM PARISIENSE | GALIUM PARISIENSE | wall bedstraw | Forb |
| 6 | Galium pilosum | Galium pilosum | hairy bedstraw | Forb |
| 10 | Galium texense† | Galium texense† | Texas bedstraw | Forb |
| 6 | Galium tinctorium | Galium tinctorium var. floridanum | dye bedstraw | Forb |
| 0 | GALIUM TRICORNUTUM | GALIUM TRICORNUTUM | rough corn bedstraw | Forb |
| 6 | Galium triflorum | Galium triflorum | sweet-scent bedstraw | Forb |
| 6 | Galium uniflorum | Galium uniflorum | one-flower bedstraw | Forb |
| 8 | Galium virgatum | Galium virgatum | southwestern bedstraw | Forb |
| 3 | Gamochaeta antillana | Gamochaeta antillana | cudweed | Forb |
| 3 | Gamochaeta argyrinea | Gamochaeta argyrinea | cudweed | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|-----|--|--|---------------------------|-------|
| 3 | <i>Gamochaeta calviceps</i> | <i>Gamochaeta calviceps</i> | cudweed | Forb |
| 0 | <i>GAMOCHAETA CHIONESTHES</i> | <i>GAMOCHAETA CHIONESTHES</i> | cudweed | Forb |
| 0 | <i>GAMOCHAETA COARCTATA</i> | <i>GAMOCHAETA IMPATIENS</i> | cudweed | Forb |
| 3 | <i>Gamochaeta pensylvanica</i> | <i>Gamochaeta pensylvanica</i> | Pennsylvania cudweed | Forb |
| 3 | <i>Gamochaeta purpurea</i> | <i>Gamochaeta purpurea</i> | purple cudweed | Forb |
| 5 | <i>Gaura demareei</i> | <i>Oenothera demareei</i> | Demaree's gaura | Forb |
| 5 | <i>Gaura drummondii</i> | <i>Oenothera hispida</i> | Drummond's gaura | Forb |
| 5 | <i>Gaura longiflora</i> | <i>Oenothera filiformis</i> | biennial gaura | Forb |
| 5 | <i>Gaura parviflora</i> | <i>Oenothera curtiflora</i> | velvety gaura | Forb |
| 5 | <i>Gaura sinuata</i> † | <i>Oenothera sinuosa</i> † | wavy-leaf gaura | Forb |
| 8 | <i>Gaylussacia baccata</i> † | <i>Gaylussacia baccata</i> † | black huckleberry | Shrub |
| 4 | <i>Gelsemium sempervirens</i> | <i>Gelsemium sempervirens</i> | Carolina jasmine | WVN |
| 10 | <i>Gentiana alba</i> † | <i>Gentiana alba</i> † | pale gentian | Forb |
| 10 | <i>Gentiana puberulenta</i> † | <i>Gentiana puberulenta</i> † | downy gentian | Forb |
| 9 | <i>Gentiana saponaria</i> | <i>Gentiana saponaria</i> | bottle gentian | Forb |
| 9 | <i>Gentianella quinquefolia</i> var. <i>occidentalis</i> | <i>Gentianella occidentalis</i> | stiff gentian | Forb |
| 10 | <i>Geocarpon minimum</i> † | <i>Geocarpon minimum</i> † | geocarpon | Forb |
| 1 | <i>Geranium carolinianum</i> var. <i>carolinianum</i> | <i>Geranium carolinianum</i> | Carolina crane's-bill | Forb |
| 0 | <i>GERANIUM COLUMBINUM</i> | <i>GERANIUM COLUMBINUM</i> | long-stalk crane's-bill | Forb |
| 0 | <i>GERANIUM DISSECTUM</i> | <i>GERANIUM DISSECTUM</i> | cut-leaf crane's-bill | Forb |
| 7 | <i>Geranium maculatum</i> | <i>Geranium maculatum</i> | wild geranium | Forb |
| 0 | <i>GERANIUM MOLLE</i> | <i>GERANIUM MOLLE</i> | dove's-foot crane's-bill | Forb |
| 0 | <i>GERANIUM PUSILLUM</i> | <i>GERANIUM PUSILLUM</i> | small-flower crane's-bill | Forb |
| NMI | <i>Geranium texanum</i> † | <i>Geranium texanum</i> † | Texas crane's-bill | Forb |
| 2 | <i>Geum canadense</i> | <i>Geum canadense</i> | white avens | Forb |
| 3 | <i>Geum vernum</i> | <i>Geum vernum</i> | spring avens | Forb |
| 7 | <i>Geum virginianum</i> | <i>Geum virginianum</i> | cream avens | Forb |
| 7 | <i>Gillenia stipulata</i> | <i>Gillenia stipulata</i> | American-ipecac | Forb |
| 9 | <i>Gillenia trifoliata</i> † | <i>Gillenia trifoliata</i> † | Bowman's-root | Forb |
| 0 | <i>GLADIOLUS ×GANDAVENSIS</i> | <i>GLADIOLUS ×GANDAVENSIS</i> | hybrid gladiolus | Forb |
| 0 | <i>GLADIOLUS COMMUNIS</i> | <i>GLADIOLUS COMMUNIS</i> | gladiolus | Forb |
| 6 | <i>Glandularia bipinnatifida</i> var. <i>bipinnatifida</i> † | <i>Glandularia bipinnatifida</i> var. <i>bipinnatifida</i> † | Dakota vervain | Forb |
| 6 | <i>Glandularia canadensis</i> | <i>Glandularia canadensis</i> | rose vervain | Forb |
| 0 | <i>GLANDULARIA PULCHELLA</i> | <i>GLANDULARIA ARISTIGERA</i> | moss vervain | Forb |
| NMI | <i>Glandularia pumila</i> | <i>Glandularia pumila</i> | pink vervain | Forb |
| 0 | <i>GLECHOMA HEDERACEA</i> * | <i>GLECHOMA HEDERACEA</i> * | ground-ivy | Herb |
| 7 | <i>Gleditsia aquatica</i> | <i>Gleditsia aquatica</i> | water locust | Tree |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|-----------------------------|-------|
| 2 | Gleditsia triacanthos | Gleditsia triacanthos | honey locust | Tree |
| 0 | GLINUS LOTOIDES | GLINUS LOTOIDES | damascisa | Forb |
| 0 | GLINUS RADIATUS | GLINUS RADIATUS | damascisa | Forb |
| 2 | Glottidium vesicarium | Sesbania vesicaria | bladderpod | Forb |
| 10 | Glyceria acutiflora† | Glyceria acutiflora† | creeping manna grass | Gram |
| 0 | GLYCERIA DECLINATA | GLYCERIA DECLINATA | waxy manna grass | Gram |
| 7 | Glyceria septentrionalis var. arkansana | Glyceria arkansana | Arkansas manna grass | Gram |
| 7 | Glyceria septentrionalis var. septentrionalis | Glyceria septentrionalis | floating manna grass | Gram |
| 5 | Glyceria striata | Glyceria striata var. striata | fowl manna grass | Gram |
| 0 | GLYCINE MAX | GLYCINE MAX | soybean | Forb |
| 5 | Gonolobus suberosus var. granulatus | Gonolobus suberosus var. granulatus | anglepod | Herb |
| 5 | Gonolobus suberosus var. suberosus | Gonolobus suberosus var. suberosus | anglepod | Herb |
| 9 | Goodyera pubescens | Goodyera pubescens | downy rattlesnake-plantain | Forb |
| 8 | Gossypianthus lanuginosus var. tenuiflorus† | Gossypianthus lanuginosus var. tenuiflorus† | woolly cotton-flower | Forb |
| 0 | GOSSYPIUM HIRSUTUM | GOSSYPIUM HIRSUTUM | cotton | Forb |
| 8 | Gratiola brevifolia† | Gratiola [brevifolia + species 1]† | sticky hedge-hyssop | Forb |
| 4 | Gratiola neglecta | Gratiola neglecta | clammy hedge-hyssop | Forb |
| 8 | Gratiola pilosa | Sophronanthe pilosa | hairy hedge-hyssop | Forb |
| 4 | Gratiola virginiana | Gratiola virginiana | hedge-hyssop | Forb |
| 0 | GRINDELIA CILIATA | PRIONOPSIS CILIATA | gum-plant | Forb |
| 7 | Grindelia lanceolata | Grindelia lanceolata | gum-plant | Forb |
| 0 | GRINDELIA SQUARROSA | GRINDELIA SQUARROSA | gum-plant | Forb |
| 3 | Gutierrezia texana var. texana | Gutierrezia texana var. texana | Texas snakeweed | Forb |
| 7 | Gymnocladus dioicus | Gymnocladus dioicus | Kentucky coffee-tree | Tree |
| 9 | Gymnopogon ambiguus | Gymnopogon ambiguus | bearded skeleton grass | Gram |
| 9 | Gymnopogon brevifolius† | Gymnopogon brevifolius† | short-leaf skeleton grass | Gram |
| 8 | Habenaria repens | Habenaria repens | water-spider orchid | Forb |
| 0 | HABRANTHUS TUBISPATHUS | ZEPHYRANTHES TUBISPATHA | Rio Grande copper-lily | Forb |
| 5 | Hackelia virginiana | Hackelia virginiana | beggar's-lice | Forb |
| 10 | Halesia diptera† | Halesia diptera var. diptera† | two-wing silverbell | Tree |
| 8 | Halesia tetrapetra | Halesia tetrapetra | four-wing silverbell | Tree |
| 7 | Hamamelis vernalis | Hamamelis vernalis | vernal witch-hazel | Shrub |
| 6 | Hamamelis virginiana | Hamamelis virginiana var. virginiana | American witch-hazel | Shrub |
| 10 | Hedeoma drummondii† | Hedeoma drummondii var. drummondii† | Drummond's false pennyroyal | Forb |
| 3 | Hedeoma hispida | Hedeoma hispida | rough false pennyroyal | Forb |
| 5 | Hedeoma pulegioides | Hedeoma pulegioides | American false pennyroyal | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|---|--------------------------|-------|
| 0 | HEDERA HELIX* | HEDERA HELIX VAR. HELIX* | English ivy | WVn |
| 2 | Helenium amarum var. amarum | Helenium amarum | bitter sneezeweed | Forb |
| 6 | Helenium autumnale | Helenium autumnale | sneezeweed | Forb |
| 7 | Helenium campestre | Helenium campestre | Arkansas sneezeweed | Forb |
| 4 | Helenium flexuosum | Helenium flexuosum | purple-head sneezeweed | Forb |
| 6 | Helianthus angustifolius | Helianthus angustifolius | narrow-leaf sunflower | Forb |
| 0 | HELIANTHUS ANNUUS | HELIANTHUS ANNUUS | common sunflower | Forb |
| 7 | Helianthus divaricatus | Helianthus divaricatus | woodland sunflower | Forb |
| 5 | Helianthus grosseserratus | Helianthus grosseserratus | saw-tooth sunflower | Forb |
| 7 | Helianthus hirsutus | Helianthus hirsutus | hairy woodland sunflower | Forb |
| 7 | Helianthus maximiliani | Helianthus maximiliani | Maximilian's sunflower | Forb |
| 7 | Helianthus microcephalus | Helianthus microcephalus | small woodland sunflower | Forb |
| 8 | Helianthus mollis | Helianthus mollis | ashy sunflower | Forb |
| 9 | Helianthus occidentalis subsp. occidentalis† | Helianthus occidentalis ssp. occidentalis† | naked-stem sunflower | Forb |
| 9 | Helianthus occidentalis subsp. plantagineus† | Helianthus occidentalis ssp. plantagineus† | plantain-leaf sunflower | Forb |
| 10 | Helianthus pauciflorus subsp. pauciflorus† | Helianthus pauciflorus ssp. pauciflorus† | prairie sunflower | Forb |
| 7 | Helianthus petiolaris subsp. petiolaris | Helianthus petiolaris ssp. petiolaris | prairie sunflower | Forb |
| 7 | Helianthus silphioides | Helianthus silphioides | rosinweed sunflower | Forb |
| 7 | Helianthus simulans | Helianthus simulans | muck sunflower | Forb |
| 7 | Helianthus strumosus | Helianthus strumosus | woodland sunflower | Forb |
| 3 | Helianthus tuberosus | Helianthus tuberosus | Jerusalem artichoke | Forb |
| 7 | Heliopsis gracilis | Heliopsis gracilis | pinewoods ox-eye | Forb |
| 7 | Heliopsis helianthoides var. scabra | Heliopsis helianthoides var. scabra | ox-eye | Forb |
| 0 | HELIOTROPIUM AMPLEXICAULE | HELIOTROPIUM AMPLEXICAULE | wild heliotrope | Forb |
| 7 | Heliotropium convolvulaceum† | Euploca convolvulacea var. convolvulacea† | phlox heliotrope | Forb |
| 5 | Heliotropium curassavicum | Heliotropium curassavicum var. curassavicum | seaside heliotrope | Forb |
| 0 | HELIOTROPIUM INDICUM | HELIOTROPIUM INDICUM | Indian heliotrope | Forb |
| 0 | HELIOTROPIUM PROCUMBENS | EUPLOCA PROCUMBENS | four-spike heliotrope | Forb |
| 7 | Heliotropium tenellum | Euploca tenella | heliotrope | Forb |
| 0 | HEMEROCALLIS FULVA | HEMEROCALLIS FULVA | orange day-lily | Forb |
| 0 | HESPERIS MATRONALIS* | HESPERIS MATRONALIS* | dame's-rocket | Forb |
| 7 | Heteranthera dubia | Heteranthera dubia | water star-grass | Forb |
| 5 | Heteranthera limosa | Heteranthera limosa | mud-plantain | Forb |
| 5 | Heteranthera missouriensis | Heteranthera missouriensis | mud-plantain | Forb |
| 5 | Heteranthera reniformis | Heteranthera reniformis | mud-plantain | Forb |
| 5 | Heteranthera rotundifolia | Heteranthera rotundifolia | mud-plantain | Forb |
| 3 | Heterotheca camporum var. camporum | Heterotheca camporum var. camporum | golden-aster | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|--|--------------------------|-------|
| 0 | HETEROTHECA CAMPORUM VAR. GLANDULISSIMUM | HETEROTHECA CAMPORUM VAR. GLANDULISSIMA | golden-aster | Forb |
| 3 | Heterotheca subaxillaris subsp. latifolia | Heterotheca subaxillaris | golden-aster | Forb |
| 7 | Heuchera americana var. americana | Heuchera americana | American alumroot | Forb |
| 7 | Heuchera americana var. hirsuticaulis | Heuchera hirsuticaulis | American alumroot | Forb |
| 8 | Heuchera parviflora var. puberula | Heuchera puberula | alumroot | Forb |
| 8 | Heuchera villosa var. arkansana†‡ | Heuchera arkansana†‡ | Arkansas alumroot | Forb |
| 10 | Hexalectris spicata var. spicata† | Hexalectris spicata† | crested-coralroot | Forb |
| 5 | Hibiscus coccineus† | Hibiscus coccineus† | scarlet rose-mallow | Forb |
| 6 | Hibiscus laevis | Hibiscus laevis | halberd-leaf rose-mallow | Forb |
| 5 | Hibiscus lasiocarpos | Hibiscus lasiocarpos | rose-mallow | Forb |
| 5 | Hibiscus moscheutos | Hibiscus moscheutos | rose-mallow | Forb |
| 0 | HIBISCUS SYRIACUS* | HIBISCUS SYRIACUS* | rose-of-Sharon | Tree |
| 0 | HIBISCUS TRIONUM | HIBISCUS TRIONUM | flower-of-an-hour | Forb |
| 0 | HIERACIUM AURANTIACUM | PILOSELLA AURANTIACA | orange hawkweed | Forb |
| 5 | Hieracium gronovii | Hieracium gronovii | hawkweed | Forb |
| 7 | Hieracium longipilum | Hieracium longipilum | long-hair hawkweed | Forb |
| 8 | Hieracium scabrum† | Hieracium scabrum† | rough hawkweed | Forb |
| 0 | HOLCUS LANATUS* | HOLCUS LANATUS* | velvet grass | Gram |
| 0 | HOLOSTEUM UMBELLATUM SUBSP. UMBELLATUM | HOLOSTEUM UMBELLATUM SSP. UMBELLATUM | jagged-chickweed | Forb |
| 0 | HORDEUM JUBATUM SUBSP. JUBATUM | HORDEUM JUBATUM SSP. JUBATUM | fox-tail barley | Gram |
| 1 | Hordeum pusillum | Hordeum pusillum | little barley | Gram |
| 0 | HORDEUM VULGARE | HORDEUM VULGARE | barley | Gram |
| 8 | Hottonia inflata | Hottonia inflata | featherfoil | Forb |
| 6 | Houstonia caerulea | Houstonia caerulea | Quaker-ladies | Forb |
| 7 | Houstonia longifolia | Houstonia tenuifolia | long-leaf bluet | Forb |
| 3 | Houstonia micrantha | Houstonia micrantha | southern bluet | Forb |
| 8 | Houstonia nigricans var. nigricans | Houstonia nigricans var. nigricans | diamond-flower | Forb |
| 9 | Houstonia ouachitana† | Houstonia ouachitana† | Ouachita bluet | Forb |
| 8 | Houstonia parviflora† | Houstonia parviflora† | Greenman's bluet | Forb |
| 7 | Houstonia purpurea var. calycosa | Houstonia lanceolata | glade mountain houstonia | Forb |
| 7 | Houstonia purpurea var. purpurea | Houstonia purpurea | mountain houstonia | Forb |
| 2 | Houstonia pusilla | Houstonia pusilla | star-violet | Forb |
| 5 | Houstonia rosea | Houstonia rosea | rose bluet | Forb |
| 0 | HOUTTUYNIA CORDATA | HOUTTUYNIA CORDATA | chameleon | Forb |
| 0 | HUMULUS JAPONICUS | HUMULUS JAPONICUS | Japanese hop | Herb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|-------------------------------|-------|
| 7 | <i>Humulus lupulus</i> var. <i>pubescens</i> † | <i>Humulus pubescens</i> † | wild hop | Herb |
| 8 | <i>Huperzia lucidula</i> † | <i>Huperzia lucidula</i> † | shining fir-moss | Fern |
| 8 | <i>Hybanthus concolor</i> | <i>Cubelium concolor</i> | green-violet | Forb |
| 7 | <i>Hydrangea arborescens</i> | <i>Hydrangea arborescens</i> | wild hydrangea | Shru |
| 7 | <i>Hydrangea cinerea</i> | <i>Hydrangea cinerea</i> | ashy hydrangea | Shru |
| 7 | <i>Hydrangea quercifolia</i> | <i>Hydrangea quercifolia</i> | oak-leaf hydrangea | Shru |
| 9 | <i>Hydrastis canadensis</i> | <i>Hydrastis canadensis</i> | goldenseal | Forb |
| 0 | HYDRILLA VERTICILLATA* | HYDRILLA VERTICILLATA* | hydrilla | Forb |
| 10 | <i>Hydrocotyle americana</i> † | <i>Hydrocotyle americana</i> † | marsh pennywort | Forb |
| 0 | HYDROCOTYLE BONARIENSIS | HYDROCOTYLE BONARIENSIS | coastal pennywort | Forb |
| 5 | <i>Hydrocotyle prolifera</i> | <i>Hydrocotyle tribotrys</i> | water pennywort | Forb |
| 4 | <i>Hydrocotyle ranunculoides</i> | <i>Hydrocotyle ranunculoides</i> | floating pennywort | Forb |
| 0 | HYDROCOTYLE SIBTHORPIOIDES | HYDROCOTYLE SIBTHORPIOIDES | lawn pennywort | Forb |
| 5 | <i>Hydrocotyle umbellata</i> | <i>Hydrocotyle umbellata</i> | water pennywort | Forb |
| 5 | <i>Hydrocotyle verticillata</i> | <i>Hydrocotyle verticillata</i> | whorled pennywort | Forb |
| 6 | <i>Hydrolea ovata</i> | <i>Hydrolea ovata</i> | blue-waterleaf | Forb |
| 6 | <i>Hydrolea uniflora</i> | <i>Hydrolea uniflora</i> | false fiddleleaf | Forb |
| 7 | <i>Hydrophyllum appendiculatum</i> | <i>Hydrophyllum appendiculatum</i> | woolen breeches | Forb |
| 8 | <i>Hydrophyllum brownei</i> ‡† | <i>Hydrophyllum brownei</i> ‡† | Browne's waterleaf | Forb |
| 7 | <i>Hydrophyllum virginianum</i> var. <i>virginianum</i> | <i>Hydrophyllum virginianum</i> | Virginia waterleaf | Forb |
| 0 | HYLOTELEPHIUM ERYTHROSTICTUM | HYLOTELEPHIUM ERYTHROSTICTUM | garden stonecrop | Forb |
| 6 | <i>Hymenocallis liriosme</i> | <i>Hymenocallis liriosme</i> | spring spider-lily | Forb |
| 7 | <i>Hymenocallis occidentalis</i> var. <i>eulae</i> | <i>Hymenocallis occidentalis</i> var. <i>eulae</i> | summer spider-lily | Forb |
| 7 | <i>Hymenocallis occidentalis</i> var. <i>occidentalis</i> | <i>Hymenocallis occidentalis</i> var. <i>occidentalis</i> | summer spider-lily | Forb |
| 7 | <i>Hymenopappus artemisiifolius</i> var. <i>artemisiifolius</i> † | <i>Hymenopappus artemisiifolius</i> var. <i>artemisiifolius</i> † | woolly-white | Forb |
| 8 | <i>Hymenopappus scabiosaeus</i> var. <i>scabiosaeus</i> | <i>Hymenopappus scabiosaeus</i> var. <i>scabiosaeus</i> | old-plainsman | Forb |
| 10 | <i>Hypericum adpressum</i> † | <i>Hypericum adpressum</i> † | creeping St. John's-wort | Forb |
| 9 | <i>Hypericum apocynifolium</i> † | <i>Hypericum apocynifolium</i> † | dogbane St. John's-wort | Shru |
| 7 | <i>Hypericum canadense</i> † | <i>Hypericum canadense</i> † | Canadian St. John's-wort | Forb |
| 7 | <i>Hypericum crux-andreae</i> | <i>Hypericum crux-andreae</i> | St. Peter's-wort | Shru |
| 3 | <i>Hypericum drummondii</i> | <i>Hypericum drummondii</i> | nits-and-lice | Forb |
| 0 | HYPERICUM FASCICULATUM | HYPERICUM FASCICULATUM | peel-bark St. John's-wort | Shru |
| 6 | <i>Hypericum gentianoides</i> | <i>Hypericum gentianoides</i> | pine-weed | Forb |
| 7 | <i>Hypericum gymnanthum</i> | <i>Hypericum gymnanthum</i> | clasping-leaf St. John's-wort | Forb |
| 5 | <i>Hypericum hypericoides</i> var. <i>hypericoides</i> | <i>Hypericum hypericoides</i> | St. Andrew's-cross | Shru |
| 7 | <i>Hypericum hypericoides</i> var. <i>multicaule</i> | <i>Hypericum stragulum</i> | St. Andrew's-cross | Shru |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|-------------------------------|-------|
| 7 | <i>Hypericum lobocarpum</i> | <i>Hypericum lobocarpum</i> | five-lobe St. John's-wort | Shru |
| 6 | <i>Hypericum mutilum</i> | <i>Hypericum mutilum</i> var. <i>mutilum</i> | dwarf St. John's-wort | Forb |
| 0 | HYPERICUM PERFORATUM* | HYPERICUM PERFORATUM* | European St. John's-wort | Forb |
| 6 | <i>Hypericum prolificum</i> | <i>Hypericum prolificum</i> | shrubby St. John's-wort | Shru |
| 8 | <i>Hypericum pseudomaculatum</i> | <i>Hypericum pseudomaculatum</i> | false spotted St. John's-wort | Forb |
| 4 | <i>Hypericum punctatum</i> | <i>Hypericum punctatum</i> | spotted St. John's-wort | Forb |
| 7 | <i>Hypericum sphaerocarpum</i> | <i>Hypericum sphaerocarpum</i> | round-fruit St. John's-wort | Forb |
| 9 | <i>Hypericum virgatum</i> † | <i>Hypericum virgatum</i> † | sharp-leaf St. John's-wort | Forb |
| 0 | HYPOCHAERIS GLABRA | HYPOCHAERIS GLABRA | smooth cat's-ear | Forb |
| 0 | HYPOCHAERIS RADICATA | HYPOCHAERIS RADICATA | cat's-ear | Forb |
| 10 | <i>Hypoxis curtissii</i> † | <i>Hypoxis curtissii</i> † | Curtiss' star-grass | Forb |
| 7 | <i>Hypoxis hirsuta</i> | <i>Hypoxis hirsuta</i> | yellow star-grass | Forb |
| 10 | <i>Hypoxis rigidia</i> † | <i>Hypoxis rigidia</i> † | stiff star-grass | Forb |
| 7 | <i>Hypoxis sessilis</i> † | <i>Hypoxis sessilis</i> † | glossy-seed star-grass | Forb |
| 7 | <i>Ilex ambigua</i> | <i>Ilex ambigua</i> | Carolina holly | Shru |
| 0 | ILEX AQUIFOLIUM | ILEX AQUIFOLIUM | English holly | Tree |
| 0 | ILEX CORNUTA* | ILEX CORNUTA* | Chinese holly | Tree |
| 3 | <i>Ilex decidua</i> | <i>Ilex decidua</i> | deciduous holly | Tree |
| 8 | <i>Ilex longipes</i> † | <i>Ilex longipes</i> † | Georgia holly | Tree |
| 5 | <i>Ilex opaca</i> var. <i>opaca</i> | <i>Ilex opaca</i> | American holly | Tree |
| 8 | <i>Ilex verticillata</i> † | <i>Ilex verticillata</i> † | winterberry | Shru |
| 5 | <i>Ilex vomitoria</i> • | <i>Ilex vomitoria</i> • | yaupon | Tree |
| 0 | IMPATIENS BALSAMINA | IMPATIENS BALSAMINA | garden balsam | Forb |
| 4 | <i>Impatiens capensis</i> | <i>Impatiens capensis</i> | spotted jewelweed | Forb |
| 7 | <i>Impatiens pallida</i> | <i>Impatiens pallida</i> | yellow jewelweed | Forb |
| 0 | IMPERATA CYLINDRICA* | IMPERATA CYLINDRICA* | cogongrass | Gram |
| 10 | <i>Indigofera miniata</i> † | <i>Indigofera miniata</i> † | scarlet-pea | Forb |
| 6 | <i>Iodanthus pinnatifidus</i> | <i>Iodanthus pinnatifidus</i> | purple-rocket | Forb |
| 9 | <i>Ionactis linariifolius</i> | <i>Ionactis linariifolia</i> | stiff-leaf aster | Forb |
| 3 | <i>Ipomoea coccinea</i> | <i>Ipomoea coccinea</i> | red morning-glory | Herb |
| 3 | <i>Ipomoea cordatotriloba</i> var. <i>cordatotriloba</i> | <i>Ipomoea cordatotriloba</i> var. <i>cordatotriloba</i> | tie-vine morning-glory | Herb |
| 0 | IPOMOEA HEDERACEA | IPOMOEA HEDERACEA | ivy-leaf morning-glory | Herb |
| 1 | <i>Ipomoea lacunosa</i> | <i>Ipomoea lacunosa</i> | small white morning-glory | Herb |
| 0 | IPOMOEA MURICATA | IPOMOEA MURICATA | lilacbell | Herb |
| 5 | <i>Ipomoea pandurata</i> | <i>Ipomoea pandurata</i> | wild potato vine | Herb |
| 0 | IPOMOEA PURPUREA | IPOMOEA PURPUREA | morning-glory | Herb |
| 0 | IPOMOEA QUAMOCЛИT | IPOMOEA QUAMOCЛИT | cypress-vine | Herb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|---|---------------------------------|------------------------------------|------------------------|-------|
| 0 | IPOMOEA WRIGHTII | IPOMOEA WRIGHTII | Wright's morning-glory | Herb |
| 0 | IPOMOPSIS RUBRA | IPOMOPSIS RUBRA | standing-cypress | Forb |
| 6 | Iresine rhizomatosa | Iresine rhizomatosa | blood-leaf | Forb |
| 8 | Iris brevicaulis | Iris brevicaulis | zigzag iris | Forb |
| 7 | Iris cristata | Iris cristata | dwarf crested iris | Forb |
| 0 | IRIS DOMESTICA | IRIS DOMESTICA | blackberry-lily | Forb |
| 7 | Iris fulva | Iris fulva | copper iris | Forb |
| 0 | IRIS GERMANICA | IRIS GERMANICA | garden iris | Forb |
| 0 | IRIS PSEUDACORUS* | IRIS PSEUDACORUS* | yellow iris | Forb |
| 9 | Iris verna var. smalliana† | Iris verna var. smalliana† | dwarf iris | Forb |
| 7 | Iris virginica var. shrevei | Iris shrevei | southern blue flag | Forb |
| 8 | Isoetes butleri | Isoetes butleri | Butler's quillwort | Fern |
| 7 | Isoetes engelmannii† | Isoetes engelmannii† | Engelmann's quillwort | Fern |
| 3 | Isoetes melanopoda | Isoetes melanopoda ssp. melanopoda | black-foot quillwort | Fern |
| 2 | Isolepis carinata | Isolepis carinata | bulrush | Gram |
| 8 | Isolepis pseudosetacea | Isolepis pseudosetacea | bulrush | Gram |
| 8 | Isotria verticillata | Isotria verticillata | large whorled-pogonia | Forb |
| 7 | Itea virginica | Itea virginica | Virginia sweetspire | Shrub |
| 4 | Iva angustifolia† | Iva angustifolia† | slender marsh-elder | Forb |
| 1 | Iva annua | Iva annua | marsh-elder | Forb |
| 0 | JACQUEMONTIA TAMNIFOLIA | JACQUEMONTIA TAMNIFOLIA | hairy tie-vine | Herb |
| 8 | Juglans cinerea† | Juglans cinerea† | butternut | Tree |
| 5 | Juglans nigra | Juglans nigra | black walnut | Tree |
| 4 | Juncus acuminatus | Juncus acuminatus | knotty-leaf rush | Gram |
| 4 | Juncus anthelatus | Juncus anthelatus | poverty rush | Gram |
| 5 | Juncus biflorus | Juncus biflorus | rush | Gram |
| 6 | Juncus brachycarpus | Juncus brachycarpus | rush | Gram |
| 8 | Juncus brachyphylloides† | Juncus brachyphylloides† | tufted-stem rush | Gram |
| 2 | Juncus bufonius | Juncus bufonius | toad rush | Gram |
| 8 | Juncus canadensis† | Juncus canadensis† | Canadian rush | Gram |
| 0 | JUNCUS CAPITATUS | JUNCUS CAPITATUS | rush | Gram |
| 6 | Juncus coriaceus | Juncus coriaceus | rush | Gram |
| 7 | Juncus debilis | Juncus debilis | weak rush | Gram |
| 6 | Juncus dichotomus | Juncus dichotomus | rush | Gram |
| 3 | Juncus diffusissimus | Juncus diffusissimus | rush | Gram |
| 6 | Juncus dudleyi | Juncus dudleyi | Dudley's rush | Gram |
| 3 | Juncus effusus | Juncus effusus ssp. solutus | soft rush | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|---|----------------------------|-------|
| 6 | <i>Juncus filipendulus</i> † | <i>Juncus filipendulus</i> † | ring-seed rush | Gram |
| 4 | <i>Juncus interior</i> | <i>Juncus interior</i> | inland rush | Gram |
| 5 | <i>Juncus marginatus</i> | <i>Juncus marginatus</i> | grass-leaf rush | Gram |
| 5 | <i>Juncus nodatus</i> | <i>Juncus nodatus</i> | rush | Gram |
| 6 | <i>Juncus repens</i> | <i>Juncus repens</i> | creeping rush | Gram |
| 7 | <i>Juncus scirpoides</i> | <i>Juncus scirpoides</i> var. <i>scirpoides</i> | rush | Gram |
| 6 | <i>Juncus secundus</i> | <i>Juncus secundus</i> | rush | Gram |
| 10 | <i>Juncus subcaudatus</i> † | <i>Juncus subcaudatus</i> † | fen rush | Gram |
| 1 | <i>Juncus tenuis</i> | <i>Juncus tenuis</i> | path rush | Gram |
| 6 | <i>Juncus torreyi</i> | <i>Juncus torreyi</i> | Torrey's rush | Gram |
| 3 | <i>Juncus validus</i> var. <i>validus</i> | <i>Juncus validus</i> | rush | Gram |
| 8 | <i>Juniperus ashei</i> | <i>Juniperus ashei</i> var. <i>ashei</i> | Ashe's juniper | Tree |
| 2 | <i>Juniperus virginiana</i> var. <i>virginiana</i> | <i>Juniperus virginiana</i> | eastern red-cedar | Tree |
| 5 | <i>Justicia americana</i> | <i>Justicia americana</i> | water-willow | Forb |
| 7 | <i>Justicia ovata</i> var. <i>lanceolata</i> | <i>Justicia lanceolata</i> | lance-leaf water-willow | Forb |
| 0 | <i>KICKXIA ELATINE</i> | <i>KICKXIA ELATINE</i> | cancerwort | Forb |
| 0 | <i>KICKXIA SPURIA</i> | <i>KICKXIA SPURIA</i> | cancerwort | Forb |
| 0 | <i>KOCHIA SCOPARIA</i> SUBSP. <i>SCOPARIA</i> | <i>BASSIA SCOPARIA</i> | summer-cypress | Forb |
| 10 | <i>Koeleria macrantha</i> † | <i>Koeleria macrantha</i> † | prairie June grass | Gram |
| 0 | <i>KOELREUTERIA BIPINNATA</i> | <i>KOELREUTERIA BIPINNATA</i> | Chinese flame-tree | Tree |
| 0 | <i>KOELREUTERIA PANICULATA</i> * | <i>KOELREUTERIA PANICULATA</i> * | golden-rain-tree | Tree |
| 0 | <i>KOLKWITZIA AMABILIS</i> | <i>KOLKWITZIA AMABILIS</i> | beautybush | Shrub |
| 8 | <i>Krameria lanceolata</i> † | <i>Krameria lanceolata</i> † | trailing ratany | Forb |
| 5 | <i>Krigia biflora</i> | <i>Krigia biflora</i> ssp. <i>biflora</i> | two-flower dwarf-dandelion | Forb |
| 2 | <i>Krigia cespitosa</i> var. <i>cespitosa</i> | <i>Krigia cespitosa</i> | dwarf-dandelion | Forb |
| 5 | <i>Krigia dandelion</i> | <i>Krigia dandelion</i> | potato dwarf-dandelion | Forb |
| 8 | <i>Krigia occidentalis</i> † | <i>Krigia occidentalis</i> † | western dwarf-dandelion | Forb |
| 5 | <i>Krigia virginica</i> | <i>Krigia virginica</i> | Virginia dwarf-dandelion | Forb |
| 10 | <i>Krigia wrightii</i> † | <i>Krigia wrightii</i> † | Wright's dwarf-dandelion | Forb |
| 0 | <i>KUMMEROWIA STIPULACEA</i> | <i>KUMMEROWIA STIPULACEA</i> | Korean bush-clover | Forb |
| 0 | <i>KUMMEROWIA STRIATA</i> | <i>KUMMEROWIA STRIATA</i> | Japanese bush-clover | Forb |
| 0 | <i>KYLLINGA BREVIFOLIA</i> | <i>CYPERUS BREVIFOLIUS</i> | spikesedge | Gram |
| 0 | <i>KYLLINGA GRACILLIMA</i> | <i>CYPERUS BREVIFOLIOIDES</i> | spikesedge | Gram |
| 0 | <i>KYLLINGA ODORATA</i> | <i>CYPERUS SESQUIFLORUS</i> | spikesedge | Gram |
| 3 | <i>Kyllinga pumila</i> | <i>Cyperus hortensis</i> | spikesedge | Gram |
| 0 | <i>KYLLINGA SQUAMULATA</i> | <i>CYPERUS METZII</i> | Asian spikesedge | Gram |
| 3 | <i>Lactuca canadensis</i> | <i>Lactuca canadensis</i> | wild lettuce | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|---|---|--|--------------------------|-------|
| 3 | <i>Lactuca floridana</i> | <i>Lactuca floridana</i> | Florida wild lettuce | Forb |
| 6 | <i>Lactuca hirsuta</i> | <i>Lactuca hirsuta</i> | hairy wild lettuce | Forb |
| 0 | <i>LACTUCA SALIGNA</i> | <i>LACTUCA SALIGNA</i> | willow-leaf wild lettuce | Forb |
| 0 | <i>LACTUCA SATIVA</i> | <i>LACTUCA SATIVA</i> | garden lettuce | Forb |
| 0 | <i>LACTUCA SERRIOLA</i> | <i>LACTUCA SERRIOLA</i> | prickly wild lettuce | Forb |
| 0 | <i>LAGERSTROEMIA INDICA</i> | <i>LAGERSTROEMIA INDICA</i> | crape-myrtle | Tree |
| 0 | <i>LAMIUM AMPLEXICAULE</i> | <i>LAMIUM AMPLEXICAULE</i> VAR. <i>AMPLEXICAULE</i> | henbit | Forb |
| 0 | <i>LAMIUM DISSECTUM</i> | <i>LAMIUM DISSECTUM</i> | cut-leaf dead-nettle | Forb |
| 0 | <i>LAMIUM PURPUREUM</i> | <i>LAMIUM PURPUREUM</i> | purple dead-nettle | Forb |
| 0 | <i>LANDOLTIA PUNCTATA</i> | <i>LANDOLTIA PUNCTATA</i> | duckweed | Forb |
| 0 | <i>LANTANA CAMARA</i> | <i>LANTANA STRIGOCAMARA</i> | lantana | Shru |
| 5 | <i>Laportea canadensis</i> | <i>Laportea canadensis</i> | wood-nettle | Forb |
| 0 | <i>LAPPULA OCCIDENTALIS</i> VAR. <i>OCCIDENTALIS</i> | <i>LAPPULA OCCIDENTALIS</i> | stickseed | Forb |
| 0 | <i>LAPSANA COMMUNIS</i> | <i>LAPSANA COMMUNIS</i> | nipplewort | Forb |
| 0 | <i>LATHYRUS APHACA</i> | <i>LATHYRUS APHACA</i> | yellow vetchling | Herb |
| 0 | <i>LATHYRUS HIRSUTUS</i> | <i>LATHYRUS HIRSUTUS</i> | singletary-pea | Herb |
| 0 | <i>LATHYRUS LATIFOLIUS</i> | <i>LATHYRUS LATIFOLIUS</i> | everlasting-pea | Herb |
| 7 | <i>Lathyrus pusillus</i> † | <i>Lathyrus pusillus</i> † | low vetchling | Herb |
| 7 | <i>Lathyrus venosus</i> | <i>Lathyrus venosus</i> | bushy-vetch | Herb |
| 7 | <i>Leavenworthia uniflora</i> | <i>Leavenworthia uniflora</i> | glade cress | Forb |
| 6 | <i>Lechea mucronata</i> | <i>Lechea mucronata</i> | pinweed | Forb |
| 6 | <i>Lechea tenuifolia</i> | <i>Lechea tenuifolia</i> | pinweed | Forb |
| 7 | <i>Leersia hexandra</i> † | <i>Leersia hexandra</i> † | southern cut grass | Gram |
| 7 | <i>Leersia lenticularis</i> | <i>Leersia lenticularis</i> | catchfly grass | Gram |
| 3 | <i>Leersia oryzoides</i> | <i>Leersia oryzoides</i> | rice cut grass | Gram |
| 3 | <i>Leersia virginica</i> | <i>Leersia virginica</i> | white grass | Gram |
| 9 | <i>Leitneria pilosa</i> subsp. <i>ozarkana</i> † | <i>Leitneria pilosa</i> ssp. <i>ozarkana</i> † | corkwood | Shru |
| 5 | <i>Lemna aequinoctialis</i> | <i>Lemna aequinoctialis</i> | duckweed | Forb |
| 4 | <i>Lemna minor</i> | <i>Lemna minor</i> | duckweed | Forb |
| 6 | <i>Lemna minuta</i> | <i>Lemna minuta</i> | duckweed | Forb |
| 7 | <i>Lemna obscura</i> | <i>Lemna obscura</i> | duckweed | Forb |
| 8 | <i>Lemna perpusilla</i> | <i>Lemna perpusilla</i> | duckweed | Forb |
| 7 | <i>Lemna valdiviana</i> | <i>Lemna valdiviana</i> | duckweed | Forb |
| 0 | <i>LEONOTIS NEPETIFOLIA</i> | <i>LEONOTIS NEPETIFOLIA</i> VAR. <i>NEPETIFOLIA</i> | Christmas candlestick | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--------------------------------------|-------------------------------------|-------------------------|-------|
| 0 | LEONURUS CARDIACA | LEONURUS CARDIACA | motherwort | Forb |
| 0 | LEONURUS SIBIRICUS | LEONURUS JAPONICUS | Siberian motherwort | Forb |
| 0 | LEPIDIUM CAMPESTRE | LEPIDIUM CAMPESTRE | field pepper-grass | Forb |
| 1 | Lepidium densiflorum | Lepidium densiflorum | pepper-grass | Forb |
| 0 | LEPIDIUM DIDYMUM | LEPIDIUM DIDYMUM | swine cress | Forb |
| 0 | LEPIDIUM OBLONGUM VAR. OBLONGUM | LEPIDIUM OBLONGUM | pepper-grass | Forb |
| 0 | LEPIDIUM RUDERALE | LEPIDIUM RUDERALE | narrowleaf pepper-grass | Forb |
| 1 | Lepidium virginicum | Lepidium virginicum var. virginicum | Virginia pepper-grass | Forb |
| 0 | LEPTOCHLOA DUBIA | DISAKISPERMA DUBIUM | green sprangletop | Gram |
| 3 | Leptochloa fusca subsp. fascicularis | Diplachne fascicularis | bearded sprangletop | Gram |
| 3 | Leptochloa fusca subsp. uninervia | Diplachne uninervia | Mexican sprangletop | Gram |
| 3 | Leptochloa panicea subsp. brachiata | Dinebra panicea ssp. brachiata | red sprangletop | Gram |
| 3 | Leptochloa panicea subsp. mucronata | Dinebra panicea ssp. mucronata | Mississippi sprangletop | Gram |
| 3 | Leptochloa panicoides | Dinebra panicoides | Amazon sprangletop | Gram |
| 8 | Leptopus phyllanthoides | Phyllanthopsis phyllanthoides | maidenbush | Shru |
| 8 | Lepuropetalon spathulatum | Lepuropetalon spathulatum | little-people | Forb |
| 0 | LESPEDEZA BICOLOR* | LESPEDEZA BICOLOR* | bicolor lespedeza | Shru |
| 8 | Lespedeza capitata | Lespedeza capitata | round-head bush-clover | Forb |
| 0 | LESPEDEZA CUNEATA* | LESPEDEZA CUNEATA* | sericea lespedeza | Forb |
| 6 | Lespedeza frutescens | Lespedeza frutescens | violet bush-clover | Forb |
| 7 | Lespedeza hirta var. hirta | Lespedeza hirta var. hirta | hairy bush-clover | Forb |
| 5 | Lespedeza procumbens | Lespedeza procumbens | trailing bush-clover | Forb |
| 5 | Lespedeza repens | Lespedeza repens | creeping bush-clover | Forb |
| 8 | Lespedeza stuevei | Lespedeza stuevei | tall bush-clover | Forb |
| 0 | LESPEDEZA THUNBERGII | LESPEDEZA THUNBERGII | Thunberg's bush-clover | Shru |
| 7 | Lespedeza violacea | Lespedeza violacea | bush-clover | Forb |
| 7 | Lespedeza virginica | Lespedeza virginica | slender bush-clover | Forb |
| 0 | LEUCANTHEMUM VULGARE* | LEUCANTHEMUM VULGARE* | ox-eye daisy | Forb |
| 0 | LEUCOJUM AESTIVUM | LEUCOJUM AESTIVUM | summer snowflake | Forb |
| 2 | Leucospora multifida | Leucospora multifida | narrow-leaf paleseed | Forb |
| 8 | Liatris aspera | Liatris aspera | rough blazing-star | Forb |
| 8 | Liatris compacta† | Liatris compacta† | Ouachita blazing-star | Forb |
| 9 | Liatris cylindracea | Liatris cylindracea | barrel-head gayfeather | Forb |
| 8 | Liatris hesperelegans | Liatris hesperelegans | elegant gayfeather | Forb |
| 7 | Liatris hirsuta | Liatris hirsuta | hairy blazing-star | Forb |
| 10 | Liatris punctata var. mucronata† | Liatris mucronata† | dotted gayfeather | Forb |
| 10 | Liatris punctata var. punctata† | Liatris punctata† | bottle-brush gayfeather | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|---|---------------------------|-------|
| 7 | <i>Liatris pycnostachya</i> var. <i>lasiophylla</i> | <i>Liatris pycnostachya</i> var. <i>lasiophylla</i> | prairie gayfeather | Forb |
| 7 | <i>Liatris pycnostachya</i> var. <i>pycnostachya</i> | <i>Liatris pycnostachya</i> var. <i>pycnostachya</i> | prairie gayfeather | Forb |
| 9 | <i>Liatris scariosa</i> var. <i>nieuwlandii</i> † | <i>Liatris novae-angliae</i> var. <i>nieuwlandii</i> † | northern blazing-star | Forb |
| 8 | <i>Liatris squarrosa</i> var. <i>squarrosa</i> † | <i>Liatris squarrosa</i> var. <i>squarrosa</i> † | hairy scaly blazing-star | Forb |
| 8 | <i>Liatris squarrulosa</i> | <i>Liatris squarrulosa</i> | southern blazing-star | Forb |
| 9 | <i>Liatris tenuis</i> † | <i>Liatris tenuis</i> † | Guld blazing-star | Forb |
| 8 | <i>Ligusticum canadense</i> | <i>Ligusticum canadense</i> | angelico | Forb |
| 0 | <i>LIGUSTRUM JAPONICUM</i> * | <i>LIGUSTRUM JAPONICUM</i> * | Japanese privet | Shru |
| 0 | <i>LIGUSTRUM LUCIDUM</i> * | <i>LIGUSTRUM LUCIDUM</i> * | glossy privet | Shru |
| 0 | <i>LIGUSTRUM OBTUSIFOLIUM</i> * | <i>LIGUSTRUM OBTUSIFOLIUM</i> VAR. <i>OBTUSIFOLIUM</i> * | border privet | Shru |
| 0 | <i>LIGUSTRUM QUIHOUI</i> * | <i>LIGUSTRUM QUIHOUI</i> * | waxy-leaf privet | Shru |
| 0 | <i>LIGUSTRUM SINENSE</i> * | <i>LIGUSTRUM SINENSE</i> * | Chinese privet | Shru |
| 0 | <i>LIGUSTRUM VULGARE</i> * | <i>LIGUSTRUM VULGARE</i> * | European privet | Shru |
| 4 | <i>Lilaeopsis carolinensis</i> † | <i>Lilaeopsis carolinensis</i> † | Carolina grasswort | Forb |
| 0 | <i>LILIU M LANCIFOLIUM</i> | <i>LILIU M LANCIFOLIUM</i> | tiger lily | Forb |
| 9 | <i>Lilium michiganense</i> | <i>Lilium michiganense</i> | Michigan lily | Forb |
| 0 | <i>LILIU M PHILIPPINENSE</i> | <i>LILIU M PHILIPPINENSE</i> | Philippine lily | Forb |
| 10 | <i>Lilium superbum</i> † | <i>Lilium superbum</i> † | Turk's-cap lily | Forb |
| 7 | <i>Limnobium spongia</i> | <i>Limnobium spongia</i> | American frog's-bit | Forb |
| 8 | <i>Limnodea arkansana</i> † | <i>Limnodea arkansana</i> † | Ozark grass | Gram |
| 6 | <i>Limnosciadium pinnatum</i> | <i>Limnosciadium pinnatum</i> | Arkansas dogshade | Forb |
| 0 | <i>LIMNOSCIADIUM PUMILUM</i> | <i>LIMNOSCIADIUM PUMILUM</i> | ricefield dogshade | Forb |
| 0 | <i>LINARIA VULGARIS</i> | <i>LINARIA VULGARIS</i> | butter-and-eggs | Forb |
| 6 | <i>Lindera benzoin</i> | <i>Lindera benzoin</i> | spicebush | Shru |
| 10 | <i>Lindera melissifolia</i> † | <i>Lindera melissifolia</i> † | pondberry | Shru |
| 0 | <i>LINDERNIA CRUSTACEA</i> | <i>TORENIA CRUSTACEA</i> | Malaysian false pimpernel | Forb |
| 4 | <i>Lindernia dubia</i> var. <i>anagallidea</i> | <i>Lindernia anagallidea</i> | false pimpernel | Forb |
| 4 | <i>Lindernia dubia</i> var. <i>dubia</i> | <i>Lindernia dubia</i> var. <i>dubia</i> | false pimpernel | Forb |
| 10 | <i>Lindheimera texana</i> † | <i>Lindheimera texana</i> † | Texas yellowstar | Forb |
| 8 | <i>Linum berlandieri</i> † | <i>Linum berlandieri</i> var. <i>berlandieri</i> † | Berlandier's yellow flax | Forb |
| 0 | <i>LINUM LEWISII</i> VAR. <i>LEWISII</i> | <i>LINUM LEWISII</i> VAR. <i>LEWISII</i> | prairie flax | Forb |
| 7 | <i>Linum medium</i> var. <i>texanum</i> | <i>Linum curtissii</i> | common yellow flax | Forb |
| 6 | <i>Linum striatum</i> | <i>Linum striatum</i> | ridge-stem yellow flax | Forb |
| 8 | <i>Linum sulcatum</i> | <i>Linum sulcatum</i> | grooved yellow flax | Forb |
| 0 | <i>LINUM USITATISSIMUM</i> | <i>LINUM USITATISSIMUM</i> | flax | Forb |
| 8 | <i>Liparis liliifolia</i> | <i>Liparis liliifolia</i> | lily-leaf twayblade | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|---|------------------------------|-------|
| 10 | <i>Liparis loeselii</i> † | <i>Liparis loeselii</i> † | Loesel's twayblade | Forb |
| 8 | <i>Lipocarpha drummondii</i> † | <i>Cyperus hemidrummondii</i> † | Drummond's halfchaff sedge | Gram |
| 5 | <i>Lipocarpha micrantha</i> | <i>Cyperus subsquarrosum</i> | halfchaff sedge | Gram |
| 2 | <i>Liquidambar styraciflua</i> | <i>Liquidambar styraciflua</i> | sweet-gum | Tree |
| 4 | <i>Liriodendron tulipifera</i> • | <i>Liriodendron tulipifera</i> var. <i>tulipifera</i> • | tulip-tree | Tree |
| 0 | <i>LIRIOPE GRAMINIFOLIA</i> | <i>LIRIOPE GRAMINIFOLIA</i> | grass-leaf lily-turf | Forb |
| 0 | <i>LIRIOPE SPICATA</i> | <i>LIRIOPE SPICATA</i> | creeping lily-turf | Forb |
| 8 | <i>Listera australis</i> | <i>Neottia bifolia</i> | southern twayblade | Forb |
| 7 | <i>Lithospermum canescens</i> | <i>Lithospermum canescens</i> | hoary puccoon | Forb |
| 8 | <i>Lithospermum carolinense</i> | <i>Lithospermum croceum</i> | Carolina puccoon | Forb |
| 10 | <i>Lithospermum incisum</i> † | <i>Lithospermum incisum</i> † | fringed puccoon | Forb |
| 9 | <i>Lithospermum latifolium</i> | <i>Lithospermum latifolium</i> | American gromwell | Forb |
| 8 | <i>Lithospermum tuberosum</i> † | <i>Lithospermum tuberosum</i> † | tuberous puccoon | Forb |
| 7 | <i>Lobelia appendiculata</i> | <i>Lobelia appendiculata</i> | pale lobelia | Forb |
| 6 | <i>Lobelia cardinalis</i> | <i>Lobelia cardinalis</i> var. <i>cardinalis</i> | cardinal-flower | Forb |
| 3 | <i>Lobelia inflata</i> | <i>Lobelia inflata</i> | Indian-tobacco | Forb |
| 8 | <i>Lobelia puberula</i> | <i>Lobelia puberula</i> | downy lobelia | Forb |
| 7 | <i>Lobelia siphilitica</i> | <i>Lobelia siphilitica</i> | great blue lobelia | Forb |
| 6 | <i>Lobelia spicata</i> | <i>Lobelia spicata</i> | pale-spike lobelia | Forb |
| 0 | <i>LOBULARIA MARITIMA</i> | <i>LOBULARIA MARITIMA</i> | sweet-alyssum | Forb |
| 4 | <i>Loeflingia squarrosa</i> † | <i>Loeflingia squarrosa</i> var. <i>texana</i> † | spreading loeflingia | Forb |
| 0 | <i>LOLIUM PERENNE VAR. ARISTATUM</i> | <i>LOLIUM MULTIFLORUM</i> | Italian rye grass | Gram |
| 0 | <i>LOLIUM PERENNE VAR. PERENNE</i> | <i>LOLIUM PERENNE</i> | perennial rye grass | Gram |
| 0 | <i>LOLIUM TEMULENTUM</i> SUBSP. <i>TEMULENTUM</i> | <i>LOLIUM TEMULENTUM</i> SSP. <i>TEMULENTUM</i> | darnel rye grass | Gram |
| 0 | <i>LONICERA ×BELLA</i> | <i>LONICERA ×BELLA</i> | pretty honeysuckle | Shru |
| 8 | <i>Lonicera flava</i> | <i>Lonicera flava</i> | yellow honeysuckle | WVn |
| 0 | <i>LONICERA FRAGRANTISSIMA</i> * | <i>LONICERA FRAGRANTISSIMA</i> * | fragrant honeysuckle | Shru |
| 0 | <i>LONICERA JAPONICA</i> * | <i>LONICERA JAPONICA</i> * | Japanese honeysuckle | WVn |
| 0 | <i>LONICERA MAACKII</i> * | <i>LONICERA MAACKII</i> * | Amur honeysuckle | Shru |
| 0 | <i>LONICERA MORROWII</i> * | <i>LONICERA MORROWII</i> * | Morrow's honeysuckle | Shru |
| 8 | <i>Lonicera reticulata</i> † | <i>Lonicera reticulata</i> † | grape honeysuckle | WVn |
| 6 | <i>Lonicera sempervirens</i> | <i>Lonicera sempervirens</i> | trumpet honeysuckle | WVn |
| 0 | <i>LOTUS CORNICULATUS</i> | <i>LOTUS CORNICULATUS</i> | bird's-foot-trefoil | Forb |
| 8 | <i>Lotus unifoliolatus</i> var. <i>unifoliolatus</i> | <i>Acemispon americanus</i> | American bird's-foot-trefoil | Forb |
| 5 | <i>Ludwigia alternifolia</i> | <i>Ludwigia alternifolia</i> | seedbox | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|-----------------------------|-------|
| 0 | LUDWIGIA BREVIPES | LUDWIGIA BREVIPES | Long Beach primrose-willow | Forb |
| 4 | Ludwigia decurrens | Ludwigia decurrens | wing-stem primrose-willow | Forb |
| 5 | Ludwigia glandulosa | Ludwigia [glandulosa + species 1 [brachycarpa]] | primrose-willow | Forb |
| 0 | LUDWIGIA GRANDIFLORA SUBSP. HEXAPETALA* | LUDWIGIA HEXAPETALA* | primrose-willow | Forb |
| 8 | Ludwigia hirtella | Ludwigia hirtella | primrose-willow | Forb |
| 6 | Ludwigia leptocarpa | Ludwigia leptocarpa | primrose-willow | Forb |
| 7 | Ludwigia linearis | Ludwigia linearis var. puberula | narrow-leaf primrose-willow | Forb |
| 10 | Ludwigia microcarpa† | Ludwigia microcarpa† | small-fruit primrose-willow | Forb |
| 0 | LUDWIGIA OCTOVALVIS | LUDWIGIA OCTOVALVIS | primrose-willow | Forb |
| 4 | Ludwigia palustris | Ludwigia palustris | water-purslane | Forb |
| 4 | Ludwigia peploides subsp. glabrescens | Ludwigia peploides var. glabrescens | floating primrose-willow | Forb |
| 0 | LUDWIGIA PILOSA | LUDWIGIA PILOSA | primrose-willow | Forb |
| 0 | LUNARIA ANNUA | LUNARIA ANNUA | money-plant | Forb |
| 5 | Lupinus texensis† | Lupinus texensis† | Texas bluebonnet | Forb |
| 5 | Luziola fluitans | Luziola fluitans var. fluitans | water grass | Gram |
| 8 | Luzula acuminata var. acuminata | Luzula acuminata var. acuminata | wood-rush | Gram |
| 8 | Luzula acuminata var. caroliniae† | Luzula acuminata var. caroliniae† | Carolina wood-rush | Gram |
| 4 | Luzula bulbosa | Luzula bulbosa | wood-rush | Gram |
| 5 | Luzula echinata | Luzula echinata | wood-rush | Gram |
| 0 | LYCIUM BARBARUM | LYCIUM [BARBARUM + CHINENSE] | matrimony-vine | Shru |
| 6 | Lycopodiella ×brucei | Lycopodiella ×brucei | Bruce's bog club-moss | Fern |
| 6 | Lycopodiella ×copelandii | Lycopodiella ×copelandii | Copeland's bog club-moss | Fern |
| 6 | Lycopodiella alopecuroides | Lycopodiella alopecuroides | fox-tail bog club-moss | Fern |
| 6 | Lycopodiella alopecuroides × L. prostrata | No match | hybrid bog club-moss | Fern |
| 6 | Lycopodiella appressa | Lycopodiella appressa | southern bog club-moss | Fern |
| 6 | Lycopodiella prostrata† | Lycopodiella prostrata† | prostrate bog club-moss | Fern |
| 4 | Lycopus americanus | Lycopus americanus | American bugleweed | Forb |
| 6 | Lycopus glandulosus† | Lycopus glandulosus† | golden-gland bugelweed | Forb |
| 5 | Lycopus rubellus | Lycopus rubellus | bugleweed | Forb |
| 5 | Lycopus virginicus | Lycopus virginicus | Virginia bugleweed | Forb |
| 0 | LYCORIS RADIATA | LYCORIS RADIATA VAR. RADIATA | red spider-lily | Forb |
| 0 | LYGODESMIA JUNCEA | LYGODESMIA JUNCEA | skeleton-plant | Forb |
| 0 | LYGODIUM JAPONICUM* | LYGODIUM JAPONICUM* | Japanese climbing fern | Fern |
| 7 | Lyonia ligustrina var. foliosiflora | Lyonia ligustrina var. foliosiflora | maleberry | Shru |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|--------------------------------|-------|
| 8 | <i>Lyonia mariana</i> | <i>Lyonia mariana</i> | staggerbush | Shrub |
| 7 | <i>Lysimachia ciliata</i> | <i>Steironema ciliatum</i> | fringed yellow-loosestrife | Forb |
| 10 | <i>Lysimachia hybrida</i> † | <i>Steironema hybridum</i> † | lowland yellow-loosestrife | Forb |
| 7 | <i>Lysimachia lanceolata</i> | <i>Steironema lanceolatum</i> | yellow-loosestrife | Forb |
| 0 | LYSIMACHIA NUMMULARIA* | LYSIMACHIA NUMMULARIA* | moneywort | Forb |
| 9 | <i>Lysimachia quadriflora</i> | <i>Steironema quadriflorum</i> | linear-leaf yellow-loosestrife | Forb |
| 7 | <i>Lysimachia radicans</i> | <i>Steironema radicans</i> | trailing yellow-loosestrife | Forb |
| 7 | <i>Lythrum alatum</i> var. <i>alatum</i> | <i>Lythrum alatum</i> | winged loosestrife | Forb |
| 6 | <i>Lythrum alatum</i> var. <i>lanceolatum</i> | <i>Lythrum lanceolatum</i> | winged loosestrife | Forb |
| 0 | LYTHRUM SALICARIA* | LYTHRUM SALICARIA* | purple loosestrife | Forb |
| 0 | MACLEAYA CORDATA | MACLEAYA CORDATA | plume-poppy | Forb |
| 2 | <i>Maclura pomifera</i> • | <i>Maclura pomifera</i> • | Osage-orange | Tree |
| 0 | MACROTHELYPTERIS TORRESIANA* | MACROTHELYPTERIS TORRESIANA* | Mariana maiden fern | Fern |
| 7 | <i>Magnolia acuminata</i> | <i>Magnolia acuminata</i> var. <i>acuminata</i> | cucumber magnolia | Tree |
| 0 | MAGNOLIA GRANDIFLORA | MAGNOLIA GRANDIFLORA | southern magnolia | Tree |
| 8 | <i>Magnolia macrophylla</i> † | <i>Magnolia macrophylla</i> † | big-leaf magnolia | Tree |
| 8 | <i>Magnolia tripetala</i> | <i>Magnolia tripetala</i> | umbrella magnolia | Tree |
| 8 | <i>Magnolia virginiana</i> | <i>Magnolia virginiana</i> var. <i>australis</i> | sweet-bay magnolia | Tree |
| 7 | <i>Maianthemum canadense</i> subsp. <i>racemosum</i> | <i>Maianthemum racemosum</i> | false Solomon's-seal | Forb |
| 8 | <i>Maianthemum stellatum</i> † | <i>Maianthemum stellatum</i> † | starry false Solomon's-seal | Forb |
| 8 | <i>Malaxis unifolia</i> | <i>Malaxis unifolia</i> | green adder's-mouth | Forb |
| 7 | <i>Malus angustifolia</i> | <i>Malus angustifolia</i> | southern crabapple | Tree |
| 8 | <i>Malus ioensis</i> | <i>Malus ioensis</i> | prairie crabapple | Tree |
| 0 | MALUS PUMILA | MALUS DOMESTICA | apple | Tree |
| 0 | MALVA NEGLECTA | MALVA NEGLECTA | common mallow | Forb |
| 6 | <i>Malvastrum hispidum</i> † | <i>Malvastrum hispidum</i> † | yellow false mallow | Forb |
| 5 | <i>Malvaviscus arboreus</i> var. <i>drummondii</i> • | <i>Malvaviscus drummondii</i> • | wax-mallow | Forb |
| 7 | <i>Manfreda virginica</i> | <i>Agave virginica</i> | false aloe | Forb |
| 0 | MANIHOT GRAHAMII | MANIHOT GRAHAMII | Graham's cassava | Tree |
| 0 | MARRUBIUM VULGARE | MARRUBIUM VULGARE | horehound | Forb |
| 10 | <i>Marshallia caespitosa</i> var. <i>caespitosa</i> † | <i>Marshallia caespitosa</i> var. <i>caespitosa</i> † | Barbara's buttons | Forb |
| 9 | <i>Marshallia caespitosa</i> var. <i>signata</i> † | Marshallia species 1† | leafy Barbara's-buttons | Forb |
| 0 | MARSILEA QUADRIFOLIA* | MARSILEA QUADRIFOLIA* | European water-clover | Fern |
| 6 | <i>Marsilea vestita</i> | <i>Marsilea vestita</i> | hairy water-clover | Fern |
| 8 | <i>Matelea baldwyniana</i> | <i>Matelea baldwiniana</i> | climbing-milkweed | Herb |
| 8 | <i>Matelea cynanchoides</i> † | <i>Chthamalia</i> species 1 [=cynanchoides]† | milkvine | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|---|------------------------------|-------|
| 7 | <i>Matelea decipiens</i> | <i>Matelea decipiens</i> | climbing-milkweed | Herb |
| 10 | <i>Matelea hirtelliflora</i> † | <i>Matelea hirtelliflora</i> † | hairy-face climbing-milkweed | Herb |
| 0 | <i>MATRICARIA CHAMOMILLA</i> | <i>MATRICARIA CHAMOMILLA</i> | wild chamomile | Forb |
| 0 | <i>MATRICARIA DISCOIDEA</i> | <i>MATRICARIA DISCOIDEA</i> | pineapple-weed | Forb |
| 0 | <i>MAZUS MIQUELII</i> | <i>MAZUS MIQUELII</i> | creeping mazus | Forb |
| 0 | <i>MAZUS PUMILUS</i> | <i>MAZUS PUMILUS</i> | mazus | Forb |
| 5 | <i>Mecardonia acuminata</i> | <i>Mecardonia acuminata</i> var. <i>acuminata</i> | purple axil-flower | Forb |
| 3 | <i>Mecardonia procumbens</i> | <i>Mecardonia procumbens</i> | baby-jump-up | Forb |
| 0 | <i>MEDICAGO ARABICA</i> | <i>MEDICAGO ARABICA</i> | spotted medick | Forb |
| 0 | <i>MEDICAGO LUPULINA</i> | <i>MEDICAGO LUPULINA</i> | black medick | Forb |
| 0 | <i>MEDICAGO MINIMA</i> | <i>MEDICAGO MINIMA</i> | bur medick | Forb |
| 0 | <i>MEDICAGO ORBICULARIS</i> | <i>MEDICAGO ORBICULARIS</i> | button medick | Forb |
| 0 | <i>MEDICAGO POLYMORPHA</i> | <i>MEDICAGO POLYMORPHA</i> | toothed medick | Forb |
| 0 | <i>MEDICAGO SATIVA</i> | <i>MEDICAGO SATIVA</i> | alfalfa | Forb |
| 0 | <i>MELAMPODIUM DIVARICATUM</i> | <i>MELAMPODIUM DIVARICATUM</i> | butter-daisy | Forb |
| 6 | <i>Melanthera nivea</i> † | <i>Melanthera nivea</i> † | snow squarestem | Forb |
| 0 | <i>MELIA AZEDARACH</i> * | <i>MELIA AZEDARACH</i> * | Chinaberry | Tree |
| 7 | <i>Melica mutica</i> | <i>Melica mutica</i> | two-flower melic | Gram |
| 8 | <i>Melica nitens</i> | <i>Melica nitens</i> | three-flower melic | Gram |
| 0 | <i>MELILOTUS ALBUS</i> * | <i>MELILOTUS ALBUS</i> * | white sweet-clover | Forb |
| 0 | <i>MELILOTUS INDICUS</i> | <i>MELILOTUS INDICUS</i> | sour-clover | Forb |
| 0 | <i>MELILOTUS OFFICINALIS</i> * | <i>MELILOTUS OFFICINALIS</i> * | yellow sweet-clover | Forb |
| 0 | <i>MELISSA OFFICINALIS</i> | <i>MELISSA OFFICINALIS</i> | lemon balm | Forb |
| 0 | <i>MELOCHIA CORCHORIFOLIA</i> | <i>MELOCHIA CORCHORIFOLIA</i> | chocolate-weed | Forb |
| 2 | <i>Melothria pendula</i> | <i>Melothria pendula</i> | creeping-cucumber | Herb |
| 7 | <i>Menispermum canadense</i> | <i>Menispermum canadense</i> | moonseed | WVn |
| 0 | <i>MENTHA ×GRACILIS</i> | <i>MENTHA ×GRACILIS</i> | ginger mint | Forb |
| 0 | <i>MENTHA ×PIPERITA</i> * | <i>MENTHA ×PIPERITA</i> VAR. <i>PIPERITA</i> * | peppermint | Forb |
| 0 | <i>MENTHA AQUATICA</i> VAR. <i>CITRATA</i> | <i>MENTHA AQUATICA</i> VAR. <i>CITRATA</i> | lemon mint | Forb |
| 6 | <i>Mentha arvensis</i> † | <i>Mentha arvensis</i> ssp. <i>arvensis</i> † | wild mint | Forb |
| 0 | <i>MENTHA SPICATA</i> | <i>MENTHA SPICATA</i> VAR. <i>SPICATA</i> | spearmint | Forb |
| 0 | <i>MENTHA SUAVEOLENS</i> | <i>MENTHA SUAVEOLENS</i> SSP. <i>SUAVEOLENS</i> | apple mint | Forb |
| 9 | <i>Mentzelia oligosperma</i> † | <i>Mentzelia oligosperma</i> † | stick-leaf | Forb |
| 8 | <i>Mertensia virginica</i> | <i>Mertensia virginica</i> | bluebells | Forb |
| 2 | <i>Micranthemum umbrosum</i> | <i>Micranthemum umbrosum</i> | shade mudflower | Forb |
| 8 | <i>Micranthes palmeri</i> | <i>Micranthes palmeri</i> | Palmer's saxifrage | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|-----------------------------|-------|
| 8 | <i>Micranthes texana</i> | <i>Micranthes texana</i> | Texas saxifrage | Forb |
| 7 | <i>Micranthes virginensis</i> † | <i>Micranthes virginensis</i> † | early saxifrage | Forb |
| 0 | <i>MICROSTEGIUM VIMINEUM</i> * | <i>MICROSTEGIUM VIMINEUM</i> * | Japanese stilt grass | Gram |
| 0 | <i>MICROTHLASPI PERFOLIATUM</i> | <i>NOCCAEA PERFOLIATA</i> | pennywort | Forb |
| 3 | <i>Mikania scandens</i> | <i>Mikania scandens</i> | climbing hempweed | Herb |
| 7 | <i>Mimosa quadrivalvis</i> var. <i>nuttallii</i> | <i>Mimosa nuttallii</i> | sensitive-brier | Herb |
| 4 | <i>Mimosa strigillosa</i> | <i>Mimosa strigillosa</i> | powderpuff | Herb |
| 6 | <i>Mimulus alatus</i> | <i>Mimulus alatus</i> | monkey-flower | Forb |
| 10 | <i>Mimulus floribundus</i> † | <i>Erythranthe floribunda</i> † | yellow monkey-flower | Forb |
| 8 | <i>Mimulus ringens</i> var. <i>ringens</i> † | <i>Mimulus ringens</i> var. <i>ringens</i> † | Allegheny monkey-flower | Forb |
| 9 | <i>Minuartia drummondii</i> † | <i>Geocarpon nuttallii</i> † | Drummond's sandwort | Forb |
| 10 | <i>Minuartia michauxii</i> † | <i>Sabulina michauxii</i> † | rock sandwort | Forb |
| 6 | <i>Minuartia muscorum</i> | <i>Sabulina muscorum</i> | sandwort | Forb |
| 6 | <i>Minuartia patula</i> | <i>Sabulina patula</i> | sandwort | Forb |
| 8 | <i>Mirabilis albida</i> | <i>Mirabilis albida</i> | white four-o'clock | Forb |
| 0 | <i>MIRABILIS JALAPA</i> VAR. <i>JALAPA</i> | <i>MIRABILIS JALAPA</i> VAR. <i>JALAPA</i> | garden four-o'clock | Forb |
| 3 | <i>Mirabilis nyctaginea</i> | <i>Mirabilis nyctaginea</i> | wild four-o'clock | Forb |
| 0 | <i>MISCANTHUS SACCHARIFLORUS</i> * | <i>MISCANTHUS SACCHARIFLORUS</i> * | Amur silver grass | Gram |
| 0 | <i>MISCANTHUS SINENSIS</i> * | <i>MISCANTHUS SINENSIS</i> * | Chinese silver grass | Gram |
| 6 | <i>Mitchella repens</i> | <i>Mitchella repens</i> | partridge-berry | Herb |
| 10 | <i>Mitella diphylla</i> † | <i>Mitella diphylla</i> † | miterwort | Forb |
| 7 | <i>Mitreola petiolata</i> | <i>Mitreola petiolata</i> | lax hornpod | Forb |
| 9 | <i>Mitreola sessilifolia</i> † | <i>Mitreola sessilifolia</i> † | swamp hornpod | Forb |
| 1 | <i>Modiola caroliniana</i> | <i>Modiola caroliniana</i> | bristly-mallow | Forb |
| 0 | <i>MOLLUGO VERTICILLATA</i> | <i>MOLLUGO VERTICILLATA</i> | carpetweed | Forb |
| 7 | <i>Monarda bradburiana</i> | <i>Monarda bradburiana</i> | Bradbury's bee balm | Forb |
| 6 | <i>Monarda citriodora</i> var. <i>citriodora</i> | <i>Monarda citriodora</i> var. <i>citriodora</i> | lemon bee balm | Forb |
| 7 | <i>Monarda fistulosa</i> var. <i>mollis</i> | <i>Monarda fistulosa</i> var. <i>mollis</i> | bee balm | Forb |
| 8 | <i>Monarda fistulosa</i> var. <i>stipitatoglandulosa</i> | <i>Monarda stipitatoglandulosa</i> | Ouachita bee balm | Forb |
| 10 | <i>Monarda luteola</i> † | <i>Monarda luteola</i> † | yellow-flower bee balm | Forb |
| 5 | <i>Monarda punctata</i> | <i>Monarda</i> [punctata var. punctata + species 2 [=arkansana] + species 4 [=villicaulis]] | spotted bee balm | Forb |
| 7 | <i>Monarda russeliana</i> | <i>Monarda russeliana</i> | Russell's bee balm | Forb |
| 5 | <i>Monolepis nuttalliana</i> | <i>Blitum nuttallianum</i> | Nuttall's poverty-weed | Forb |
| 7 | <i>Monotropa hypopitys</i> | <i>Hypopitys</i> [lanuginosa + species 3] | pinesap | Forb |
| 7 | <i>Monotropa uniflora</i> | <i>Monotropa uniflora</i> | Indian-pipe | Forb |
| 0 | <i>MONTIA LINEARIS</i> | <i>MONTIA LINEARIS</i> | narrow-leaf miner's lettuce | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|--------------------------------|-------|
| 0 | <i>MORUS ALBA</i> * | <i>MORUS ALBA</i> * | white mulberry | Tree |
| 5 | <i>Morus rubra</i> | <i>Morus rubra</i> | red mulberry | Tree |
| 0 | <i>MOSLA DIANTHERA</i> * | <i>MOSLA DIANTHERA</i> * | miniature beefsteak-plant | Forb |
| 7 | <i>Muhlenbergia bushii</i> † | <i>Muhlenbergia bushii</i> † | nodding muhly | Gram |
| 9 | <i>Muhlenbergia capillaris</i> | <i>Muhlenbergia capillaris</i> | hair-awn muhly | Gram |
| 10 | <i>Muhlenbergia cuspidata</i> † | <i>Muhlenbergia cuspidata</i> † | plains muhly | Gram |
| 5 | <i>Muhlenbergia frondosa</i> | <i>Muhlenbergia frondosa</i> | wire-stem muhly | Gram |
| 7 | <i>Muhlenbergia glabrifloris</i> † | <i>Muhlenbergia glabrifloris</i> † | inland muhly | Gram |
| 1 | <i>Muhlenbergia schreberi</i> | <i>Muhlenbergia schreberi</i> | nimblewill | Gram |
| 7 | <i>Muhlenbergia sobolifera</i> | <i>Muhlenbergia sobolifera</i> | rock muhly | Gram |
| 5 | <i>Muhlenbergia sylvatica</i> | <i>Muhlenbergia sylvatica</i> | woodland muhly | Gram |
| 8 | <i>Muhlenbergia tenuiflora</i> | <i>Muhlenbergia tenuiflora</i> | slim-flower muhly | Gram |
| 0 | <i>MURDANNIA KEISAK</i> * | <i>MURDANNIA KEISAK</i> * | Asian-spiderwort | Forb |
| 0 | <i>MURDANNIA NUDIFLORA</i> | <i>MURDANNIA NUDIFLORA</i> | naked-stem dewflower | Forb |
| 0 | <i>MUSCARI BOTRYOIDES</i> | <i>MUSCARI BOTRYOIDES</i> | grape-hyacinth | Forb |
| 0 | <i>MUSCARI NEGLECTUM</i> | <i>MUSCARI NEGLECTUM</i> | grape-hyacinth | Forb |
| 0 | <i>MYOSOTIS DISCOLOR</i> | <i>MYOSOTIS DISCOLOR</i> | yellow-and-blue scorpion-grass | Forb |
| 4 | <i>Myosotis macrosperma</i> | <i>Myosotis macrosperma</i> | big-seed scorpion-grass | Forb |
| 6 | <i>Myosotis verna</i> | <i>Myosotis verna</i> | spring scorpion-grass | Forb |
| 2 | <i>Myosurus minimus</i> | <i>Myosurus minimus</i> | mousetail | Forb |
| 5 | <i>Myrica cerifera</i> | <i>Morella cerifera</i> | wax-myrtle | Shru |
| 7 | <i>Myrica heterophylla</i> | <i>Morella carolinensis</i> | bayberry | Shru |
| 0 | <i>MYRIOPHYLLUM AQUATICUM</i> * | <i>MYRIOPHYLLUM AQUATICUM</i> * | parrot's-feather | Forb |
| 5 | <i>Myriophyllum heterophyllum</i> | <i>Myriophyllum heterophyllum</i> | water-milfoil | Forb |
| 7 | <i>Myriophyllum pinnatum</i> | <i>Myriophyllum pinnatum</i> | cut-leaf water-milfoil | Forb |
| 0 | <i>MYRIOPHYLLUM SPICATUM</i> * | <i>MYRIOPHYLLUM SPICATUM</i> * | Eurasian water-milfoil | Forb |
| 5 | <i>Najas guadalupensis</i> subsp. <i>guadalupensis</i> | <i>Najas guadalupensis</i> var. <i>guadalupensis</i> | southern naiad | Forb |
| 0 | <i>NAJAS MINOR</i> * | <i>NAJAS MINOR</i> * | brittle naiad | Forb |
| 0 | <i>NANDINA DOMESTICA</i> * | <i>NANDINA DOMESTICA</i> * | nandina | Shru |
| 0 | <i>NARCISSUS</i> × <i>INCOMPARABILIS</i> | <i>NARCISSUS</i> × <i>INCOMPARABILIS</i> | nonesuch daffodil | Forb |
| 0 | <i>NARCISSUS</i> × <i>INTERMEDIUS</i> | <i>NARCISSUS</i> × <i>INTERMEDIUS</i> | Texas-star jonquil | Forb |
| 0 | <i>NARCISSUS</i> × <i>MEDIOLUTEUS</i> | <i>NARCISSUS</i> × <i>MEDIOLUTEUS</i> | primrose-peerless narcissus | Forb |
| 0 | <i>NARCISSUS</i> × <i>ODORUS</i> | <i>NARCISSUS</i> × <i>ODORUS</i> | Campernelle jonquil | Forb |
| 0 | <i>NARCISSUS JONQUILLA</i> | <i>NARCISSUS JONQUILLA</i> | jonquil | Forb |
| 0 | <i>NARCISSUS POETICUS</i> | <i>NARCISSUS POETICUS</i> | poet's narcissus | Forb |
| 0 | <i>NARCISSUS PSEUDONARCISSUS</i> | <i>NARCISSUS PSEUDONARCISSUS</i> | daffodil | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|-----------------------------|-------|
| 0 | NARCISSUS TAZETTA | NARCISSUS TAZETTA | bunch-flower narcissus | Forb |
| 6 | Nassella leucotricha† | Nassella leucotricha† | Texas winter grass | Gram |
| 0 | NASTURTIUM OFFICINALE* | NASTURTIUM OFFICINALE* | watercress | Forb |
| 6 | Nelumbo lutea | Nelumbo lutea | American lotus | Forb |
| 0 | NELUMBO NUCIFERA | NELUMBO NUCIFERA | sacred lotus | Forb |
| 10 | Nemastylis geminiflora† | Nemastylis geminiflora† | celestial-lily | Forb |
| 10 | Nemastylis nuttallii† | Nemastylis nuttallii† | Nuttall's pleat-leaf | Forb |
| 3 | Nemophila aphylla | Nemophila aphylla | small-flower baby-blue-eyes | Forb |
| 0 | NEMOPHILA MACULATA | NEMOPHILA MACULATA | fivespot | Forb |
| 7 | Nemophila phacelioides | Nemophila phacelioides | large-flower baby-blue-eyes | Forb |
| 8 | Neobreckia aquatica | Rorippa aquatica | lake cress | Forb |
| 0 | NEPETA CATARIA | NEPETA CATARIA | catnip | Forb |
| 0 | NEPHROLEPIS EXALTATA | NEPHROLEPIS [EXALTATA SSP. EXALTATA + HYBRID 1] | Boston sword fern | Fern |
| 9 | Neptunia lutea | Neptunia lutea | yellow-puff | Herb |
| 0 | NEPTUNIA OLERACEA | NEPTUNIA OLERACEA | water-mimosa | Herb |
| 9 | Neviusia alabamensis† | Neviusia alabamensis† | Alabama snow-wreath | Shrub |
| 0 | NICANDRA PHYSALODES | NICANDRA PHYSALODES | apple-of-Peru | Forb |
| 2 | Nothoscordum bivalve | Nothoscordum bivalve | crow-poison | Forb |
| 0 | NOTHOSCORDUM GRACILE | NOTHOSCORDUM GRACILE | slender false garlic | Forb |
| 6 | Nuphar advena | Nuphar ozarkana | yellow pond-lily | Forb |
| 6 | Nuttallanthus canadensis† | Linaria canadensis† | sand blue toadflax | Forb |
| 2 | Nuttallanthus texanus | Linaria texana | blue toadflax | Forb |
| 7 | Nymphaea odorata subsp. odorata | Nymphaea odorata ssp. odorata | fragrant water-lily | Forb |
| 0 | NYMPHOIDES PELTATA* | NYMPHOIDES PELTATA* | yellow floating-heart | Forb |
| 7 | Nyssa aquatica | Nyssa aquatica | tupelo | Tree |
| 8 | Nyssa biflora | Nyssa biflora | swamp black-gum | Tree |
| 5 | Nyssa sylvatica | Nyssa sylvatica | black-gum | Tree |
| 8 | Obolaria virginica† | Obolaria virginica† | Virginia pennywort | Forb |
| 0 | OENANTHE JAVANICA* | OENANTHE JAVANICA* | Java water-dropwort | Forb |
| 3 | Oenothera biennis | Oenothera biennis | evening-primrose | Forb |
| 8 | Oenothera clelandii† | Oenothera clelandii† | Cleland's evening-primrose | Forb |
| 8 | Oenothera fruticosa | Oenothera fruticosa var. goodmanii | sundrops | Forb |
| 0 | OENOTHERA GLAZIOVIANA | OENOTHERA GLAZIOVIANA | garden evening-primrose | Forb |
| 5 | Oenothera grandis | Oenothera grandis | evening-primrose | Forb |
| 6 | Oenothera heterophylla subsp. heterophylla† | Oenothera heterophylla ssp. heterophylla† | sandhill evening-primrose | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|-----------------------------------|-------|
| 6 | <i>Oenothera heterophylla</i> subsp. <i>orientalis</i> † | <i>Oenothera heterophylla</i> ssp. <i>orientalis</i> † | eastern sandhill evening-primrose | Forb |
| 1 | <i>Oenothera laciniata</i> | <i>Oenothera laciniata</i> | cut-leaf evening-primrose | Forb |
| 6 | <i>Oenothera linifolia</i> | <i>Oenothera linifolia</i> | thread-leaf sundrops | Forb |
| 9 | <i>Oenothera macrocarpa</i> subsp. <i>macrocarpa</i> | <i>Oenothera macrocarpa</i> ssp. <i>macrocarpa</i> | Missouri-primrose | Forb |
| 7 | <i>Oenothera pilosella</i> subsp. <i>pilosella</i> | <i>Oenothera pilosella</i> | sundrops | Forb |
| 10 | <i>Oenothera pilosella</i> subsp. <i>sessilis</i> † | <i>Oenothera sessilis</i> † | prairie evening-primrose | Forb |
| 6 | <i>Oenothera rhombipetala</i> | <i>Oenothera rhombipetala</i> | four-point evening-primrose | Forb |
| 8 | <i>Oenothera spachiana</i> † | <i>Oenothera spachiana</i> † | Spach's evening-primrose | Forb |
| 2 | <i>Oenothera speciosa</i> | <i>Oenothera speciosa</i> | showy evening-primrose | Forb |
| 6 | <i>Oenothera triloba</i> | <i>Oenothera triloba</i> | evening-primrose | Forb |
| 4 | <i>Oenothera villosa</i> subsp. <i>villosa</i> | <i>Oenothera villosa</i> ssp. <i>villosa</i> | evening-primrose | Forb |
| 4 | <i>Oldenlandia boscii</i> | <i>Oldenlandia boscii</i> | Bosc's bluet | Forb |
| 0 | OLDENLANDIA CORYMBOSA | OLDENLANDIA CORYMBOSA | bluet | Forb |
| 5 | <i>Oldenlandia uniflora</i> | <i>Edrastima uniflora</i> | oldenlandia | Forb |
| 6 | <i>Onoclea sensibilis</i> | <i>Onoclea sensibilis</i> | sensitive fern | Fern |
| 8 | <i>Onosmodium bejariense</i> var. <i>bejariense</i> | <i>Lithospermum bejariense</i> | marbleseed | Forb |
| 8 | <i>Onosmodium bejariense</i> var. <i>hispidissimum</i> | <i>Lithospermum parviflorum</i> | marbleseed | Forb |
| 7 | <i>Onosmodium bejariense</i> var. <i>subsetosum</i> | <i>Lithospermum subsetosum</i> | marbleseed | Forb |
| 5 | <i>Ophioglossum crotalophoroides</i> | <i>Ophioglossum crotalophoroides</i> | bulbous adder's-tongue fern | Fern |
| 7 | <i>Ophioglossum engelmannii</i> | <i>Ophioglossum engelmannii</i> | limestone adder's-tongue fern | Fern |
| 4 | <i>Ophioglossum nudicaule</i> | <i>Ophioglossum nudicaule</i> | least adder's-tongue fern | Fern |
| 0 | OPHIOGLOSSUM PETIOLATUM | OPHIOGLOSSUM PETIOLATUM | stalked adder's-tongue fern | Fern |
| 4 | <i>Ophioglossum pycnostichum</i> | <i>Ophioglossum pycnostichum</i> | southern adder's-tongue fern | Fern |
| 0 | OPHIOPOGON JAPONICUS | OPHIOPOGON JAPONICUS | mondo-grass | Forb |
| 6 | <i>Oplismenus hirtellus</i> | <i>Oplismenus setarius</i> | basket grass | Gram |
| 3 | <i>Opuntia cespitosa</i> | <i>Opuntia cespitosa</i> | prickly-pear | Shru |
| 7 | <i>Opuntia macrorhiza</i> | <i>Opuntia macrorhiza</i> | western prickly-pear | Shru |
| 9 | <i>Opuntia nemoralis</i> † | <i>Opuntia nemoralis</i> † | Ouachita prickly-pear | Shru |
| 8 | <i>Opuntia orbiculata</i> † | No match† | Texas prickly-pear | Shru |
| 7 | <i>Orbexilum onobrychis</i> † | <i>Orbexilum onobrychis</i> † | French-grass | Forb |
| 7 | <i>Orbexilum pedunculatum</i> var. <i>pedunculatum</i> | <i>Orbexilum pedunculatum</i> | Sampson's-snakeroot | Forb |
| 8 | <i>Orbexilum simplex</i> | <i>Orbexilum simplex</i> | leather-root | Forb |
| 0 | ORNITHOGALUM CAUDATUM | ALBUCA BRACTEATA | sea-onion | Forb |
| 0 | ORNITHOGALUM NUTANS | ORNITHOGALUM NUTANS | nodding star-of-Bethlehem | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|--------------------------|-------|
| 0 | ORNITHOGALUM UMBELLATUM | ORNITHOGALUM UMBELLATUM | star-of-Bethlehem | Forb |
| 8 | Orobanche uniflora | Aphyllon uniflorum | cancer-root | Forb |
| 0 | ORYZA SATIVA | ORYZA SATIVA | rice | Gram |
| 8 | Osmorhiza claytonii† | Osmorhiza claytonii† | hairy sweet-cicely | Forb |
| 7 | Osmorhiza longistylis | Osmorhiza longistylis | aniseroott | Forb |
| 10 | Osmunda claytoniana† | Claytosmunda claytoniana† | interrupted fern | Fern |
| 7 | Osmunda regalis var. spectabilis | Osmunda spectabilis | royal fern | Fern |
| 8 | Osmundastrum cinnamomeum | Osmundastrum cinnamomeum | cinnamon fern | Fern |
| 4 | Ostrya virginiana | Ostrya virginiana | hop-hornbeam | Tree |
| 0 | OTTELIA ALISMOIDES* | OTTELIA ALISMOIDES* | duck-lettuce | Forb |
| 0 | OXALIS ARTICULATA | OXALIS ARTICULATA | rose wood-sorrel | Forb |
| 0 | OXALIS CORNICULATA | OXALIS CORNICULATA | creeping wood-sorrel | Forb |
| 0 | OXALIS DEBILIS | OXALIS DEBILIS | pink wood-sorrel | Forb |
| 2 | Oxalis dillenii | Oxalis dillenii | yellow wood-sorrel | Forb |
| 6 | Oxalis florida | Oxalis florida | yellow wood-sorrel | Forb |
| 5 | Oxalis stricta | Oxalis stricta | yellow wood-sorrel | Forb |
| 6 | Oxalis texana | Oxalis texana | Texas yellow wood-sorrel | Forb |
| 6 | Oxalis violacea | Oxalis violacea | violet wood-sorrel | Forb |
| 0 | OXYCARYUM CUBENSE* | CYPERUS BLEPHAROLEPTOS* | Cuban club-rush | Gram |
| 8 | Oxypolis rigidior | Oxypolis rigidior | cowbane | Forb |
| 7 | Packera aurea | Packera aurea | golden ragwort | Forb |
| 2 | Packera glabella | Packera glabella | cress-leaf groundsel | Forb |
| 6 | Packera obovata | Packera obovata | round-leaf ragwort | Forb |
| 8 | Packera paupercula | Packera paupercula var. pseudotomentosa | balsam ragwort | Forb |
| 8 | Packera plattensis | Packera plattensis | prairie ragwort | Forb |
| 4 | Packera tampicana | Packera tampicana | Great Plains ragwort | Forb |
| 5 | Packera tomentosa | Packera dubia | woolly ragwort | Forb |
| 6 | Palafoxia callosa | Palafoxia callosa | small palafoxia | Forb |
| 4 | Palhinhaea cernua† | Palhinhaea cernua† | nodding club-moss | Fern |
| 10 | Panax quinquefolius | Panax quinquefolius | ginseng | Forb |
| 4 | Panicum anceps subsp. anceps | Coleataenia anceps ssp. anceps | beaked panic grass | Gram |
| 7 | Panicum brachyanthum | Kellochloa brachyantha | prairie panic grass | Gram |
| 2 | Panicum capillare subsp. capillare | Panicum capillare | witch grass | Gram |
| 1 | Panicum dichotomiflorum subsp. dichotomiflorum | Panicum dichotomiflorum var. dichotomiflorum | fall panic grass | Gram |
| 3 | Panicum flexile | Panicum flexile | wiry witch grass | Gram |
| 7 | Panicum hemitomon† | Hymenachne hemitoma† | maiden-cane | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|-----|--|--|--------------------------------|-------|
| 5 | Panicum philadelphicum subsp. gattingeri | Panicum philadelphicum ssp. gattingeri | Gattinger's witch grass | Gram |
| 5 | Panicum philadelphicum subsp. philadelphicum | Panicum philadelphicum ssp. philadelphicum | Philadelphia witch grass | Gram |
| 0 | PANICUM REPENS* | PANICUM REPENS* | torpedo grass | Gram |
| 8 | Panicum rigidulum subsp. pubescens† | Coleataenia longifolia ssp. longifolia† | red-top panic grass | Gram |
| 4 | Panicum rigidulum subsp. rigidulum | Coleataenia rigidula ssp. rigidula | red-top panic grass | Gram |
| 4 | Panicum verrucosum | Kellochloa verrucosa | warty panic grass | Gram |
| 6 | Panicum virgatum | Panicum virgatum var. virgatum | switch grass | Gram |
| 0 | PAPAVER DUBIUM | PAPAVER DUBIUM | blind-eyes | Forb |
| 0 | PAPAVER RHOEAS | PAPAVER RHOEAS | corn poppy | Forb |
| 0 | PARENTUCELLIA VIScosa | BELLARDIA VIScosa | yellow glandweed | Forb |
| 0 | PARIETARIA FLORIDANA | PARIETARIA FLORIDANA | Florida pellitory | Forb |
| 3 | Parietaria pensylvanica | Parietaria pensylvanica | pellitory | Forb |
| 10 | Parnassia asarifolia† | Parnassia asarifolia† | kidney-leaf grass-of-Parnassus | Forb |
| 10 | Parnassia grandifolia† | Parnassia grandifolia† | large-leaf grass-of-Parnassus | Forb |
| 6 | Paronychia canadensis | Paronychia canadensis | forked-chickweed | Forb |
| 4 | Paronychia fastigiata var. fastigiata | Paronychia fastigiata var. fastigiata | forked-chickweed | Forb |
| 10 | Paronychia virginica† | Paronychia scoparia† | yellow nailwort | Forb |
| 0 | PARTHENIUM HYSTEROPHORUS | PARTHENIUM HYSTEROPHORUS | Santa Maria feverfew | Forb |
| 8 | Parthenium integrifolium var. hispidum | Parthenium hispidum | wild quinine | Forb |
| 8 | Parthenium integrifolium var. integrifolium | Parthenium integrifolium var. integrifolium | wild quinine | Forb |
| 3 | Parthenocissus quinquefolia | Parthenocissus quinquefolia | Virginia-creeper | WVn |
| NMI | Pascopyrum smithii | Pascopyrum smithii | western wheat grass | Gram |
| 10 | Paspalidium geminatum† | Paspalidium geminatum† | Egyptian water grass | Gram |
| 9 | Paspalum bifidum† | Paspalum bifidum† | pitchfork paspalum | Gram |
| 8 | Paspalum boscianum† | Paspalum boscianum† | bull paspalum | Gram |
| 0 | PASPALUM DILATATUM | PASPALUM DILATATUM SSP. DILATATUM | Dallis grass | Gram |
| 5 | Paspalum dissectum | Paspalum dissectum | mudbank paspalum | Gram |
| 5 | Paspalum distichum | Paspalum distichum | knot grass | Gram |
| 6 | Paspalum floridanum | Paspalum floridanum | Florida paspalum | Gram |
| 4 | Paspalum laeve | Paspalum laeve [var. circulare + var. laeve] | field paspalum | Gram |
| 0 | PASPALUM NOTATUM | PASPALUM NOTATUM | Bahia grass | Gram |
| 4 | Paspalum plicatulum† | Paspalum plicatulum† | brown-seed paspalum | Gram |
| 9 | Paspalum praecox† | Paspalum praecox var. praecox† | early paspalum | Gram |
| 4 | Paspalum pubiflorum | Paspalum pubiflorum var. glabrum | hairy-seed paspalum | Gram |
| 7 | Paspalum repens | Paspalum fluitans | water paspalum | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|--|----------------------------|-------|
| 6 | <i>Paspalum setaceum</i> var. <i>ciliatifolium</i> | <i>Paspalum setaceum</i> var. <i>ciliatifolium</i> | fringe-leaf paspalum | Gram |
| 4 | <i>Paspalum setaceum</i> var. <i>muhlenbergii</i> | <i>Paspalum setaceum</i> var. <i>muhlenbergii</i> | hurrah grass | Gram |
| 7 | <i>Paspalum setaceum</i> var. <i>setaceum</i> | <i>Paspalum setaceum</i> var. <i>setaceum</i> | thin paspalum | Gram |
| 7 | <i>Paspalum setaceum</i> var. <i>stramineum</i> | <i>Paspalum setaceum</i> var. <i>stramineum</i> | yellow sand paspalum | Gram |
| 0 | PASPALUM URVILLEI* | PASPALUM URVILLEI* | Vasey's grass | Gram |
| 3 | <i>Passiflora incarnata</i> | <i>Passiflora incarnata</i> | purple passion-flower | Herb |
| 5 | <i>Passiflora lutea</i> | <i>Passiflora lutea</i> | yellow passion-flower | Herb |
| 0 | PASTINACA SATIVA* | PASTINACA SATIVA* | parsnip | Forb |
| 0 | PAULOWNIA TOMENTOSA* | PAULOWNIA TOMENTOSA* | princess-tree | Tree |
| 7 | <i>Pedicularis canadensis</i> | <i>Pedicularis canadensis</i> | wood-betony | Forb |
| 10 | <i>Pedicularis lanceolata</i> † | <i>Pedicularis lanceolata</i> † | swamp lousewort | Forb |
| 10 | <i>Pediomelum digitatum</i> † | <i>Pediomelum digitatum</i> † | palm-leaf Indian-breadroot | Forb |
| 9 | <i>Pediomelum esculentum</i> † | <i>Pediomelum esculentum</i> † | large Indian-breadroot | Forb |
| 10 | <i>Pediomelum hypogaeum</i> var. <i>subulatum</i> † | <i>Pediomelum hypogaeum</i> var. <i>subulatum</i> † | buried Indian-breadroot | Forb |
| 4 | <i>Pediomelum rhombifolium</i> | <i>Pediomelum rhombifolium</i> | Gulf Indian-breadroot | Forb |
| 6 | <i>Pellaea atropurpurea</i> | <i>Pellaea atropurpurea</i> | purple-stem cliff-brake | Fern |
| 10 | <i>Pellaea glabella</i> subsp. <i>glabella</i> | <i>Pellaea glabella</i> ssp. <i>glabella</i> | smooth cliff-brake | Fern |
| 10 | <i>Pellaea wrightiana</i> † | <i>Pellaea wrightiana</i> † | Wright's cliff-brake | Fern |
| 8 | <i>Peltandra virginica</i> | <i>Peltandra virginica</i> | arrow-arum | Forb |
| 0 | PENNISETUM ALOPECUROIDES* | CENCHRUS PURPURASCENS* | Chinese fountain grass | Gram |
| 7 | <i>Penstemon alluviorum</i> † | <i>Penstemon alluviorum</i> † | lowland beardtongue | Forb |
| 7 | <i>Penstemon arkansanus</i> | <i>Penstemon arkansanus</i> | Arkansas beardtongue | Forb |
| 10 | <i>Penstemon cobaea</i> † | <i>Penstemon cobaea</i> [var. <i>cobaea</i> + var. <i>purpureus</i>]† | showy beardtongue | Forb |
| 7 | <i>Penstemon digitalis</i> | <i>Penstemon digitalis</i> | foxglove beardtongue | Forb |
| 8 | <i>Penstemon laxiflorus</i> | <i>Penstemon laxiflorus</i> | beardtongue | Forb |
| 10 | <i>Penstemon murrayanus</i> † | <i>Penstemon murrayanus</i> † | scarlet beardtongue | Forb |
| 7 | <i>Penstemon pallidus</i> | <i>Penstemon pallidus</i> | beardtongue | Forb |
| 7 | <i>Penstemon tenuis</i> | <i>Penstemon tenuis</i> | beardtongue | Forb |
| 8 | <i>Penstemon tubiflorus</i> | <i>Penstemon tubaeformis</i> | beardtongue | Forb |
| 3 | <i>Penthorum sedoides</i> | <i>Penthorum sedoides</i> | ditch-stonewort | Forb |
| 0 | PENTODON PENTANDRUS | PENTODON PENTANDRUS | pentodon | Forb |
| 10 | <i>Perideridia americana</i> † | <i>Perideridia americana</i> † | eastern yampah | Forb |
| 0 | PERILLA FRUTESCENS* | PERILLA FRUTESCENS* | beefsteak-plant | Forb |
| 9 | <i>Persea borbonia</i> † | <i>Tamala borbonia</i> † | red bay | Tree |
| 8 | <i>Persicaria amphibia</i> | <i>Persicaria</i> [<i>amphibia</i> ssp. <i>laevimarginata</i> + <i>coccinea</i>] | water smartweed | Forb |
| 5 | <i>Persicaria bicornis</i> | <i>Persicaria bicornis</i> | pink smartweed | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|--------------------------------|-------|
| 6 | <i>Persicaria glabra</i> | <i>Persicaria densiflora</i> | smartweed | Forb |
| 0 | <i>PERSICARIA HYDROPIPER</i> | <i>PERSICARIA HYDROPIPER</i> | water-pepper | Forb |
| 5 | <i>Persicaria hydropiperoides</i> | <i>Persicaria hydropiperoides</i> | swamp smartweed | Forb |
| 2 | <i>Persicaria lapathifolia</i> | <i>Persicaria lapathifolia</i> | pale smartweed | Forb |
| 0 | <i>PERSICARIA LONGISETA</i> | <i>PERSICARIA LONGISETA</i> | bristly lady's-thumb | Forb |
| 0 | <i>PERSICARIA MACULOSA</i> | <i>PERSICARIA MACULOSA</i> | lady's-thumb | Forb |
| 0 | <i>PERSICARIA ORIENTALIS</i> | <i>PERSICARIA ORIENTALIS</i> | kiss-me-over-the-garden-gate | Forb |
| 3 | <i>Persicaria pensylvanica</i> | <i>Persicaria pensylvanica</i> | pink smartweed | Forb |
| 4 | <i>Persicaria punctata</i> | <i>Persicaria punctata</i> | dotted smartweed | Forb |
| 5 | <i>Persicaria sagittata</i> | <i>Persicaria sagittata</i> | arrow-leaf tear-thumb | Forb |
| 8 | <i>Persicaria setacea</i> | <i>Persicaria setacea</i> | bog smartweed | Forb |
| 4 | <i>Persicaria virginiana</i> | <i>Persicaria virginiana</i> | jumpseed | Forb |
| 0 | <i>PETRORHAGIA DUBIA</i> | <i>PETRORHAGIA DUBIA</i> | childing-pink | Forb |
| 0 | <i>PETRORHAGIA NANTEUILII</i> | <i>PETRORHAGIA NANTEUILII</i> | childing-pink | Forb |
| 0 | <i>PETRORHAGIA PROLIFERA</i> | <i>PETRORHAGIA PROLIFERA</i> | childing-pink | Forb |
| 0 | <i>PETUNIA ×ATKINSIANA</i> | <i>PETUNIA ×ATKINSIANA</i> | garden petunia | Forb |
| 8 | <i>Phacelia bipinnatifida</i> | <i>Phacelia bipinnatifida</i> | fern-leaf scorpion-weed | Forb |
| 5 | <i>Phacelia giliooides†</i> | <i>Phacelia giliooides†</i> | Brand's scorpion-weed | Forb |
| 8 | <i>Phacelia glabra</i> | <i>Phacelia glabra</i> | smooth scorpion-weed | Forb |
| 4 | <i>Phacelia hirsuta</i> | <i>Phacelia hirsuta</i> | hairy scorpion-weed | Forb |
| 6 | <i>Phacelia purshii†</i> | <i>Phacelia purshii</i> var. <i>purshii†</i> | Miami mist | Forb |
| 6 | <i>Phacelia ranunculacea</i> | <i>Phacelia ranunculacea</i> | buttercup scorpion-weed | Forb |
| 10 | <i>Phacelia strictiflora</i> var. <i>robbinsii†</i> | <i>Phacelia strictiflora</i> var. <i>robbinsii†</i> | Robbins' prairie scorpion-weed | Forb |
| 0 | <i>PHALARIS ARUNDINACEA*</i> | <i>PHALARIS ARUNDINACEA*</i> | reed canary grass | Gram |
| 0 | <i>PHALARIS CANARIENSIS</i> | <i>PHALARIS CANARIENSIS</i> | annual canary grass | Gram |
| 5 | <i>Phalaris caroliniana</i> | <i>Phalaris caroliniana</i> | Carolina canary grass | Gram |
| 7 | <i>Phanopyrum gymnocarpon</i> | <i>Phanopyrum gymnocarpon</i> | savannah panic grass | Gram |
| 7 | <i>Phaseolus polystachios</i> | <i>Phaseolus polystachios</i> | wild bean | Herb |
| 0 | <i>PHEGOPTERIS DECURSIVE-PINNATA</i> | <i>PHEGOPTERIS DECURSIVEPINNATA</i> | Japanese beech fern | Fern |
| 8 | <i>Phegopteris hexagonoptera</i> | <i>Phegopteris hexagonoptera</i> | broad beech fern | Fern |
| 0 | <i>PHELLODENDRON AMURENSE</i> | <i>PHELLODENDRON AMURENSE</i> | amur cork-tree | Tree |
| 9 | <i>Phemeranthus calcaricus</i> | <i>Phemeranthus calcaricus</i> | fameflower | Forb |
| 9 | <i>Phemeranthus calycinus</i> | <i>Phemeranthus calycinus</i> | fameflower | Forb |
| 9 | <i>Phemeranthus parviflorus</i> | <i>Phemeranthus parviflorus</i> | fameflower | Forb |
| 9 | <i>Phemeranthus rugospermus†</i> | <i>Phemeranthus rugospermus†</i> | rough-seed fameflower | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|---|------------------------------|-------|
| 8 | <i>Philadelphus hirsutus</i> † | <i>Philadelphus hirsutus</i> † | hairy mock orange | Shru |
| 0 | PHILADELPHUS INODORUS | PHILADELPHUS INODORUS | Appalachian mock orange | Shru |
| 8 | <i>Philadelphus pubescens</i> | <i>Philadelphus pubescens</i> | Ozark mock orange | Shru |
| 0 | PHLEUM PRATENSE SUBSP. PRATENSE | PHLEUM PRATENSE SSP. PRATENSE | Timothy | Gram |
| 9 | <i>Phlox amplifolia</i> † | <i>Phlox amplifolia</i> † | broad-leaf phlox | Forb |
| 8 | <i>Phlox bifida</i> subsp. <i>bifida</i> † | <i>Phlox bifida</i> † | sand phlox | Forb |
| 8 | <i>Phlox bifida</i> subsp. <i>stellaria</i> † | <i>Phlox bifida</i> † | starry sand phlox | Forb |
| 6 | <i>Phlox cuspidata</i> † | <i>Phlox cuspidata</i> † | slender annual phlox | Forb |
| 7 | <i>Phlox divaricata</i> subsp. <i>laphamii</i> | <i>Phlox divaricata</i> var. <i>laphamii</i> | wild blue phlox | Forb |
| 0 | PHLOX DRUMMONDII | PHLOX DRUMMONDII VAR. PEREGRINA | annual phlox | Forb |
| 8 | <i>Phlox glaberrima</i> | <i>Phlox glaberrima</i> | smooth phlox | Forb |
| 6 | <i>Phlox paniculata</i> | <i>Phlox paniculata</i> | perennial phlox | Forb |
| 6 | <i>Phlox pilosa</i> subsp. <i>ozarkana</i> | <i>Phlox pilosa</i> ssp. <i>ozarkana</i> | Ozark downy phlox | Forb |
| 6 | <i>Phlox pilosa</i> subsp. <i>pilosa</i> | <i>Phlox pilosa</i> ssp. <i>pilosa</i> | downy phlox | Forb |
| 0 | PHLOX SUBULATA | PHLOX SUBULATA | moss phlox | Forb |
| 5 | <i>Phoradendron leucarpum</i> | <i>Phoradendron leucarpum</i> ssp. <i>leucarpum</i> | mistletoe | Shru |
| 9 | <i>Photinia melanocarpa</i> † | <i>Aronia melanocarpa</i> † | black chokeberry | Shru |
| 7 | <i>Photinia pyrifolia</i> | <i>Aronia arbutifolia</i> | red chokeberry | Shru |
| 0 | PHOTINIA SERRATIFOLIA* | PHOTINIA SERRATIFOLIA* | Chinese photinia | Shru |
| 8 | <i>Phragmites australis</i> subsp. <i>americanus</i> † | <i>Phragmites americanus</i> † | American reed | Gram |
| 0 | PHRAGMITES AUSTRALIS SUBSP. AUSTRALIS* | PHRAGMITES AUSTRALIS* | common reed | Gram |
| 6 | <i>Phryma leptostachya</i> | <i>Phryma leptostachya</i> | lopseed | Forb |
| 3 | <i>Phyla lanceolata</i> | <i>Phyla lanceolata</i> | northern frog-fruit | Forb |
| 5 | <i>Phyla nodiflora</i> | <i>Phyla nodiflora</i> | turkey-tangle frog-fruit | Forb |
| 3 | <i>Phyllanthus caroliniensis</i> subsp. <i>caroliniensis</i> | <i>Phyllanthus caroliniensis</i> | Carolina leaf-flower | Forb |
| 10 | <i>Phyllanthus polygonoides</i> † | <i>Nellica polygonoides</i> † | knotweed leaf-flower | Forb |
| 0 | PHYLLANTHUS PUDENS | PHYLLANTHUS EVANESCENS | bird-seed leaf-flower | Forb |
| 0 | PHYLLANTHUS TENELLUS | MOERORIS TENELLA | Mascarene Island leaf-flower | Forb |
| 0 | PHYLLANTHUS URINARIA SUBSP. URINARIA | EMBLICA URINARIA | leaf-flower | Forb |
| 0 | PHYLLOSTACHYS AUREA* | PHYLLOSTACHYS AUREA* | golden bamboo | Shru |
| 1 | <i>Physalis angulata</i> | <i>Physalis angulata</i> | cut-leaf ground-cherry | Forb |
| 8 | <i>Physalis cinerascens</i> var. <i>cinerascens</i> † | <i>Physalis cinerascens</i> var. <i>cinerascens</i> † | small-flower ground-cherry | Forb |
| 3 | <i>Physalis cordata</i> | <i>Physalis cordata</i> | heart-leaf ground-cherry | Forb |
| 5 | <i>Physalis heterophylla</i> | <i>Physalis heterophylla</i> | clammy ground-cherry | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|---|--|--|------------------------------|-------|
| 4 | <i>Physalis longifolia</i> var. <i>longifolia</i> | <i>Physalis longifolia</i> var. <i>longifolia</i> | long-leaf ground-cherry | Forb |
| 4 | <i>Physalis longifolia</i> var. <i>subglabrata</i> | <i>Physalis longifolia</i> var. <i>subglabrata</i> | long-leaf ground-cherry | Forb |
| 8 | <i>Physalis macroisperma</i> † | <i>Physalis macroisperma</i> † | sandhills ground-cherry | Forb |
| 8 | <i>Physalis missouriensis</i> † | <i>Physalis missouriensis</i> † | Missouri ground-cherry | Forb |
| 5 | <i>Physalis mollis</i> | <i>Physalis mollis</i> | field ground-cherry | Forb |
| 0 | PHYSALIS PHILADELPHICA | PHYSALIS PHILADELPHICA | tomatillo | Forb |
| 3 | <i>Physalis pubescens</i> | <i>Physalis pubescens</i> | downy ground-cherry | Forb |
| 9 | <i>Physalis pumila</i> † | <i>Physalis pumila</i> var. <i>pumila</i> † | prairie ground-cherry | Forb |
| 6 | <i>Physalis virginiana</i> | <i>Physalis virginiana</i> | Virginia ground-cherry | Forb |
| 8 | <i>Physaria filiformis</i> † | <i>Physaria filiformis</i> † | Missouri bladderpod | Forb |
| 8 | <i>Physaria gracilis</i> subsp. <i>gracilis</i> † | <i>Physaria gracilis</i> ssp. <i>gracilis</i> † | slender bladderpod | Forb |
| 7 | <i>Physocarpus opulifolius</i> | <i>Physocarpus opulifolius</i> var. <i>intermedius</i> | ninebark | Shrub |
| 6 | <i>Physostegia angustifolia</i> | <i>Physostegia angustifolia</i> | narrow-leaf false dragonhead | Forb |
| 9 | <i>Physostegia digitalis</i> † | <i>Physostegia digitalis</i> † | foxglove false dragonhead | Forb |
| 8 | <i>Physostegia intermedia</i> | <i>Physostegia intermedia</i> | slender false dragonhead | Forb |
| 7 | <i>Physostegia virginiana</i> subsp. <i>praemorsa</i> | <i>Physostegia virginiana</i> ssp. <i>praemorsa</i> | obedient-plant | Forb |
| 2 | <i>Phytolacca americana</i> var. <i>americana</i> | <i>Phytolacca americana</i> | poke | Forb |
| 0 | PILEA MICROPHYLLA | PILEA MICROPHYLLA | artillery-weed | Forb |
| 3 | <i>Pilea pumila</i> | <i>Pilea pumila</i> | clearweed | Forb |
| 5 | <i>Pilularia americana</i> | <i>Pilularia americana</i> | American pillwort | Fern |
| 6 | <i>Pinus echinata</i> | <i>Pinus echinata</i> | short-leaf pine | Tree |
| 7 | <i>Pinus glabra</i> | <i>Pinus glabra</i> | spruce pine | Tree |
| 0 | PINUS PALUSTRIS | PINUS PALUSTRIS | long-leaf pine | Tree |
| 0 | PINUS STROBUS | PINUS STROBUS | eastern white pine | Tree |
| 4 | <i>Pinus taeda</i> • | <i>Pinus taeda</i> • | loblolly pine | Tree |
| 0 | PINUS VIRGINIANA | PINUS VIRGINIANA | Virginia pine | Tree |
| 6 | <i>Piptochaetium avenaceum</i> | <i>Piptochaetium avenaceum</i> | black-seed needle grass | Gram |
| 0 | PISTACIA CHINENSIS* | PISTACIA CHINENSIS* | Chinese pistache | Tree |
| 0 | PISUM SATIVUM | PISUM SATIVUM | garden pea | Forb |
| 7 | <i>Pityopsis graminifolia</i> var. <i>graminifolia</i> | <i>Pityopsis graminifolia</i> | grass-leaf golden-aster | Forb |
| 7 | <i>Pityopsis graminifolia</i> var. <i>latifolia</i> | <i>Pityopsis nervosa</i> | grass-leaf golden-aster | Forb |
| 6 | <i>Pityopsis graminifolia</i> var. <i>tenuifolia</i> | <i>Pityopsis</i> [microcephala + tenuifolia] | grass-leaf golden-aster | Forb |
| 0 | PLAGIOTHYRS FIGURATUS SUBSP. FIGURATUS | PLAGIOTHYRS FIGURATUS SSP. FIGURATUS | fragrant popcorn-flower | Forb |
| 6 | <i>Planera aquatica</i> | <i>Planera aquatica</i> | water-elm | Tree |
| 1 | <i>Planodes virginicum</i> | <i>Planodes virginicum</i> | Virginia rockcress | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|---------------------------|-------|
| 1 | <i>Plantago aristata</i> | <i>Plantago aristata</i> | bracted plantain | Forb |
| 10 | <i>Plantago cordata</i> † | <i>Plantago cordata</i> † | heart-leaf plantain | Forb |
| 3 | <i>Plantago heterophylla</i> | <i>Plantago heterophylla</i> | slender plantain | Forb |
| 0 | PLANTAGO LANCEOLATA | PLANTAGO LANCEOLATA | English plantain | Forb |
| 0 | PLANTAGO MAJOR | PLANTAGO MAJOR | great plantain | Forb |
| 8 | <i>Plantago patagonica</i> † | <i>Plantago patagonica</i> † | woolly plantain | Forb |
| 5 | <i>Plantago pusilla</i> | <i>Plantago pusilla</i> | dwarf plantain | Forb |
| 6 | <i>Plantago rhodosperma</i> † | <i>Plantago rhodosperma</i> † | red-seed plantain | Forb |
| 1 | <i>Plantago rugelii</i> | <i>Plantago rugelii</i> | black-seed plantain | Forb |
| 2 | <i>Plantago virginica</i> | <i>Plantago virginica</i> | hoary plantain | Forb |
| 7 | <i>Plantago wrightiana</i> † | <i>Plantago wrightiana</i> † | Wright's plantain | Forb |
| 10 | <i>Platanthera ×channellii</i> † | No match† | Channell's fringed orchid | Forb |
| 9 | <i>Platanthera ciliaris</i> | <i>Platanthera ciliaris</i> | yellow fringed orchid | Forb |
| 9 | <i>Platanthera clavellata</i> | <i>Platanthera clavellata</i> | small green wood orchid | Forb |
| 10 | <i>Platanthera cristata</i> † | <i>Platanthera cristata</i> † | crested fringed orchid | Forb |
| 9 | <i>Platanthera flava</i> † | <i>Platanthera flava</i> [var. <i>flava</i> + var. <i>herbiola</i>]† | southern rein orchid | Forb |
| 8 | <i>Platanthera lacera</i> | <i>Platanthera lacera</i> | green fringed orchid | Forb |
| 10 | <i>Platanthera nivea</i> † | <i>Platanthera nivea</i> † | snowy orchid | Forb |
| 9 | <i>Platanthera peramoena</i> † | <i>Platanthera peramoena</i> † | purple fringeless orchid | Forb |
| 3 | <i>Platanus occidentalis</i> | <i>Platanus occidentalis</i> var. <i>occidentalis</i> | sycamore | Tree |
| 7 | <i>Plectocephalus americanus</i> | <i>Plectocephalus americanus</i> | American basket-flower | Forb |
| 7 | <i>Pleopeltis polypodioides</i> var. <i>michauxiana</i> | <i>Pleopeltis michauxiana</i> | resurrection fern | Fern |
| 3 | <i>Pluchea camphorata</i> | <i>Pluchea camphorata</i> | camphorweed | Forb |
| 8 | <i>Pluchea foetida</i> | <i>Pluchea foetida</i> var. <i>foetida</i> | stinking camphorweed | Forb |
| 7 | <i>Pluchea odorata</i> var. <i>odorata</i> | <i>Pluchea odorata</i> var. <i>odorata</i> | sweetscent | Forb |
| 0 | POA ANNUA | POA ANNUA | annual blue grass | Gram |
| 0 | POA ARACHNIFERA | POA ARACHNIFERA | Texas blue grass | Gram |
| 7 | <i>Poa autumnalis</i> | <i>Poa autumnalis</i> | autumn blue grass | Gram |
| 0 | POA BULBOSA SUBSP. BULBOSA | POA BULBOSA VAR. BULBOSA | bulbous blue grass | Gram |
| 0 | POA BULBOSA SUBSP. VIVIPARA | POA BULBOSA VAR. VIVIPARA | bulbous blue grass | Gram |
| 7 | <i>Poa chapmaniana</i> | <i>Poa chapmaniana</i> | Chapman's blue grass | Gram |
| 0 | POA COMPRESSA | POA COMPRESSA | Canadian blue grass | Gram |
| 0 | POA PRATENSIS SUBSP. PRATENSIS* | POA PRATENSIS SSP. PRATENSIS* | Kentucky blue grass | Gram |
| 6 | <i>Poa sylvestris</i> | <i>Poa sylvestris</i> | woodland blue grass | Gram |
| 0 | POA TRIVIALIS* | POA TRIVIALIS SSP. TRIVIALIS* | rough blue grass | Gram |
| 8 | <i>Poa wolfii</i> † | <i>Poa wolfii</i> † | Wolf's blue grass | Gram |
| 6 | <i>Podophyllum peltatum</i> | <i>Podophyllum peltatum</i> | May-apple | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|----------------------|-------|
| 8 | <i>Podostemum ceratophyllum</i> | <i>Podostemum ceratophyllum</i> | riverweed | Forb |
| 10 | <i>Pogonia ophioglossoides</i> † | <i>Pogonia ophioglossoides</i> † | rose pogonia | Forb |
| 5 | <i>Polanisia dodecandra</i> subsp. <i>dodecandra</i> | <i>Polanisia dodecandra</i> ssp. <i>dodecandra</i> | clammy-weed | Forb |
| 5 | <i>Polanisia dodecandra</i> subsp. <i>trachysperma</i> | <i>Polanisia dodecandra</i> ssp. <i>trachysperma</i> | clammy-weed | Forb |
| 8 | <i>Polanisia erosa</i> subsp. <i>erosa</i> † | <i>Polanisia erosa</i> ssp. <i>erosa</i> † | sandhill clammy-weed | Forb |
| 8 | <i>Polemonium reptans</i> var. <i>reptans</i> | <i>Polemonium reptans</i> var. <i>reptans</i> | Jacob's-ladder | Forb |
| 0 | POLYCARPON TETRAPHYLLUM | POLYCARPON TETRAPHYLLUM SSP. TETRAPHYLLUM | four-leaf manyseed | Forb |
| 5 | <i>Polygala ambigua</i> | <i>Polygala ambigua</i> | whorled milkwort | Forb |
| 8 | <i>Polygala cruciata</i> | <i>Polygala cruciata</i> | drumheads | Forb |
| 8 | <i>Polygala incarnata</i> † | <i>Polygala incarnata</i> † | pink milkwort | Forb |
| 7 | <i>Polygala mariana</i> | <i>Polygala mariana</i> | Maryland milkwort | Forb |
| 9 | <i>Polygala nana</i> † | <i>Polygala nana</i> † | candyroot | Forb |
| 8 | <i>Polygala polygama</i> | <i>Polygala polygama</i> | racemed milkwort | Forb |
| 6 | <i>Polygala sanguinea</i> | <i>Polygala sanguinea</i> | purple milkwort | Forb |
| 7 | <i>Polygala senega</i> | <i>Polygala senega</i> var. <i>latifolia</i> | Seneca snakeroot | Forb |
| 6 | <i>Polygala verticillata</i> | <i>Polygala verticillata</i> var. <i>isocycla</i> | whorled milkweed | Forb |
| 8 | <i>Polygonatum biflorum</i> | <i>Polygonatum biflorum</i> [var. <i>biflorum</i> + var. <i>commutatum</i>] | Solomon's-seal | Forb |
| 9 | <i>Polygonella americana</i> | <i>Polygonella americana</i> | jointweed | Shrub |
| 0 | POLYGONUM AVICULARE SUBSP. AVICULARE | POLYGONUM AVICULARE SSP. AVICULARE | knotweed | Forb |
| 2 | <i>Polygonum aviculare</i> subsp. <i>buxiforme</i> | <i>Polygonum buxiforme</i> | knotweed | Forb |
| 0 | POLYGONUM AVICULARE SUBSP. DEPRESSUM | POLYGONUM AVICULARE SSP. DEPRESSUM | knotweed | Forb |
| 0 | POLYGONUM AVICULARE SUBSP. RURIVAGUM | POLYGONUM AVICULARE SSP. RURIVAGUM | knotweed | Forb |
| 4 | <i>Polygonum erectum</i> | <i>Polygonum erectum</i> | erect knotweed | Forb |
| 7 | <i>Polygonum ramosissimum</i> subsp. <i>prolificum</i> † | <i>Polygonum prolificum</i> † | saline knotweed | Forb |
| 4 | <i>Polygonum ramosissimum</i> subsp. <i>ramosissimum</i> | <i>Polygonum ramosissimum</i> | bulky knotweed | Forb |
| 7 | <i>Polygonum tenue</i> | <i>Duravia species 2</i> | pleat-leaf knotweed | Forb |
| 6 | <i>Polymnia canadensis</i> | <i>Polymnia canadensis</i> | white leafcup | Forb |
| 10 | <i>Polymnia cossatotensis</i> ‡† | <i>Polymnia cossatotensis</i> ‡† | Cossatot leafcup | Forb |
| 8 | <i>Polypodium virginianum</i> | <i>Polypodium virginianum</i> | rock polypody | Fern |
| 0 | POLYPOGON MONSPELIENSIS | POLYPOGON MONSPELIENSIS | rabbit's-foot grass | Gram |
| 5 | <i>Polypremum procumbens</i> | <i>Polypremum procumbens</i> | juniper-leaf | Forb |
| 5 | <i>Polystichum acrostichoides</i> | <i>Polystichum acrostichoides</i> | Christmas fern | Fern |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|-----|--|--|--------------------------|-------|
| 9 | <i>Polytaenia nuttallii</i> | <i>Polytaenia nuttallii</i> | prairie-parsley | Forb |
| 5 | <i>Pontederia cordata</i> | <i>Pontederia cordata</i> var. <i>cordata</i> | pickerel-weed | Forb |
| 0 | <i>POPULUS ×CANESCENS*</i> | <i>POPULUS ×CANESCENS*</i> | gray poplar | Tree |
| 0 | <i>POPULUS ALBA*</i> | <i>POPULUS ALBA*</i> | white poplar | Tree |
| 2 | <i>Populus deltoides</i> subsp. <i>deltoides</i> | <i>Populus deltoides</i> ssp. <i>deltoides</i> | eastern cottonwood | Tree |
| 7 | <i>Populus heterophylla</i> | <i>Populus heterophylla</i> | swamp cottonwood | Tree |
| 0 | <i>PORTULACA OLERACEA</i> | <i>PORTULACA OLERACEA</i> | purslane | Forb |
| 3 | <i>Portulaca pilosa</i> | <i>Portulaca pilosa</i> | hairy-purslane | Forb |
| 0 | <i>PORTULACA UMBRATICOLA</i> SUBSP. <i>LANCEOLATA</i> | <i>PORTULACA UMBRATICOLA</i> SSP. <i>LANCEOLATA</i> | wing-pod purslane | Forb |
| 8 | <i>Potamogeton amplifolius</i> | <i>Potamogeton amplifolius</i> | large-leaf pondweed | Forb |
| 0 | <i>POTAMOGETON CRISPUS*</i> | <i>POTAMOGETON CRISPUS*</i> | curly pondweed | Forb |
| 4 | <i>Potamogeton diversifolius</i> | <i>Potamogeton diversifolius</i> | pondweed | Forb |
| 8 | <i>Potamogeton foliosus</i> subsp. <i>foliosus</i> | <i>Potamogeton foliosus</i> var. <i>foliosus</i> | leafy pondweed | Forb |
| 8 | <i>Potamogeton illinoensis</i> | <i>Potamogeton illinoensis</i> | Illinois pondweed | Forb |
| 6 | <i>Potamogeton nodosus</i> | <i>Potamogeton nodosus</i> | long-leaf pondweed | Forb |
| 8 | <i>Potamogeton pulcher</i> | <i>Potamogeton pulcher</i> | spotted pondweed | Forb |
| 6 | <i>Potamogeton pusillus</i> subsp. <i>pusillus</i> | <i>Potamogeton pusillus</i> | small pondweed | Forb |
| 6 | <i>Potamogeton pusillus</i> subsp. <i>tenuissimus</i> | <i>Potamogeton berchtoldii</i> ssp. <i>berchtoldii</i> | small pondweed | Forb |
| 5 | <i>Potentilla canadensis</i> | <i>Potentilla canadensis</i> | cinquefoil | Herb |
| 3 | <i>Potentilla norvegica</i> | <i>Potentilla norvegica</i> | rough cinquefoil | Forb |
| 0 | <i>POTENTILLA RECTA</i> | <i>POTENTILLA RECTA</i> | sulphur cinquefoil | Forb |
| 5 | <i>Potentilla simplex</i> | <i>Potentilla simplex</i> | oldfield cinquefoil | Herb |
| 8 | <i>Prenanthes alba</i> † | <i>Nabalus albus</i> † | white rattlesnake-root | Forb |
| 5 | <i>Prenanthes altissima</i> | <i>Nabalus altissimus</i> | tall rattlesnake-root | Forb |
| 9 | <i>Prenanthes aspera</i> † | <i>Nabalus asper</i> † | prairie rattlesnake-root | Forb |
| 8 | <i>Prenanthes barbata</i> † | <i>Nabalus barbatus</i> † | barbed rattlesnake-root | Forb |
| 7 | <i>Prenanthes crepidinea</i> | <i>Nabalus crepidineus</i> | nodding rattlesnake-root | Forb |
| 10 | <i>Primula frenchii</i> † | <i>Primula frenchii</i> † | French's shooting-star | Forb |
| 9 | <i>Primula meadia</i> | <i>Primula meadia</i> | shooting-star | Forb |
| 2 | <i>Proboscidea louisianica</i> | <i>Proboscidea louisiana</i> ssp. <i>louisiana</i> | unicorn-plant | Forb |
| 10 | <i>Prosartes lanuginosa</i> † | <i>Prosartes lanuginosa</i> † | yellow mandarin | Forb |
| 7 | <i>Proserpinaca palustris</i> | <i>Proserpinaca palustris</i> | mermaid-weed | Forb |
| 0 | <i>PROSOPIS GLANDULOSA</i> VAR. <i>GLANDULOSA</i> | <i>NELTUMA GLANDULOSA</i> VAR. <i>GLANDULOSA</i> | mesquite | Tree |
| 3 | <i>Prunella vulgaris</i> subsp. <i>lanceolata</i> | <i>Prunella vulgaris</i> var. <i>lanceolata</i> | heal-all | Forb |
| NMI | <i>Prunus americana</i> † | <i>Prunus americana</i> † | American plum | Shru |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|-----|---|--|------------------------------|-------|
| 5 | <i>Prunus angustifolia</i> | <i>Prunus angustifolia</i> | Chickasaw plum | Shru |
| 2 | <i>Prunus caroliniana</i> • | <i>Prunus caroliniana</i> • | Carolina laurel cherry | Tree |
| 9 | <i>Prunus gracilis</i> † | <i>Prunus gracilis</i> † | Oklahoma plum | Shru |
| 3 | <i>Prunus hortulana</i> | <i>Prunus hortulana</i> | hortulan plum | Tree |
| 0 | <i>PRUNUS MAHALEB</i> * | <i>PRUNUS MAHALEB</i> * | perfumed cherry | Tree |
| 5 | <i>Prunus mexicana</i> | <i>Prunus mexicana</i> | bigtree plum | Tree |
| 5 | <i>Prunus munsoniana</i> | <i>Prunus munsoniana</i> | wild goose plum | Tree |
| 0 | <i>PRUNUS PERSICA</i> | <i>PRUNUS PERSICA</i> | peach | Tree |
| 10 | <i>Prunus pumila</i> var. <i>susquehanae</i> † | <i>Prunus susquehanae</i> † | sand cherry | Shru |
| 7 | <i>Prunus rivularis</i> | <i>Prunus rivularis</i> | creek plum | Shru |
| 3 | <i>Prunus serotina</i> | <i>Prunus serotina</i> var. <i>serotina</i> | black cherry | Tree |
| 7 | <i>Prunus umbellata</i> | <i>Prunus umbellata</i> | sloe plum | Tree |
| 7 | <i>Pseudognaphalium helleri</i> | <i>Pseudognaphalium helleri</i> | rabbit-tobacco | Forb |
| 0 | <i>PSEUDOGNAPHALIUM LUTEOALBUM</i> | <i>LAPHANGIUM LUTEOALBUM</i> | red-tip rabbit-tobacco | Forb |
| 2 | <i>Pseudognaphalium obtusifolium</i> | <i>Pseudognaphalium obtusifolium</i> | rabbit-tobacco | Forb |
| 8 | <i>Pseudolycopodiella caroliniana</i> † | <i>Pseudolycopodiella caroliniana</i> † | slender bog club-moss | Fern |
| NMI | <i>Psilotum nudum</i> †• | <i>Psilotum nudum</i> †• | whisk fern | Fern |
| 8 | <i>Ptelea trifoliata</i> | <i>Ptelea trifoliata</i> [var. 1 [=polyadenia] + var. <i>persicifolia</i> + var. <i>trifoliata</i>] | wafer-ash | Shru |
| 3 | <i>Pteridium aquilinum</i> var. <i>latiusculum</i> | <i>Pteridium latiusculum</i> | eastern bracken fern | Fern |
| 3 | <i>Pteridium aquilinum</i> var. <i>pseudocaudatum</i> | <i>Pteridium pseudocaudatum</i> | southern bracken fern | Fern |
| 0 | <i>PTERIS MULTIFIDA</i> | <i>PTERIS MULTIFIDA</i> | spider brake | Fern |
| 5 | <i>Ptilimnium capillaceum</i> | <i>Ptilimnium capillaceum</i> | Atlantic mock bishop's-weed | Forb |
| 8 | <i>Ptilimnium costatum</i> † | <i>Ptilimnium costatum</i> † | big mock bishop's-weed | Forb |
| 10 | <i>Ptilimnium nodosum</i> † | <i>Harperella nodosa</i> † | harperella | Forb |
| 4 | <i>Ptilimnium nuttallii</i> | <i>Ptilimnium nuttallii</i> | Nuttall's mock bishop's-weed | Forb |
| 8 | <i>Ptilimnium texense</i> † | <i>Ptilimnium texense</i> † | Texas mock bishop's-weed | Forb |
| 0 | <i>PUERARIA MONTANA</i> VAR. <i>LOBATA</i> * | <i>PUERARIA MONTANA</i> VAR. <i>LOBATA</i> * | kudzu | WVn |
| 7 | <i>Pycnanthemum albescens</i> | <i>Pycnanthemum albescens</i> | white-leaf mountain-mint | Forb |
| 6 | <i>Pycnanthemum muticum</i> | <i>Pycnanthemum muticum</i> var. <i>muticum</i> | short-tooth mountain-mint | Forb |
| 7 | <i>Pycnanthemum pilosum</i> | <i>Pycnanthemum pilosum</i> | hairy mountain-mint | Forb |
| 6 | <i>Pycnanthemum tenuifolium</i> | <i>Pycnanthemum tenuifolium</i> | slender mountain-mint | Forb |
| 9 | <i>Pycnanthemum virginianum</i> † | <i>Pycnanthemum virginianum</i> † | Virginia mountain-mint | Forb |
| 0 | <i>PYRACANTHA COCCINEA</i> | <i>PYRACANTHA COCCINEA</i> | scarlet firethorn | Shru |
| 0 | <i>PYRACANTHA KOIDZUMII</i> | <i>PYRACANTHA KOIDZUMII</i> | Formosa firethorn | Shru |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|----------------------------|-------|
| 2 | <i>Pyrrhopappus carolinianus</i> | <i>Pyrrhopappus carolinianus</i> | false dandelion | Forb |
| 7 | <i>Pyrrhopappus pauciflorus</i> † | <i>Pyrrhopappus pauciflorus</i> † | few-flower false dandelion | Forb |
| 0 | <i>PYRUS CALLERYANA</i> * | <i>PYRUS CALLERYANA</i> * | Callery pear | Tree |
| 0 | <i>PYRUS COMMUNIS</i> | <i>PYRUS COMMUNIS</i> | pear | Tree |
| 10 | <i>Quercus acerifolia</i> ‡† | <i>Quercus acerifolia</i> ‡† | maple-leaf oak | Tree |
| 0 | <i>QUERCUS ACUTISSIMA</i> | <i>QUERCUS ACUTISSIMA</i> | sawtooth oak | Tree |
| 5 | <i>Quercus alba</i> | <i>Quercus alba</i> | white oak | Tree |
| 7 | <i>Quercus arkansana</i> | <i>Quercus arkansana</i> | Arkansas oak | Tree |
| 6 | <i>Quercus coccinea</i> | <i>Quercus coccinea</i> | scarlet oak | Tree |
| 5 | <i>Quercus falcata</i> | <i>Quercus falcata</i> | southern red oak | Tree |
| 9 | <i>Quercus hemisphaerica</i> † | <i>Quercus hemisphaerica</i> † | Darlington's oak | Tree |
| 4 | <i>Quercus imbricaria</i> | <i>Quercus imbricaria</i> | shingle oak | Tree |
| 9 | <i>Quercus incana</i> | <i>Quercus incana</i> | bluejack oak | Tree |
| 8 | <i>Quercus laurifolia</i> | <i>Quercus laurifolia</i> | laurel oak | Tree |
| 7 | <i>Quercus lyrata</i> | <i>Quercus lyrata</i> | overcup oak | Tree |
| 7 | <i>Quercus macrocarpa</i> | <i>Quercus macrocarpa</i> var. <i>macrocarpa</i> | bur oak | Tree |
| 8 | <i>Quercus margarettae</i> | <i>Quercus margarettae</i> | sand post oak | Tree |
| 8 | <i>Quercus marilandica</i> var. <i>ashei</i> | <i>Quercus marilandica</i> var. <i>ashei</i> | blackjack oak | Tree |
| 8 | <i>Quercus marilandica</i> var. <i>marilandica</i> | <i>Quercus marilandica</i> var. <i>marilandica</i> | blackjack oak | Tree |
| 7 | <i>Quercus michauxii</i> | <i>Quercus michauxii</i> | swamp chestnut oak | Tree |
| 6 | <i>Quercus muehlenbergii</i> | <i>Quercus muehlenbergii</i> | chinquapin oak | Tree |
| 4 | <i>Quercus nigra</i> | <i>Quercus nigra</i> | water oak | Tree |
| 6 | <i>Quercus pagoda</i> | <i>Quercus pagoda</i> | cherrybark oak | Tree |
| 7 | <i>Quercus palustris</i> | <i>Quercus palustris</i> | pin oak | Tree |
| 5 | <i>Quercus phellos</i> | <i>Quercus phellos</i> | willow oak | Tree |
| 10 | <i>Quercus prinoides</i> † | <i>Quercus prinoides</i> † | dwarf chinquapin oak | Shrub |
| 6 | <i>Quercus rubra</i> | <i>Quercus rubra</i> var. <i>rubra</i> | northern red oak | Tree |
| 7 | <i>Quercus shumardii</i> var. <i>schneckii</i> | <i>Quercus shumardii</i> | Schneck's oak | Tree |
| 7 | <i>Quercus shumardii</i> var. <i>shumardii</i> | <i>Quercus shumardii</i> | Shumard's oak | Tree |
| 8 | <i>Quercus similis</i> | <i>Quercus similis</i> | delta post oak | Tree |
| 9 | <i>Quercus sinuata</i> var. <i>breviloba</i> † | <i>Quercus durandii</i> var. <i>breviloba</i> † | Durand's white oak | Tree |
| 9 | <i>Quercus sinuata</i> var. <i>sinuata</i> † | <i>Quercus durandii</i> var. <i>durandii</i> † | Durand's white oak | Tree |
| 6 | <i>Quercus stellata</i> | <i>Quercus stellata</i> | post oak | Tree |
| 7 | <i>Quercus texana</i> | <i>Quercus texana</i> | Nuttall's oak | Tree |
| 5 | <i>Quercus velutina</i> | <i>Quercus velutina</i> | black oak | Tree |
| 0 | <i>QUERCUS VIRGINIANA</i> | <i>QUERCUS VIRGINIANA</i> | live oak | Tree |
| 2 | <i>Ranunculus abortivus</i> | <i>Ranunculus abortivus</i> | small-flower crowfoot | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|---|---|--|--------------------------|-------|
| 7 | <i>Ranunculus aquatilis</i> var. <i>diffusus</i> † | <i>Ranunculus longirostris</i> † | white water crowfoot | Forb |
| 0 | RANUNCULUS ARVENSIS | RANUNCULUS ARVENSIS | corn buttercup | Forb |
| 0 | RANUNCULUS BULBOSUS | RANUNCULUS BULBOSUS | bulbous buttercup | Forb |
| 6 | <i>Ranunculus fascicularis</i> | <i>Ranunculus fascicularis</i> | early buttercup | Forb |
| 9 | <i>Ranunculus flabellaris</i> † | <i>Ranunculus flabellaris</i> † | yellow water crowfoot | Forb |
| 8 | <i>Ranunculus harveyi</i> var. <i>harveyi</i> | <i>Ranunculus harveyi</i> | Harvey's buttercup | Forb |
| 7 | <i>Ranunculus hispidus</i> var. <i>hispidus</i> | <i>Ranunculus hispidus</i> | hispid buttercup | Forb |
| 7 | <i>Ranunculus hispidus</i> var. <i>nitidus</i> | <i>Ranunculus septentrionalis</i> | swamp buttercup | Forb |
| 7 | <i>Ranunculus laxicaulis</i> | <i>Ranunculus laxicaulis</i> | water-plantain spearwort | Forb |
| 4 | <i>Ranunculus micranthus</i> | <i>Ranunculus micranthus</i> | rock buttercup | Forb |
| 0 | RANUNCULUS MURICATUS | RANUNCULUS MURICATUS | rough-seed buttercup | Forb |
| 0 | RANUNCULUS PARVIFLORUS | RANUNCULUS PARVIFLORUS | small-flower buttercup | Forb |
| 3 | <i>Ranunculus pusillus</i> | <i>Ranunculus pusillus</i> | low spearwort | Forb |
| 6 | <i>Ranunculus recurvatus</i> var. <i>recurvatus</i> | <i>Ranunculus recurvatus</i> var. <i>recurvatus</i> | hooked buttercup | Forb |
| 0 | RANUNCULUS REPENS* | RANUNCULUS REPENS* | creeping buttercup | Forb |
| 0 | RANUNCULUS SARDOUS | RANUNCULUS SARDOUS | hairy buttercup | Forb |
| 3 | <i>Ranunculus sceleratus</i> var. <i>sceleratus</i> | <i>Ranunculus sceleratus</i> var. <i>sceleratus</i> | cursed buttercup | Forb |
| 0 | RAPHANUS RAPHANISTRUM | RAPHANUS RAPHANISTRUM SSP. RAPHANISTRUM | wild radish | Forb |
| 0 | RAPHANUS SATIVUS | RAPHANUS SATIVUS | garden radish | Forb |
| 5 | <i>Ratibida columnifera</i> | <i>Ratibida columnifera</i> | Mexican-hat | Forb |
| 7 | <i>Ratibida pinnata</i> | <i>Ratibida pinnata</i> | gray-head coneflower | Forb |
| 0 | RHAMNUS CATHARTICA* | RHAMNUS CATHARTICA* | European buckthorn | Shru |
| 0 | RHAMNUS DAVURICA* | RHAMNUS DAVURICA* | Japanese buckthorn | Shru |
| 8 | <i>Rhamnus lanceolata</i> | <i>Endotropis lanceolata</i> | lance-leaf buckthorn | Tree |
| 6 | <i>Rhexia mariana</i> var. <i>interior</i> | <i>Rhexia interior</i> | meadow-beauty | Forb |
| 6 | <i>Rhexia mariana</i> var. <i>mariana</i> | <i>Rhexia mariana</i> var. <i>mariana</i> | meadow-beauty | Forb |
| 7 | <i>Rhexia virginica</i> | <i>Rhexia virginica</i> | wing-stem meadow-beauty | Forb |
| 7 | <i>Rhododendron canescens</i> | <i>Rhododendron canescens</i> | hoary azalea | Shru |
| 7 | <i>Rhododendron prinophyllum</i> | <i>Rhododendron prinophyllum</i> | mountain azalea | Shru |
| 8 | <i>Rhododendron viscosum</i> var. <i>serrulatum</i> | <i>Rhododendron serrulatum</i> | swamp white azalea | Shru |
| 7 | <i>Rhododendron viscosum</i> var. <i>viscosum</i> | <i>Rhododendron viscosum</i> var. <i>viscosum</i> | white azalea | Shru |
| 0 | RHODOTYPOS SCANDENS* | RHODOTYPOS SCANDENS* | jetbead | Shru |
| 6 | <i>Rhus aromatica</i> var. <i>aromatica</i> | <i>Rhus aromatica</i> var. <i>aromatica</i> | fragrant sumac | Shru |
| 7 | <i>Rhus aromatica</i> var. <i>serotina</i> | <i>Rhus aromatica</i> var. <i>serotina</i> | fragrant sumac | Shru |
| 3 | <i>Rhus copallina</i> | <i>Rhus copallina</i> [var. <i>copallina</i> + var. <i>latifolia</i>] | winged sumac | Shru |
| 3 | <i>Rhus glabra</i> | <i>Rhus glabra</i> | smooth sumac | Shru |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|--|----------------------------|-------|
| 8 | <i>Rhus trilobata</i> var. <i>trilobata</i> † | <i>Rhus trilobata</i> † | skunk-bush sumac | Shru |
| 8 | <i>Rhynchosia difformis</i> † | <i>Rhynchosia difformis</i> † | snout-bean | Herb |
| 8 | <i>Rhynchosia latifolia</i> | <i>Rhynchosia latifolia</i> | snout-bean | Herb |
| 3 | <i>Rhynchosia minima</i> † | <i>Rhynchosia minima</i> † | least snout-bean | Herb |
| 6 | <i>Rhynchospora angusta</i> | <i>Rhynchospora angusta</i> | narrow-fruited beaksedge | Gram |
| 6 | <i>Rhynchospora caduca</i> | <i>Rhynchospora caduca</i> | beaksedge | Gram |
| 10 | <i>Rhynchospora capillacea</i> † | <i>Rhynchospora capillacea</i> † | capillary beaksedge | Gram |
| 7 | <i>Rhynchospora capitellata</i> | <i>Rhynchospora capitellata</i> | beaksedge | Gram |
| 8 | <i>Rhynchospora colorata</i> † | <i>Rhynchospora colorata</i> † | white-top sedge | Gram |
| 4 | <i>Rhynchospora corniculata</i> | <i>Rhynchospora corniculata</i> | horned beaksedge | Gram |
| 9 | <i>Rhynchospora globularis</i> var. <i>globularis</i> † | <i>Rhynchospora globularis</i> † | globe beaksedge | Gram |
| 6 | <i>Rhynchospora glomerata</i> | <i>Rhynchospora glomerata</i> | beaksedge | Gram |
| 8 | <i>Rhynchospora gracilenta</i> † | <i>Rhynchospora gracilenta</i> † | slender beaksedge | Gram |
| 8 | <i>Rhynchospora harveyi</i> var. <i>harveyi</i> | <i>Rhynchospora harveyi</i> | Harvey's beaksedge | Gram |
| 6 | <i>Rhynchospora inexpansa</i> | <i>Rhynchospora inexpansa</i> | nodding beaksedge | Gram |
| 7 | <i>Rhynchospora macrostachya</i> † | <i>Rhynchospora macrostachya</i> † | prairie horned beaksedge | Gram |
| 10 | <i>Rhynchospora microcarpa</i> † | <i>Rhynchospora microcarpa</i> † | southern beaksedge | Gram |
| 10 | <i>Rhynchospora plumosa</i> † | <i>Rhynchospora plumosa</i> † | plumed beaksedge | Gram |
| 9 | <i>Rhynchospora rariflora</i> † | <i>Rhynchospora rariflora</i> † | few-flower beaksedge | Gram |
| 5 | <i>Rhynchospora recognita</i> | <i>Rhynchospora cymosa</i> | beaksedge | Gram |
| 8 | <i>Rhynchospora scirpoides</i> † | <i>Rhynchospora scirpoides</i> † | long-beak bald-rush | Gram |
| 10 | <i>Rhynchospora stiletto</i> † | <i>Rhynchospora stiletto</i> † | stiletto beaksedge | Gram |
| 8 | <i>Ribes aureum</i> var. <i>villosum</i> | <i>Ribes aureum</i> var. <i>villosum</i> | golden currant | Shru |
| 8 | <i>Ribes curvatum</i> | <i>Ribes curvatum</i> | granite gooseberry | Shru |
| 8 | <i>Ribes cynosbati</i> † | <i>Ribes cynosbati</i> † | prickly gooseberry | Shru |
| 6 | <i>Ribes missouriense</i> | <i>Ribes missouriense</i> | Missouri gooseberry | Shru |
| 0 | <i>RICHARDIA SCABRA</i> | <i>RICHARDIA SCABRA</i> | rough Mexican-clover | Forb |
| 0 | <i>RICINUS COMMUNIS</i> | <i>RICINUS COMMUNIS</i> | castor-bean | Forb |
| 6 | <i>Robinia hartwигii</i> † | <i>Robinia hartwигii</i> † | Hartwig's clammy locust | Shru |
| 0 | <i>ROBINIA HISPIDA VAR. HISPIDA</i> | <i>ROBINIA HISPIDA VAR. HISPIDA</i> | bristly locust | Shru |
| 3 | <i>Robinia pseudoacacia</i> • | <i>Robinia pseudoacacia</i> • | black locust | Tree |
| 6 | <i>Robinia viscosa</i> † | <i>Robinia viscosa</i> † | clammy locust | Shru |
| 2 | <i>Rorippa palustris</i> var. <i>fernaldiana</i> | <i>Rorippa palustris</i> ssp. <i>palustris</i> | marsh yellowcress | Forb |
| 2 | <i>Rorippa sessiliiflora</i> | <i>Rorippa sessiliiflora</i> | sessile-flower yellowcress | Forb |
| 3 | <i>Rorippa sinuata</i> | <i>Rorippa sinuata</i> | spreading yellowcress | Forb |
| 0 | <i>RORIPPA SYLVESTRIS</i> | <i>RORIPPA SYLVESTRIS</i> | creeping yellowcress | Forb |
| 0 | <i>RORIPPA TERES VAR. TERES</i> | <i>RORIPPA TERES</i> | yellowcress | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|-----|-----------------------------------|--|-----------------------------|-------|
| 0 | ROSA BRACTEATA* | ROSA BRACTEATA* | McCartney rose | Shru |
| 7 | Rosa carolina subsp. carolina | Rosa carolina ssp. carolina | Carolina rose | Shru |
| 7 | Rosa carolina subsp. subserrulata | Rosa carolina ssp. subserrulata | prickly Carolina rose | Shru |
| 10 | Rosa foliolosa† | Rosa foliolosa† | white prairie rose | Shru |
| 0 | ROSA LAEVIGATA | ROSA LAEVIGATA | Cherokee rose | Shru |
| 0 | ROSA LUCIEAE | ROSA LUCIEAE | memorial rose | Shru |
| 0 | ROSA MULTIFLORA* | ROSA MULTIFLORA* | multiflora rose | Shru |
| 7 | Rosa palustris | Rosa palustris | swamp rose | Shru |
| 0 | ROSA RUBIGINOSA | ROSA RUBIGINOSA [VAR. NEMORALIS + VAR. RUBIGINOSA] | sweetbrier rose | Shru |
| 6 | Rosa setigera | Rosa setigera | climbing rose | Shru |
| 0 | ROTALA INDICA | ROTALA INDICA | Indian toothcup | Forb |
| 3 | Rotala ramosior | Rotala ramosior | toothcup | Forb |
| 0 | ROTTBOELLIA COCHINCHINENSIS* | ROTTBOELLIA COCHINCHINENSIS* | itch grass | Gram |
| 4 | Rubus aboriginum | Rubus aboriginum | dewberry | WVn |
| 4 | Rubus allegheniensis | Rubus allegheniensis | high-bush blackberry | Shru |
| 4 | Rubus alumnus | Rubus alumnus | high-bush blackberry | Shru |
| 4 | Rubus argutus | Rubus [argutus + pensylvanicus] | high-bush blackberry | Shru |
| 0 | RUBUS ARMENIACUS* | RUBUS BIFRONS* | Himalayan blackberry | Shru |
| NMI | Rubus bushii | No match | Bush's high-bush blackberry | Shru |
| 3 | Rubus curtipes | Rubus curtipes | short-stalk dewberry | WVn |
| 7 | Rubus enslenii | Rubus enslenii | dewberry | WVn |
| 3 | Rubus flagellaris | Rubus flagellaris | northern dewberry | WVn |
| 2 | Rubus frondosus | Rubus [frondosus + pensylvanicus] | high-bush blackberry | Shru |
| NMI | Rubus ictus | No match | savannah dewberry | WVn |
| 4 | Rubus laudatus | Rubus [laudatus + pensylvanicus] | high-bush blackberry | Shru |
| 4 | Rubus leviculus | Rubus leviculus | dewberry | WVn |
| NMI | Rubus louisianus | Rubus [argutus + pensylvanicus] | high-bush blackberry | Shru |
| 6 | Rubus meracus | Rubus meracus | dewberry | WVn |
| 5 | Rubus mollior | Rubus mollior | high-bush blackberry | Shru |
| 3 | Rubus occidentalis | Rubus occidentalis | black raspberry | Shru |
| 0 | RUBUS PHOENICOLASIUS* | RUBUS PHOENICOLASIUS* | wineberry | Shru |
| 6 | Rubus roribaccus | Rubus roribaccus | Lucretia dewberry | WVn |
| NMI | Rubus rubrisetus | No match | dewberry | WVn |
| 4 | Rubus satis | Rubus satis | dewberry | WVn |
| 0 | RUBUS SERISSIMUS* | NO MATCH* | everbearing blackberry | Shru |
| NMI | Rubus sons | No match | southern dewberry | WVn |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|-----|--|--|--------------------------|-------|
| 3 | <i>Rubus steelei</i> | <i>Rubus steelei</i> | Steele's dewberry | WVn |
| NMI | <i>Rubus suus</i> | No match | high-bush blackberry | Shru |
| 2 | <i>Rubus trivialis</i> | <i>Rubus trivialis</i> | southern dewberry | WVn |
| 4 | <i>Rudbeckia amplexicaulis</i> | <i>Dracopis amplexicaulis</i> | clasping coneflower | Forb |
| 5 | <i>Rudbeckia bicolor</i> | <i>Rudbeckia bicolor</i> | Red River coneflower | Forb |
| 8 | <i>Rudbeckia fulgida</i> var. <i>palustris</i> | <i>Rudbeckia palustris</i> | shining coneflower | Forb |
| 7 | <i>Rudbeckia fulgida</i> var. <i>palustris</i> | <i>Rudbeckia speciosa</i> | orange coneflower | Forb |
| 7 | <i>Rudbeckia fulgida</i> var. <i>speciosa</i> | <i>Rudbeckia umbrosa</i> | orange coneflower | Forb |
| 9 | <i>Rudbeckia grandiflora</i> var. <i>alismifolia</i> | <i>Rudbeckia alismifolia</i> | large coneflower | Forb |
| 9 | <i>Rudbeckia grandiflora</i> var. <i>grandiflora</i> | <i>Rudbeckia grandiflora</i> | large coneflower | Forb |
| 3 | <i>Rudbeckia hirta</i> var. <i>hirta</i> | <i>Rudbeckia hirta</i> var. <i>hirta</i> | black-eyed Susan | Forb |
| 2 | <i>Rudbeckia hirta</i> var. <i>pulcherrima</i> | <i>Rudbeckia hirta</i> var. <i>pulcherrima</i> | black-eyed Susan | Forb |
| 6 | <i>Rudbeckia laciniata</i> var. <i>laciniata</i> | <i>Rudbeckia laciniata</i> var. <i>laciniata</i> | wild goldenglow | Forb |
| 9 | <i>Rudbeckia maxima</i> † | <i>Rudbeckia maxima</i> † | great coneflower | Forb |
| 7 | <i>Rudbeckia missouriensis</i> | <i>Rudbeckia missouriensis</i> | Missouri coneflower | Forb |
| 7 | <i>Rudbeckia subtomentosa</i> | <i>Rudbeckia subtomentosa</i> | sweet coneflower | Forb |
| 4 | <i>Rudbeckia triloba</i> var. <i>triloba</i> | <i>Rudbeckia triloba</i> var. <i>triloba</i> | brown-eyed Susan | Forb |
| 6 | <i>Ruellia caroliniensis</i> | <i>Ruellia caroliniensis</i> | Carolina wild petunia | Forb |
| 6 | <i>Ruellia humilis</i> | <i>Ruellia humilis</i> | hairy wild petunia | Forb |
| 6 | <i>Ruellia nudiflora</i> var. <i>nudiflora</i> | <i>Ruellia nudiflora</i> var. <i>nudiflora</i> | violet wild petunia | Forb |
| 6 | <i>Ruellia pedunculata</i> subsp. <i>pedunculata</i> | <i>Ruellia pedunculata</i> | stalked wild petunia | Forb |
| 5 | <i>Ruellia strepens</i> | <i>Ruellia strepens</i> | smooth wild petunia | Forb |
| 0 | <i>RUMEX ACETOSELLA</i> | <i>RUMEX ACETOSELLA</i> SSP. <i>PYRENAICUS</i> | sheep sorrel | Forb |
| 5 | <i>Rumex altissimus</i> | <i>Rumex altissimus</i> | pale dock | Forb |
| 0 | <i>RUMEX CONGLOMERATUS</i> | <i>RUMEX CONGLOMERATUS</i> | cluster dock | Forb |
| 0 | <i>RUMEX CRISPUS</i> | <i>RUMEX CRISPUS</i> SSP. <i>CRISPUS</i> | curly dock | Forb |
| 5 | <i>Rumex fueginus</i> † | <i>Rumex fueginus</i> † | golden dock | Forb |
| 3 | <i>Rumex hastatulus</i> | <i>Rumex hastatulus</i> | heart-wing sorrel | Forb |
| 0 | <i>RUMEX OBTUSIFOLIUS</i> | <i>RUMEX OBTUSIFOLIUS</i> | bitter dock | Forb |
| 0 | <i>RUMEX PULCHER</i> | <i>RUMEX PULCHER</i> | fiddle dock | Forb |
| 7 | <i>Rumex verticillatus</i> | <i>Rumex verticillatus</i> | swamp dock | Forb |
| 7 | <i>Sabal minor</i> | <i>Sabal minor</i> | dwarf palmetto | Shru |
| 6 | <i>Sabatia angularis</i> | <i>Sabatia angularis</i> | rose-gentian | Forb |
| 10 | <i>Sabatia arkansana</i> ‡† | <i>Sabatia arkansana</i> ‡† | Pelton's rose-gentian | Forb |
| 8 | <i>Sabatia brachiata</i> | <i>Sabatia brachiata</i> | narrow-leaf rose-gentian | Forb |
| 9 | <i>Sabatia campanulata</i> † | <i>Sabatia campanulata</i> † | slender rose-gentian | Forb |
| 6 | <i>Sabatia campestris</i> | <i>Sabatia campestris</i> | rose-gentian | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|---|-------------------------|-------|
| 10 | <i>Sabatia gentianoides</i> † | <i>Sabatia gentianoides</i> † | pinewoods rose-gentian | Forb |
| 5 | <i>Saccharum alopecuroides</i> | <i>Erianthus alopecuroides</i> | silver plume grass | Gram |
| 8 | <i>Saccharum baldwinii</i> | <i>Erianthus strictus</i> | narrow plume grass | Gram |
| 6 | <i>Saccharum brevibarbe</i> var. <i>contortum</i> | <i>Erianthus contortus</i> | short-beard plume grass | Gram |
| 5 | <i>Saccharum giganteum</i> | <i>Erianthus giganteus</i> | sugarcane plume grass | Gram |
| 7 | <i>Sacciolepis striata</i> | <i>Sacciolepis striata</i> | American cupscale | Gram |
| 1 | <i>Sagina decumbens</i> subsp. <i>decumbens</i> | <i>Sagina decumbens</i> | pearlwort | Forb |
| 0 | SAGINA PROCUMBENS | SAGINA PROCUMBENS | bird's-eye pearlwort | Forb |
| 6 | <i>Sagittaria australis</i> † | <i>Sagittaria australis</i> † | arrowhead | Forb |
| 5 | <i>Sagittaria brevirostra</i> | <i>Sagittaria brevirostra</i> | arrowhead | Forb |
| 6 | <i>Sagittaria graminea</i> | <i>Sagittaria graminea</i> | grass-leaf arrowhead | Forb |
| 6 | <i>Sagittaria latifolia</i> var. <i>latifolia</i> | <i>Sagittaria latifolia</i> var. <i>latifolia</i> | arrowhead | Forb |
| 8 | <i>Sagittaria latifolia</i> var. <i>pubescens</i> † | <i>Sagittaria latifolia</i> var. <i>pubescens</i> † | hairy arrowhead | Forb |
| 3 | <i>Sagittaria montevidensis</i> subsp. <i>calycina</i> | <i>Sagittaria calycina</i> | arrowhead | Forb |
| 8 | <i>Sagittaria papillosa</i> | <i>Sagittaria papillosa</i> | arrowhead | Forb |
| 6 | <i>Sagittaria platyphylla</i> | <i>Sagittaria platyphylla</i> | arrowhead | Forb |
| 7 | <i>Sagittaria rigida</i> † | <i>Sagittaria rigida</i> † | stiff arrowhead | Forb |
| 0 | SALIX ALBA | SALIX ALBA | white willow | Tree |
| 6 | <i>Salix amygdaloidea</i> † | <i>Salix amygdaloidea</i> † | peachleaf willow | Tree |
| 0 | SALIX BABYLONICA | SALIX BABYLONICA | weeping willow | Tree |
| 5 | <i>Salix caroliniana</i> | <i>Salix caroliniana</i> | Carolina willow | Shru |
| 8 | <i>Salix eriocephala</i> † | <i>Salix eriocephala</i> † | Missouri willow | Shru |
| 8 | <i>Salix humilis</i> var. <i>humilis</i> | <i>Salix humilis</i> | upland willow | Shru |
| 8 | <i>Salix humilis</i> var. <i>tristis</i> | <i>Salix occidentalis</i> | dwarf upland willow | Shru |
| 3 | <i>Salix interior</i> | <i>Salix interior</i> | sandbar willow | Tree |
| 2 | <i>Salix nigra</i> | <i>Salix nigra</i> | black willow | Tree |
| 9 | <i>Salix sericea</i> † | <i>Salix sericea</i> † | silky willow | Shru |
| 0 | SALSOLA TRAGUS | SALSOLA TRAGUS | Russian-thistle | Forb |
| 8 | <i>Salvia azurea</i> var. <i>grandiflora</i> | <i>Salvia azurea</i> var. <i>grandiflora</i> | blue sage | Forb |
| 0 | SALVIA COCCINEA | SALVIA COCCINEA | blood sage | Forb |
| 0 | SALVIA HISPANICA | SALVIA HISPANICA | chia | Forb |
| 2 | <i>Salvia lyrata</i> | <i>Salvia lyrata</i> | lyre-leaf sage | Forb |
| 3 | <i>Salvia reflexa</i> † | <i>Salvia reflexa</i> † | Rocky Mountain sage | Forb |
| 0 | SALVINIA MINIMA | SALVINIA MINIMA | water-spangles | Fern |
| 0 | SALVINIA MOLESTA* | SALVINIA MOLESTA* | giant salvinia | Fern |
| 3 | <i>Sambucus canadensis</i> | <i>Sambucus canadensis</i> | elderberry | Shru |
| 6 | <i>Samolus parviflorus</i> | <i>Samolus parviflorus</i> | water-pimpernel | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|---------------------------|-------|
| 8 | <i>Sanguinaria canadensis</i> | <i>Sanguinaria canadensis</i> | bloodroot | Forb |
| 6 | <i>Sanguisorba annua</i> † | <i>Poteridium annum</i> † | prairie burnet | Forb |
| 4 | <i>Sanicula canadensis</i> | <i>Sanicula canadensis</i> var. <i>canadensis</i> | Canadian black-snakeroot | Forb |
| 6 | <i>Sanicula odorata</i> | <i>Sanicula odorata</i> | clustered black-snakeroot | Forb |
| 7 | <i>Sanicula smallii</i> † | <i>Sanicula smallii</i> † | Small's black-snakeroot | Forb |
| 6 | <i>Sapindus saponaria</i> var. <i>drummondii</i> | <i>Sapindus saponaria</i> var. <i>drummondii</i> | soapberry | Tree |
| 0 | <i>SAPONARIA OFFICINALIS</i> * | <i>SAPONARIA OFFICINALIS</i> * | bouncing-bet | Forb |
| 3 | <i>Sassafras albidum</i> | <i>Sassafras albidum</i> | sassafras | Tree |
| 6 | <i>Saururus cernuus</i> | <i>Saururus cernuus</i> | lizard's-tail | Forb |
| 0 | <i>SCABIOSA ATROPURPUREA</i> * | <i>SIXALIX ATROPURPUREA</i> * | pincushions | Forb |
| 7 | <i>Schedonardus paniculatus</i> † | <i>Muhlenbergia paniculata</i> † | tumble grass | Gram |
| 0 | <i>SCHEDONORUS ARUNDINACEUS</i> * | <i>LOLIMUM ARUNDINACEUM</i> * | tall fescue | Gram |
| 9 | <i>Schisandra glabra</i> † | <i>Schisandra glabra</i> † | bay star-vine | WVn |
| 6 | <i>Schizachyrium scoparium</i> var. <i>divergens</i> | <i>Schizachyrium scoparium</i> var. <i>divergens</i> | pinehill bluestem | Gram |
| 6 | <i>Schizachyrium scoparium</i> var. <i>scoparium</i> | <i>Schizachyrium scoparium</i> var. <i>scoparium</i> | little bluestem | Gram |
| 10 | <i>Schoenolirion wrightii</i> † | <i>Schoenolirion wrightii</i> † | Texas sunnybell | Forb |
| 0 | <i>SCHOENOPLECTIELLA MUCRONATA</i> | <i>SCHOENOPLECTIELLA MUCRONATA</i> | rough-seed bulrush | Gram |
| 4 | <i>Schoenoplectus acutus</i> var. <i>acutus</i> † | <i>Schoenoplectus acutus</i> var. <i>acutus</i> † | hard-stem bulrush | Gram |
| 8 | <i>Schoenoplectus californicus</i> † | <i>Schoenoplectus californicus</i> † | California bulrush | Gram |
| 7 | <i>Schoenoplectus pungens</i> | <i>Schoenoplectus pungens</i> var. <i>pungens</i> | chair-maker's-rush | Gram |
| 6 | <i>Schoenoplectus tabernaemontani</i> | <i>Schoenoplectus tabernaemontani</i> | soft-stem bulrush | Gram |
| 5 | <i>Scirpus atrovirens</i> | <i>Scirpus atrovirens</i> | bulrush | Gram |
| 2 | <i>Scirpus cyperinus</i> | <i>Scirpus cyperinus</i> | wool-grass bulrush | Gram |
| 10 | <i>Scirpus divaricatus</i> † | <i>Scirpus divaricatus</i> † | spreading bulrush | Gram |
| 5 | <i>Scirpus georgianus</i> | <i>Scirpus georgianus</i> | bulrush | Gram |
| 4 | <i>Scirpus pendulus</i> | <i>Scirpus pendulus</i> | bulrush | Gram |
| 8 | <i>Scirpus polyphyllus</i> † | <i>Scirpus polyphyllus</i> † | leafy bulrush | Gram |
| 0 | <i>SCLERANTHUS ANNUUS</i> SUBSP. <i>ANNUUS</i> | <i>SCLERANTHUS ANNUUS</i> SSP. <i>ANNUUS</i> | knawel | Forb |
| 8 | <i>Scleria ciliata</i> var. <i>ciliata</i> | <i>Scleria ciliata</i> var. <i>ciliata</i> | nut-rush | Gram |
| 8 | <i>Scleria muehlenbergii</i> † | <i>Scleria muehlenbergii</i> † | Muhlenberg's nut-rush | Gram |
| 6 | <i>Scleria oligantha</i> | <i>Scleria oligantha</i> | nut-rush | Gram |
| 8 | <i>Scleria pauciflora</i> var. <i>caroliniana</i> | <i>Scleria pauciflora</i> var. <i>caroliniana</i> | nut-rush | Gram |
| 8 | <i>Scleria pauciflora</i> var. <i>pauciflora</i> | <i>Scleria pauciflora</i> var. <i>pauciflora</i> | nut-rush | Gram |
| 8 | <i>Scleria triglomerata</i> | <i>Scleria triglomerata</i> | nut-rush | Gram |
| 10 | <i>Scleria verticillata</i> † | <i>Scleria verticillata</i> † | whorled nut-rush | Gram |
| 0 | <i>SCLEROCHLOA DURA</i> | <i>SCLEROCHLOA DURA</i> | hard grass | Gram |
| 0 | <i>SCOPARIA DULCIS</i> | <i>SCOPARIA DULCIS</i> | licorice-weed | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|---|--|---|-------------------------|-------|
| 6 | <i>Scrophularia marilandica</i> | <i>Scrophularia marilandica</i> | carpenter's-square | Forb |
| 9 | <i>Scutellaria bushii</i> † | <i>Scutellaria bushii</i> † | Bush's skullcap | Forb |
| 9 | <i>Scutellaria cardiophylla</i> † | <i>Scutellaria cardiophylla</i> † | Gulf skullcap | Forb |
| 6 | <i>Scutellaria elliptica</i> var. <i>elliptica</i> | <i>Scutellaria elliptica</i> var. <i>glandulosa</i> | hairy skullcap | Forb |
| 7 | <i>Scutellaria incana</i> var. <i>incana</i> | <i>Scutellaria incana</i> var. <i>incana</i> | hoary skullcap | Forb |
| 7 | <i>Scutellaria integrifolia</i> | <i>Scutellaria integrifolia</i> | rough skullcap | Forb |
| 6 | <i>Scutellaria lateriflora</i> | <i>Scutellaria lateriflora</i> | mad-dog skullcap | Forb |
| 7 | <i>Scutellaria ovata</i> | <i>Scutellaria ovata</i> var. <i>bracteata</i> | heart-leaf skullcap | Forb |
| 6 | <i>Scutellaria parvula</i> var. <i>australis</i> | <i>Scutellaria australis</i> | southern skullcap | Forb |
| 7 | <i>Scutellaria parvula</i> var. <i>missouriensis</i> | <i>Scutellaria leonardii</i> | glade skullcap | Forb |
| 6 | <i>Scutellaria parvula</i> var. <i>parvula</i> | <i>Scutellaria parvula</i> | small skullcap | Forb |
| 0 | SCUTELLARIA RACEMOSA | SCUTELLARIA RACEMOSA | South American skullcap | Forb |
| 0 | SECALE CEREALE | SECALE CEREALE | rye | Gram |
| 0 | SECURIGERA VARIA* | SECURIGERA VARIA* | crown-vetch | Forb |
| 8 | <i>Sedum nuttallii</i> | <i>Sedum nuttallii</i> | Nuttall's stonecrop | Forb |
| 5 | <i>Sedum pulchellum</i> | <i>Sedum pulchellum</i> | widow's-cross | Forb |
| 0 | SEDUM SARMENTOSUM | SEDUM SARMENTOSUM | yellow stonecrop | Forb |
| 7 | <i>Sedum ternatum</i> | <i>Sedum ternatum</i> | woodland stonecrop | Forb |
| 5 | <i>Selaginella apoda</i> | <i>Lycopodioides apodium</i> | meadow spike-moss | Fern |
| 8 | <i>Selaginella arenicola</i> subsp. <i>riddellii</i> † | <i>Bryodesma arenicola</i> ssp. <i>riddellii</i> † | Riddell's spike-moss | Fern |
| 8 | <i>Selaginella eclipses</i> | <i>Lycopodioides</i> species 2 (=eclipes) | hidden spike-moss | Fern |
| 8 | <i>Selaginella rupestris</i> | <i>Bryodesma rupestre</i> | rock spike-moss | Fern |
| 8 | <i>Selenia aurea</i> | <i>Selenia aurea</i> | golden selenia | Forb |
| 8 | <i>Senecio ampullaceus</i> † | <i>Senecio ampullaceus</i> † | Texas ragwort | Forb |
| 0 | SENECIO VULGARIS | SENECIO VULGARIS | common groundsel | Forb |
| 5 | <i>Senna marilandica</i> | <i>Senna marilandica</i> | wild senna | Forb |
| 0 | SENNA OBTUSIFOLIA | SENNA OBTUSIFOLIA | sicklepod | Forb |
| 0 | SENNA OCCIDENTALIS | SENNA OCCIDENTALIS | coffee senna | Forb |
| 3 | <i>Sesbania drummondii</i> | <i>Sesbania drummondii</i> | rattlebush | Forb |
| 1 | <i>Sesbania herbacea</i> | <i>Sesbania herbacea</i> | coffee-bean | Forb |
| 0 | SESBANIA PUNICEA | SESBANIA PUNICEA | scarlet rattlebox | Shru |
| 0 | SETARIA FABERI* | SETARIA FABERI* | Chinese foxtail | Gram |
| 0 | SETARIA ITALICA | SETARIA ITALICA | fox-tail millet | Gram |
| 5 | <i>Setaria magna</i> † | <i>Setaria magna</i> † | giant bristle grass | Gram |
| 5 | <i>Setaria parviflora</i> | <i>Setaria parviflora</i> | knot-root bristle grass | Gram |
| 0 | SETARIA PUMILA SUBSP. PUMILA | SETARIA PUMILA | yellow bristle grass | Gram |
| 0 | SETARIA VERTICILLATA | SETARIA VERTICILLATA | bristly foxtail | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|---------------------------|-------|
| 0 | SETARIA VIRIDIS VAR. MAJOR | SETARIA VIRIDIS VAR. MAJOR | giant green bristle grass | Gram |
| 0 | SETARIA VIRIDIS VAR. VIRIDIS | SETARIA VIRIDIS VAR. VIRIDIS | green bristle grass | Gram |
| 8 | Seymeria cassioides† | Seymeria cassioides† | yaupon black-senna | Forb |
| 0 | SHERARDIA ARVENSIS | GALIUM SHERARDIA | field-madder | Forb |
| 4 | Sicyos angulatus | Sicyos angulatus | bur-cucumber | Herb |
| 9 | Sida elliottii† | Sida elliottii var. elliottii† | Elliott's sida | Forb |
| 1 | Sida rhombifolia | Sida rhombifolia var. rhombifolia | arrow-leaf sida | Forb |
| 0 | SIDA SPINOSA | SIDA SPINOSA | prickly sida | Forb |
| 0 | SIDERITIS MONTANA | SIDERITIS MONTANA | ironwort | Forb |
| 6 | Sideroxylon lanuginosum | Sideroxylon lanuginosum ssp. lanuginosum | gum bumelia | Tree |
| 7 | Sideroxylon lycioides | Sideroxylon lycioides | buckthorn bumelia | Tree |
| 3 | Silene antirrhina | Silene antirrhina | sleepy catchfly | Forb |
| 0 | SILENE ARMERIA | ATOACION ARMERIA | sweet-William | Forb |
| 0 | SILENE CORONARIA | SILENE CORONARIA | rose-campion | Forb |
| 0 | SILENE GALLICA | SILENE GALLICA | windmill-pink | Forb |
| 0 | SILENE LATIFOLIA | SILENE LATIFOLIA | white-campion | Forb |
| 10 | Silene ovata† | Silene ovata† | ovate-leaf catchfly | Forb |
| 10 | Silene regia† | Silene regia† | royal catchfly | Forb |
| 7 | Silene stellata | Silene stellata | starry-campion | Forb |
| 7 | Silene virginica | Silene virginica var. virginica | fire-pink | Forb |
| 0 | SILENE VULGARIS | SILENE VULGARIS | bladder-campion | Forb |
| 8 | Silphium aspernum | Silphium aspernum | starry rosinweed | Forb |
| 7 | Silphium integrifolium var. integrifolium | Silphium integrifolium var. integrifolium | rosinweed | Forb |
| 9 | Silphium integrifolium var. laeve† | Silphium speciosum† | rosinweed | Forb |
| 8 | Silphium laciniatum | Silphium laciniatum | compass-plant | Forb |
| 7 | Silphium perfoliatum var. perfoliatum | Silphium perfoliatum | cup-plant | Forb |
| 8 | Silphium radula var. radula | Silphium radula | rosinweed | Forb |
| 7 | Silphium terebinthinaceum var. terebinthinaceum | Silphium terebinthinaceum | prairie-dock | Forb |
| 0 | SILYBUM MARIANUM | SILYBUM MARIANUM | blessed milk-thistle | Forb |
| 0 | SINAPIS ARvensis | RHAMPHOSPERMUM ARVENSE | charlock | Forb |
| 0 | SISYMBRIUM ALTISSIMUM | SISYMBRIUM ALTISSIMUM | tumble-mustard | Forb |
| 0 | SISYMBRIUM OFFICINALE | SISYMBRIUM OFFICINALE | hedge-mustard | Forb |
| 8 | Sisyrinchium albidum | Sisyrinchium albidum | white blue-eyed-grass | Forb |
| 4 | Sisyrinchium angustifolium | Sisyrinchium angustifolium | blue-eyed-grass | Forb |
| 8 | Sisyrinchium atlanticum | Sisyrinchium atlanticum | blue-eyed-grass | Forb |
| 7 | Sisyrinchium campestre | Sisyrinchium campestre | blue-eyed-grass | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|-----------------------------|-------|
| 5 | <i>Sisyrinchium langloisii</i> | <i>Sisyrinchium langloisii</i> | blue-eyed-grass | Forb |
| 7 | <i>Sisyrinchium minus†</i> | <i>Sisyrinchium minus†</i> | dwarf blue-eyed-grass | Forb |
| 7 | <i>Sisyrinchium pruinosum</i> | <i>Sisyrinchium pruinosum</i> | blue-eyed-grass | Forb |
| 2 | <i>Sisyrinchium rosulatum</i> | <i>Sisyrinchium rosulatum</i> | annual blue-eyed-grass | Forb |
| 8 | <i>Sisyrinchium sagittiferum†</i> | <i>Sisyrinchium sagittiferum†</i> | spear-bract blue-eyed-grass | Forb |
| 8 | <i>Sium suave†</i> | <i>Sium suave†</i> | water-parsnip | Forb |
| 6 | <i>Smallanthus uvedalia</i> | <i>Smallanthus uvedalia</i> | bear's-foot | Forb |
| 2 | <i>Smilax bona-nox</i> | <i>Smilax bona-nox</i> var. <i>bona-nox</i> | saw greenbrier | WVn |
| 10 | <i>Smilax ecirrhata†</i> | <i>Smilax ecirrata†</i> | carrion-flower | Forb |
| 4 | <i>Smilax glauca</i> | <i>Smilax glauca</i> | cat greenbrier | WVn |
| 7 | <i>Smilax herbacea</i> | <i>Smilax herbacea</i> | carrion-flower | Herb |
| 6 | <i>Smilax hispida</i> | <i>Smilax hispida</i> var. <i>hispida</i> | bristly greenbrier | WVn |
| 7 | <i>Smilax lasioneura</i> | <i>Smilax lasioneura</i> | carrion-flower | Herb |
| 8 | <i>Smilax laurifolia</i> | <i>Smilax laurifolia</i> | laurel greenbrier | WVn |
| 7 | <i>Smilax pulverulenta</i> | <i>Smilax pulverulenta</i> | carrion-flower | Herb |
| 8 | <i>Smilax pumila</i> | <i>Smilax pumila</i> | sarsaparilla-vine | WVn |
| 3 | <i>Smilax rotundifolia</i> | <i>Smilax rotundifolia</i> | common greenbrier | WVn |
| 6 | <i>Smilax smallii</i> | <i>Smilax smallii</i> | lance-leaf greenbrier | WVn |
| 9 | <i>Smilax walteri†</i> | <i>Smilax walteri†</i> | red-berried greenbrier | WVn |
| 1 | <i>Solanum carolinense</i> | <i>Solanum carolinense</i> var. <i>carolinense</i> | Carolina horse-nettle | Forb |
| 3 | <i>Solanum dimidiatum</i> | <i>Solanum dimidiatum</i> | western horse-nettle | Forb |
| 1 | <i>Solanum elaeagnifolium</i> | <i>Solanum elaeagnifolium</i> | silver-leaf nightshade | Forb |
| 0 | SOLANUM LYCOPERSICUM | SOLANUM LYCOPERSICUM | garden tomato | Forb |
| 2 | <i>Solanum ptychanthum</i> | <i>Solanum emulans</i> | black nightshade | Forb |
| 1 | <i>Solanum rostratum</i> | <i>Solanum rostratum</i> | buffalo-bur | Forb |
| 0 | SOLANUM SARRACHOIDES | SOLANUM SARRACHOIDES | hairy nightshade | Forb |
| 1 | <i>Solidago altissima</i> subsp. <i>altissima</i> | <i>Solidago altissima</i> var. <i>altissima</i> | tall goldenrod | Forb |
| 6 | <i>Solidago arguta</i> subsp. <i>caroliniana</i> var. <i>boottii</i> | <i>Solidago boottii</i> | Boott's goldenrod | Forb |
| 7 | <i>Solidago auriculata</i> | <i>Solidago auriculata</i> | clasping-leaf goldenrod | Forb |
| 8 | <i>Solidago buckleyi</i> | <i>Solidago buckleyi</i> | Buckley's goldenrod | Forb |
| 7 | <i>Solidago caesia</i> var. <i>caesia</i> | <i>Solidago caesia</i> | wreath goldenrod | Forb |
| 7 | <i>Solidago caesia</i> var. <i>zedia</i> | <i>Solidago zedia</i> | wreath goldenrod | Forb |
| 7 | <i>Solidago delicatula</i> | <i>Solidago delicatula</i> | smooth elm-leaf goldenrod | Forb |
| 9 | <i>Solidago drummondii</i> | <i>Solidago drummondii</i> | Drummond's goldenrod | Forb |
| 9 | <i>Solidago flexicaulis</i> | <i>Solidago flexicaulis</i> | zigzag goldenrod | Forb |
| 10 | <i>Solidago gattingeri†</i> | <i>Solidago gattingeri†</i> | Gattinger's goldenrod | Forb |
| 3 | <i>Solidago gigantea</i> | <i>Solidago gigantea</i> | late goldenrod | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|-----------------------------|-------|
| 7 | <i>Solidago hispida</i> | <i>Solidago hispida</i> var. <i>hispida</i> | hairy goldenrod | Forb |
| 8 | <i>Solidago juncea</i> † | <i>Solidago juncea</i> † | early goldenrod | Forb |
| 7 | <i>Solidago ludoviciana</i> | <i>Solidago dispersa</i> | Louisiana goldenrod | Forb |
| 7 | <i>Solidago missouriensis</i> | <i>Solidago missouriensis</i> [var. <i>fasciculata</i> + var. <i>missouriensis</i>] | Missouri goldenrod | Forb |
| 5 | <i>Solidago nemoralis</i> subsp. <i>decemflora</i> | <i>Solidago nemoralis</i> var. <i>longipetiolata</i> | oldfield goldenrod | Forb |
| 5 | <i>Solidago nemoralis</i> subsp. <i>nemoralis</i> | <i>Solidago nemoralis</i> var. <i>nemoralis</i> | oldfield goldenrod | Forb |
| 8 | <i>Solidago nitida</i> | <i>Solidago nitida</i> | shiny goldenrod | Forb |
| 7 | <i>Solidago odora</i> subsp. <i>odora</i> | <i>Solidago odora</i> | fragrant goldenrod | Forb |
| 9 | <i>Solidago ouachitensis</i> † | <i>Solidago ouachitensis</i> † | Ouachita goldenrod | Forb |
| 10 | <i>Solidago patula</i> subsp. <i>strictula</i> † | <i>Solidago salicina</i> † | swamp goldenrod | Forb |
| 7 | <i>Solidago petiolaris</i> | <i>Solidago petiolaris</i> var. <i>angusta</i> | goldenrod | Forb |
| 9 | <i>Solidago ptarmicoides</i> † | <i>Solidago ptarmicoides</i> † | white flat-top goldenrod | Forb |
| 8 | <i>Solidago radula</i> | <i>Solidago radula</i> | rough goldenrod | Forb |
| 10 | <i>Solidago riddelli</i> ii† | <i>Solidago riddelli</i> ii† | Riddell's goldenrod | Forb |
| 8 | <i>Solidago rigida</i> subsp. <i>glabrata</i> | <i>Solidago jacksonii</i> | stiff goldenrod | Forb |
| 7 | <i>Solidago rigida</i> subsp. <i>rigida</i> | <i>Solidago rigida</i> | stiff goldenrod | Forb |
| 4 | <i>Solidago rugosa</i> subsp. <i>aspera</i> var. <i>aspera</i> | <i>Solidago rugosa</i> var. <i>aspera</i> | wrinkle-leaf goldenrod | Forb |
| 4 | <i>Solidago rugosa</i> subsp. <i>aspera</i> var. <i>celtidifolia</i> | <i>Solidago rugosa</i> var. <i>celtidifolia</i> | wrinkle-leaf goldenrod | Forb |
| 4 | <i>Solidago rugosa</i> subsp. <i>rugosa</i> var. <i>rugosa</i> | <i>Solidago rugosa</i> var. <i>rugosa</i> | wrinkle-leaf goldenrod | Forb |
| 8 | <i>Solidago speciosa</i> subsp. <i>speciosa</i> var. <i>rigidiuscula</i> † | <i>Solidago rigidiuscula</i> † | narrow-leaf showy goldenrod | Forb |
| 8 | <i>Solidago speciosa</i> subsp. <i>speciosa</i> var. <i>speciosa</i> | <i>Solidago speciosa</i> | showy goldenrod | Forb |
| 10 | <i>Solidago tortifolia</i> † | <i>Solidago tortifolia</i> † | twist-leaf goldenrod | Forb |
| 7 | <i>Solidago ulmifolia</i> var. <i>palmeri</i> | <i>Solidago ulmifolia</i> | Palmer's elm-leaf goldenrod | Forb |
| 7 | <i>Solidago ulmifolia</i> var. <i>ulmifolia</i> | <i>Solidago ulmifolia</i> | elm-leaf goldenrod | Forb |
| 0 | SOLIVA ANTHEMIFOLIA | SOLIVA ANTHEMIFOLIA | button burweed | Forb |
| 0 | SOLIVA SESSILIS | SOLIVA SESSILIS | lawn burweed | Forb |
| 0 | SOLIVA STOLONIFERA | SOLIVA STOLONIFERA | carpet burweed | Forb |
| 0 | SONCHUS ASPER | SONCHUS ASPER | spiny sow-thistle | Forb |
| 0 | SONCHUS OLERACEUS | SONCHUS OLERACEUS | sow-thistle | Forb |
| 8 | <i>Sorghastrum elliotii</i> | <i>Sorghastrum elliotii</i> | slender Indian grass | Gram |
| 6 | <i>Sorghastrum nutans</i> | <i>Sorghastrum nutans</i> | Indian grass | Gram |
| 0 | SORGHUM BICOLOR SUBSP. BICOLOR | SORGHUM BICOLOR SSP. BICOLOR | sorghum | Gram |
| 0 | SORGHUM HALEPENSE* | SORGHUM HALEPENSE* | Johnson grass | Gram |
| 6 | <i>Sparganium americanum</i> | <i>Sparganium americanum</i> | American bur-reed | Forb |
| 8 | <i>Sparganium androcladum</i> † | <i>Sparganium androcladum</i> † | branched bur-reed | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|----------------------------------|-------|
| 7 | <i>Spartina pectinata</i> | <i>Spartina pectinata</i> | prairie cord grass | Gram |
| 0 | <i>SPERGULA ARVENSIS</i> | <i>SPERGULA ARVENSIS</i> | corn spurrey | Forb |
| 0 | <i>SPERGULARIA RUBRA</i> | <i>SPERGULARIA RUBRA</i> | red sandspurry | Forb |
| 4 | <i>Spermacoce glabra</i> | <i>Spermacoce glabra</i> | smooth buttonweed | Forb |
| 6 | <i>Spermolepis divaricata</i> | <i>Spermolepis diffusa</i> | rough-fruit scaleseed | Forb |
| 6 | <i>Spermolepis echinata</i> | <i>Spermolepis echinata</i> | bristle-fruit scaleseed | Forb |
| 6 | <i>Spermolepis inermis</i> | <i>Spermolepis inermis</i> | western scaleseed | Forb |
| 0 | <i>SPHENOCLEA ZEYLANICA*</i> | <i>SPHENOCLEA ZEYLANICA*</i> | chickenspike | Forb |
| 10 | <i>Sphenopholis filiformis†</i> | <i>Sphenopholis filiformis†</i> | long-leaf wedgescale | Gram |
| 6 | <i>Sphenopholis intermedia</i> | <i>Sphenopholis intermedia</i> | slender wedgescale | Gram |
| 7 | <i>Sphenopholis longiflora†</i> | <i>Sphenopholis longiflora†</i> | Texas wedgescale | Gram |
| 6 | <i>Sphenopholis nitida</i> | <i>Sphenopholis nitida</i> | shiny wedgescale | Gram |
| 7 | <i>Sphenopholis obtusata</i> | <i>Sphenopholis obtusata</i> | prairie wedgescale | Gram |
| 7 | <i>Spigelia marilandica</i> | <i>Spigelia marilandica</i> | Indian-pink | Forb |
| 0 | <i>SPIRAEA ×BILLIARDII</i> | <i>SPIRAEA ×BILLIARDII</i> | Billiard's spiraea | Shru |
| 0 | <i>SPIRAEA ×VANHOUTTEI</i> | <i>SPIRAEA ×VANHOUTTEI</i> | bridal-wreath spiraea | Shru |
| 0 | <i>SPIRAEA CANTONIENSIS</i> | <i>SPIRAEA CANTONIENSIS</i> | double bridal-wreath spiraea | Shru |
| 0 | <i>SPIRAEA JAPONICA*</i> | <i>SPIRAEA JAPONICA*</i> | Japanese spiraea | Shru |
| 0 | <i>SPIRAEA PRUNIFOLIA</i> | <i>SPIRAEA PRUNIFOLIA</i> | bridal-wreath spiraea | Shru |
| 0 | <i>SPIRAEA THUNBERGII</i> | <i>SPIRAEA THUNBERGII</i> | Thunberg's spiraea | Shru |
| 9 | <i>Spiraea tomentosa†</i> | <i>Spiraea tomentosa†</i> | hardhack | Shru |
| 7 | <i>Spiranthes cernua</i> | <i>Spiranthes niklasii</i> | nodding ladies'-tresses | Forb |
| 7 | <i>Spiranthes lacera var. gracilis</i> | <i>Spiranthes lacera var. gracilis</i> | southern slender ladies'-tresses | Forb |
| 8 | <i>Spiranthes lacera var. lacera†</i> | <i>Spiranthes lacera var. lacera†</i> | northern slender ladies'-tresses | Forb |
| 10 | <i>Spiranthes lucida†</i> | <i>Spiranthes lucida†</i> | shining ladies'-tresses | Forb |
| 9 | <i>Spiranthes magnicamporum†</i> | <i>Spiranthes magnicamporum†</i> | Great Plains ladies'-tresses | Forb |
| 8 | <i>Spiranthes niklasii</i> | <i>Spiranthes niklasii</i> | Niklas' ladies'-tresses | Forb |
| 9 | <i>Spiranthes odorata†</i> | <i>Spiranthes odorata†</i> | fragrant ladies'-tresses | Forb |
| 7 | <i>Spiranthes ovalis var. erostellata†</i> | <i>Spiranthes ovalis var. erostellata†</i> | northern oval ladies'-tresses | Forb |
| 7 | <i>Spiranthes ovalis var. ovalis</i> | <i>Spiranthes ovalis var. ovalis</i> | southern oval ladies'-tresses | Forb |
| 7 | <i>Spiranthes praecox†</i> | <i>Spiranthes praecox†</i> | giant ladies'-tresses | Forb |
| 7 | <i>Spiranthes tuberosa</i> | <i>Spiranthes tuberosa</i> | little ladies'-tresses | Forb |
| 6 | <i>Spiranthes vernalis</i> | <i>Spiranthes vernalis</i> | spring ladies'-tresses | Forb |
| 5 | <i>Spirodela polyrrhiza</i> | <i>Spirodela polyrhiza</i> | big duckweed | Forb |
| 7 | <i>Sporobolus clandestinus</i> | <i>Sporobolus clandestinus</i> | hidden dropseed | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|-----------------------|-------|
| 6 | <i>Sporobolus compositus</i> var. <i>compositus</i> | <i>Sporobolus compositus</i> var. <i>compositus</i> | tall dropseed | Gram |
| 8 | <i>Sporobolus compositus</i> var. <i>drummondii</i> | <i>Sporobolus compositus</i> var. <i>drummondii</i> | tall dropseed | Gram |
| 8 | <i>Sporobolus compositus</i> var. <i>macer</i> | <i>Sporobolus compositus</i> var. <i>macer</i> | tall dropseed | Gram |
| 5 | <i>Sporobolus cryptandrus</i> | <i>Sporobolus cryptandrus</i> | sand dropseed | Gram |
| 9 | <i>Sporobolus heterolepis</i> | <i>Sporobolus heterolepis</i> | prairie dropseed | Gram |
| 0 | <i>SPOROBOLUS INDICUS</i> | <i>SPOROBOLUS INDICUS</i> | smut grass | Gram |
| 10 | <i>Sporobolus junceus</i> † | <i>Sporobolus junceus</i> † | pineywoods dropseed | Gram |
| 3 | <i>Sporobolus neglectus</i> | <i>Sporobolus neglectus</i> | small dropseed | Gram |
| 7 | <i>Sporobolus pyramidatus</i> † | <i>Sporobolus pyramidatus</i> † | whorled dropseed | Gram |
| 10 | <i>Sporobolus silveanus</i> † | <i>Sporobolus silveanus</i> † | Silveus' dropseed | Gram |
| 4 | <i>Sporobolus vaginiflorus</i> var. <i>ozarkanus</i> | <i>Sporobolus ozarkanus</i> | Ozark dropseed | Gram |
| 2 | <i>Sporobolus vaginiflorus</i> var. <i>vaginiflorus</i> | <i>Sporobolus vaginiflorus</i> | poverty grass | Gram |
| 5 | <i>Stachys crenata</i> † | <i>Stachys agraria</i> † | shade betony | Forb |
| 0 | <i>STACHYS FLORIDANA</i> | <i>STACHYS FLORIDANA</i> | Florida betony | Forb |
| 8 | <i>Stachys iltisii</i> † | <i>Stachys iltisii</i> † | Ouachita hedge-nettle | Forb |
| 6 | <i>Stachys tenuifolia</i> | <i>Stachys tenuifolia</i> | smooth hedge-nettle | Forb |
| 7 | <i>Staphylea trifolia</i> | <i>Staphylea trifolia</i> | bladdernut | Shrub |
| 3 | <i>Steinchisma hians</i> | <i>Steinchisma hians</i> | gaping grass | Gram |
| 0 | <i>STELLARIA AQUATICA</i> | <i>STELLARIA AQUATICA</i> | water chickweed | Forb |
| 0 | <i>STELLARIA MEDIA</i> | <i>STELLARIA MEDIA</i> | common chickweed | Forb |
| 0 | <i>STELLARIA NEGLECTA</i> | <i>STELLARIA NEGLECTA</i> | greater chickweed | Forb |
| 0 | <i>STELLARIA PALLIDA</i> | <i>STELLARIA PALLIDA</i> | lesser chickweed | Forb |
| 9 | <i>Stenanthium gramineum</i> † | <i>Stenanthium gramineum</i> [var. <i>gramineum</i> + var. <i>robustum</i>]† | featherbells | Forb |
| 8 | <i>Stenosiphon linifolius</i> † | <i>Oenothera glaucifolia</i> † | false gaura | Forb |
| 0 | <i>STENOTAPHRUM SECUNDATUM</i> | <i>STENOTAPHRUM SECUNDATUM</i> | St. Augustine grass | Gram |
| 10 | <i>Stewartia malacodendron</i> † | <i>Stewartia malacodendron</i> † | silky-camellia | Shrub |
| 9 | <i>Stillingia sylvatica</i> | <i>Stillingia sylvatica</i> | queen's-delight | Forb |
| 0 | <i>STOKESIA LAEVIS</i> | <i>STOKESIA LAEVIS</i> | Stoke's-aster | Forb |
| 8 | <i>Streptanthus hyacinthoides</i> † | <i>Streptanthus hyacinthoides</i> † | sandhill twistflower | Forb |
| 8 | <i>Streptanthus maculatus</i> subsp. <i>obtusifolius</i> ‡† | <i>Streptanthus maculatus</i> ssp. <i>obtusifolius</i> ‡† | Arkansas twistflower | Forb |
| 8 | <i>Streptanthus squamiformis</i> † | <i>Streptanthus squamiformis</i> † | Ouachita twistflower | Forb |
| 4 | <i>Strophostyles helvola</i> | <i>Strophostyles helvola</i> | wild bean | Herb |
| 6 | <i>Strophostyles leiosperma</i> | <i>Strophostyles leiosperma</i> | wild bean | Herb |
| 5 | <i>Strophostyles umbellata</i> | <i>Strophostyles umbellata</i> | wild bean | Herb |
| 8 | <i>Stuckenia pectinata</i> | <i>Stuckenia pectinata</i> | sago pondweed | Forb |
| 9 | <i>Styleisma aquatica</i> † | <i>Styleisma aquatica</i> † | water dawnflower | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|--|-------------------------|-------|
| 6 | <i>Stylosma humistrata</i> | <i>Stylosma humistrata</i> | southern dawnflower | Forb |
| 9 | <i>Stylosma pickeringii</i> var. <i>pattersonii</i> † | <i>Stylosma pickeringii</i> var. <i>pattersonii</i> † | Patterson's dawnflower | Forb |
| 9 | <i>Stylophorum diphyllum</i> † | <i>Stylophorum diphyllum</i> † | celandine-poppy | Forb |
| 7 | <i>Stylosanthes biflora</i> | <i>Stylosanthes biflora</i> | pencil-flower | Forb |
| 9 | <i>Styphnolobium affine</i> † | <i>Styphnolobium affine</i> † | Eve's necklace | Tree |
| 7 | <i>Styrax americanus</i> | <i>Styrax americanus</i> [var. <i>americanus</i> + var. <i>pulverulentus</i>] | American snowbell | Shrub |
| 7 | <i>Styrax grandifolius</i> | <i>Styrax grandifolius</i> | big-leaf snowbell | Shrub |
| 1 | <i>Symporicarpos orbiculatus</i> | <i>Symporicarpos orbiculatus</i> | coral-berry | Shrub |
| 7 | <i>Symphyotrichum anomalum</i> | <i>Symphyotrichum anomalum</i> | aster | Forb |
| 7 | <i>Symphyotrichum cordifolium</i> | <i>Symphyotrichum cordifolium</i> | blue wood aster | Forb |
| 6 | <i>Symphyotrichum drummondii</i> var. <i>drummondii</i> | <i>Symphyotrichum drummondii</i> | blue wood aster | Forb |
| 6 | <i>Symphyotrichum drummondii</i> var. <i>texanum</i> | <i>Symphyotrichum texanum</i> | blue wood aster | Forb |
| 6 | <i>Symphyotrichum dumosum</i> | <i>Symphyotrichum dumosum</i> var. <i>dumosum</i> | aster | Forb |
| 8 | <i>Symphyotrichum ericoides</i> var. <i>ericoides</i> | <i>Symphyotrichum ericoides</i> var. <i>ericoides</i> | white heath aster | Forb |
| 8 | <i>Symphyotrichum laeve</i> var. <i>laeve</i> | <i>Symphyotrichum laeve</i> | smooth aster | Forb |
| 4 | <i>Symphyotrichum lanceolatum</i> var. <i>interior</i> | <i>Symphyotrichum lanceolatum</i> var. <i>interior</i> | tall white aster | Forb |
| 4 | <i>Symphyotrichum lanceolatum</i> var. <i>lanceolatum</i> | <i>Symphyotrichum lanceolatum</i> var. <i>lanceolatum</i> | tall white aster | Forb |
| 4 | <i>Symphyotrichum lanceolatum</i> var. <i>latifolium</i> | <i>Symphyotrichum lanceolatum</i> var. <i>latifolium</i> | tall white aster | Forb |
| 5 | <i>Symphyotrichum lateriflorum</i> | <i>Symphyotrichum lateriflorum</i> | white woodland aster | Forb |
| 9 | <i>Symphyotrichum novae-angliae</i> | <i>Symphyotrichum novae-angliae</i> | New England aster | Forb |
| 8 | <i>Symphyotrichum oblongifolium</i> | <i>Symphyotrichum oblongifolium</i> | aromatic aster | Forb |
| 4 | <i>Symphyotrichum ontarionis</i> var. <i>ontarionis</i> | <i>Symphyotrichum ontarionis</i> var. <i>ontarionis</i> | bottomland aster | Forb |
| 9 | <i>Symphyotrichum oolentangiense</i> | <i>Symphyotrichum oolentangiense</i> var. <i>oolentangiense</i> | azure aster | Forb |
| 7 | <i>Symphyotrichum patens</i> var. <i>gracile</i> | <i>Symphyotrichum patens</i> var. <i>gracile</i> | late purple aster | Forb |
| 7 | <i>Symphyotrichum patens</i> var. <i>patens</i> | <i>Symphyotrichum patens</i> var. <i>patens</i> | late purple aster | Forb |
| 7 | <i>Symphyotrichum patens</i> var. <i>patentissimum</i> | <i>Symphyotrichum patens</i> var. <i>patentissimum</i> | late purple aster | Forb |
| 1 | <i>Symphyotrichum pilosum</i> var. <i>pilosum</i> | <i>Symphyotrichum pilosum</i> var. <i>pilosum</i> | white heath aster | Forb |
| 9 | <i>Symphyotrichum pilosum</i> var. <i>pringlei</i> † | <i>Symphyotrichum pilosum</i> var. <i>pringlei</i> † | Pringle's aster | Forb |
| 6 | <i>Symphyotrichum praealtum</i> | <i>Symphyotrichum praealtum</i> var. <i>praealtum</i> | willow-leaf aster | Forb |
| 10 | <i>Symphyotrichum pratense</i> † | <i>Symphyotrichum pratense</i> † | barrens silky aster | Forb |
| 9 | <i>Symphyotrichum puniceum</i> var. <i>puniceum</i> † | <i>Symphyotrichum puniceum</i> var. <i>puniceum</i> † | purple-stem aster | Forb |
| 5 | <i>Symphyotrichum racemosum</i> | <i>Symphyotrichum racemosum</i> var. <i>racemosum</i> | small white aster | Forb |
| 10 | <i>Symphyotrichum sericeum</i> † | <i>Symphyotrichum sericeum</i> † | silvery aster | Forb |
| 2 | <i>Symphyotrichum subulatum</i> var. <i>ligulatum</i> | <i>Symphyotrichum divaricatum</i> | inland salt-marsh aster | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|--|-------------------------|-------|
| 0 | SYMPHYOTRICHUM SUBULATUM VAR. SUBULATUM | SYMPHYOTRICHUM SUBULATUM | salt-marsh aster | Forb |
| 7 | Symphyotrichum turbinellum | Symphyotrichum turbinellum | prairie aster | Forb |
| 7 | Symphyotrichum urophyllum | Symphyotrichum urophyllum | white arrow-leaf aster | Forb |
| 0 | SYMPHYTUM OFFICINALE | SYMPHYTUM OFFICINALE | common comfrey | Forb |
| 6 | Symplocos tinctoria | Symplocos tinctoria | sweetleaf | Tree |
| 7 | Taenidia integerrima | Taenidia integerrima | yellow pimpernel | Forb |
| 0 | TAGETES ERECTA | TAGETES ERECTA | marigold | Forb |
| 0 | TALINUM PANICULATUM | TALINUM PANICULATUM | Jewels-of-Opar | Forb |
| 0 | TAMARIX RAMOSISSIMA* | TAMARIX RAMOSISSIMA* | tamarisk | Shrub |
| 0 | TANACETUM VULGARE | TANACETUM VULGARE | tansy | Forb |
| 0 | TARAXACUM ERYTHROSPERMUM | TARAXACUM ERYTHROSPERMUM | red-seed dandelion | Forb |
| 0 | TARAXACUM OFFICINALE | TARAXACUM OFFICINALE | common dandelion | Forb |
| 6 | Taxodium distichum var. distichum | Taxodium distichum | bald-cypress | Tree |
| 8 | Tephrosia onobrychoides | Tephrosia onobrychoides | hoary-pea | Forb |
| 8 | Tephrosia virginiana | Tephrosia virginiana | goat's-rue | Forb |
| 10 | Tetragonotheca ludoviciana† | Tetragonotheca ludoviciana† | Louisiana squarehead | Forb |
| 4 | Teucrium canadense var. canadense | Teucrium canadense var. canadense | American germander | Forb |
| 6 | Thalia dealbata | Thalia dealbata | powdery thalia | Forb |
| 9 | Thalictrum arkansanum† | Thalictrum arkansanum† | Arkansas meadow-rue | Forb |
| 7 | Thalictrum dasycarpum | Thalictrum dasycarpum | purple meadow-rue | Forb |
| 9 | Thalictrum dioicum† | Thalictrum dioicum† | early meadow-rue | Forb |
| 7 | Thalictrum revolutum | Thalictrum amphibolum | wax-leaf meadow-rue | Forb |
| 6 | Thalictrum thalictroides | Thalictrum thalictroides | rue-anemone | Forb |
| 7 | Thaspium barbinode | Thaspium barbinode | meadow-parsnip | Forb |
| 7 | Thaspium chapmanii | Thaspium chapmanii | meadow-parsnip | Forb |
| 7 | Thaspium trifoliatum var. aureum | Thaspium trifoliatum var. aureum | meadow-parsnip | Forb |
| 7 | Thaspium trifoliatum var. trifoliatum | Thaspium trifoliatum var. trifoliatum | purple meadow-parsnip | Forb |
| 8 | Thelesperma filifolium | Thelesperma filifolium var. filifolium | greenthread | Forb |
| 7 | Thelesperma flavodiscum† | Thelesperma flavodiscum† | yellow-disk greenthread | Forb |
| 0 | THELESPERMA MEGAPOTAMICUM | THELESPERMA MEGAPOTAMICUM | greenthread | Forb |
| 5 | Thelypteris kunthii | Pelazoneuron kunthii | southern shield fern | Fern |
| 7 | Thelypteris noveboracensis | Amauropelta noveboracensis | New York fern | Fern |
| 10 | Thelypteris palustris var. pubescens | Thelypteris palustris var. pubescens | marsh fern | Fern |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|---|---|---|------------------------|-------|
| 0 | THINOPYRUM PONTICUM | THINOPYRUM PONTICUM | tall wheat grass | Gram |
| 0 | THLASPI ARVENSE | THLASPI ARVENSE | field pennycress | Forb |
| 7 | Tilia americana var. americana | Tilia americana var. americana | American basswood | Tree |
| 7 | Tilia americana var. caroliniana | Tilia americana var. caroliniana | basswood | Tree |
| 7 | Tilia americana var. heterophylla | Tilia americana var. heterophylla | white basswood | Tree |
| 6 | Tillandsia usneoides | Tillandsia usneoides | Spanish-moss | Forb |
| 6 | Tipularia discolor | Tipularia discolor | crane-fly orchid | Forb |
| 0 | TORILIS ARVENSIS* | TORILIS HELVETICA* | field hedge-parsley | Forb |
| 0 | TORILIS NODOSA | TORILIS NODOSA | knotted hedge-parsley | Forb |
| 8 | Toxicodendron pubescens | Toxicodendron pubescens | poison-oak | Shrub |
| 1 | Toxicodendron radicans | Toxicodendron radicans [var. negundo + var. pubens + var. radicans] | poison-ivy | WVN |
| 9 | Toxicoscordion nuttallii | Toxicoscordion nuttallii | death-camas | Forb |
| 3 | Trachelospermum difforme | Thyrsanthella difformis | climbing-dogbane | WVN |
| 0 | TRACHELOSPERMUM JASMINOIDES | TRACHELOSPERMUM JASMINOIDES | Confederate-jasmine | WVN |
| 9 | Tradescantia bracteata† | Tradescantia bracteata† | long-bract spiderwort | Forb |
| 7 | Tradescantia ernestiana | Tradescantia ernestiana | Ernest's spiderwort | Forb |
| 7 | Tradescantia hirsuticaulis | Tradescantia hirsuticaulis | hairy-stem spiderwort | Forb |
| 7 | Tradescantia hirsutiflora | Tradescantia hirsutiflora | hairy spiderwort | Forb |
| 8 | Tradescantia longipes† | Tradescantia longipes† | dwarf spiderwort | Forb |
| 6 | Tradescantia occidentalis var. occidentalis | Tradescantia occidentalis var. occidentalis | prairie spiderwort | Forb |
| 6 | Tradescantia ohiensis | Tradescantia ohiensis | Ohio spiderwort | Forb |
| 9 | Tradescantia ozarkana† | Tradescantia ozarkana† | Ozark spiderwort | Forb |
| 8 | Tradescantia paludosa† | Tradescantia paludosa† | Confederate spiderwort | Forb |
| 9 | Tradescantia reverchonii† | Tradescantia reverchonii† | Reverchon's spiderwort | Forb |
| 8 | Tradescantia subaspera† | Tradescantia subaspera† | zigzag spiderwort | Forb |
| 7 | Tradescantia virginiana† | Tradescantia virginiana† | Virginia spiderwort | Forb |
| 5 | Tragia betonicifolia | Tragia betonicifolia | noseburn | Forb |
| 6 | Tragia cordata | Tragia cordata | heart-leaf noseburn | Herb |
| 6 | Tragia ramosa | Tragia ramosa | noseburn | Forb |
| 8 | Tragia smallii† | Tragia smallii† | Small's noseburn | Forb |
| 6 | Tragia urticifolia | Tragia urticifolia | noseburn | Forb |
| 0 | TRAGOPOGON DUBIUS | TRAGOPOGON DUBIUS | goat's-beard | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---------------------------------|---------------------------|--------------------------------|-------|
| 0 | TRAGOPOGON PORRIFOLIUS | TRAGOPOGON PORRIFOLIUS | salsify | Forb |
| 0 | TRAGOPOGON PRATENSIS | TRAGOPOGON PRATENSIS | Jack-go-to-bed-at-noon | Forb |
| 10 | Trautvetteria applanata† | Trautvetteria applanata† | false bugbane | Forb |
| 3 | Trepocarpus aethusae | Trepocarpus aethusae | whitenymph | Forb |
| 7 | Triadenum tubulosum | Triadenum tubulosum | marsh-St. John's-wort | Forb |
| 8 | Triadenum virginicum† | Triadenum virginicum† | Virginia marsh-St. John's-wort | Forb |
| 6 | Triadenum walteri | Triadenum walteri | Walter's marsh-St. John's-wort | Forb |
| 0 | TRIADICA SEBIFERA* | TRIADICA SEBIFERA* | Chinese tallow-tree | Tree |
| 0 | TRIANTHEMA PORTULACASTRUM | TRIANTHEMA PORTULACASTRUM | sea-purslane | Forb |
| 0 | TRIBULUS TERRESTRIS | TRIBULUS TERRESTRIS | puncture-vine | Forb |
| 10 | Trichomanes boschianum† | Vandenboschia boschiana† | Appalachian filmy fern | Fern |
| 10 | Trichomanes petersii† | Didymoglossum petersii† | dwarf bristle fern | Fern |
| 9 | Trichophorum planifolium† | Trichophorum planifolium† | bashful bulrush | Gram |
| 5 | Trichostema brachiatum | Trichostema brachiatum | false pennyroyal | Forb |
| 6 | Trichostema dichotomum | Trichostema dichotomum | forked blue-curls | Forb |
| 3 | Tridens ×oklahomensis | Tridens ×oklahomensis | hybrid tridens | Gram |
| 0 | TRIDENS ALBESCENS | TRIDENS ALBESCENS | white tridens | Gram |
| 8 | Tridens flavus var. chapmanii | Tridens chapmanii | Chapman's tridens | Gram |
| 3 | Tridens flavus var. flavus | Tridens flavus | purple-top tridens | Gram |
| 10 | Tridens muticus var. elongatus† | Tridentopsis elongata† | slim tridens | Gram |
| 5 | Tridens strictus | Tridens strictus | long-spike tridens | Gram |
| 0 | TRIFOLIUM ARVENSE | TRIFOLIUM ARVENSE | rabbit's-foot clover | Forb |
| 8 | Trifolium bejariense† | Trifolium bejariense† | Bejar clover | Forb |
| 0 | TRIFOLIUM CAMPESTRE | TRIFOLIUM CAMPESTRE | hop clover | Forb |
| 8 | Trifolium carolinianum† | Trifolium carolinianum† | Carolina clover | Forb |
| 0 | TRIFOLIUM DUBIUM | TRIFOLIUM DUBIUM | small hop clover | Forb |
| 0 | TRIFOLIUM GLOMERATUM | TRIFOLIUM GLOMERATUM | cluster clover | Forb |
| 0 | TRIFOLIUM HIRTUM | TRIFOLIUM HIRTUM | rose clover | Forb |
| 0 | TRIFOLIUM HYBRIDUM | TRIFOLIUM HYBRIDUM | Alsike clover | Forb |
| 0 | TRIFOLIUM INCARNATUM | TRIFOLIUM INCARNATUM | crimson clover | Forb |
| 0 | TRIFOLIUM LAPPACEUM | TRIFOLIUM LAPPACEUM | lappa clover | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|------------------------------------|-------|
| 0 | TRIFOLIUM NIGRESCENS | TRIFOLIUM NIGRESCENS | ball clover | Forb |
| 0 | TRIFOLIUM PRATENSE | TRIFOLIUM PRATENSE | red clover | Forb |
| 8 | Trifolium reflexum | Trifolium reflexum | buffalo clover | Forb |
| 0 | TRIFOLIUM REPENS | TRIFOLIUM REPENS | white clover | Forb |
| 0 | TRIFOLIUM RESUPINATUM | TRIFOLIUM RESUPINATUM | Persian clover | Forb |
| 8 | Trifolium stoloniferum† | Trifolium stoloniferum† | running buffalo clover | Forb |
| 0 | TRIFOLIUM STRIATUM | TRIFOLIUM STRIATUM | knotted clover | Forb |
| 0 | TRIFOLIUM SUBTERRANEUM | TRIFOLIUM SUBTERRANEUM | subterranean clover | Forb |
| 0 | TRIFOLIUM VESICULOSUM | TRIFOLIUM VESICULOSUM | arrow-leaf clover | Forb |
| 10 | Trillium flexipes† | Trillium flexipes† | white trillium | Forb |
| 8 | Trillium ozarkanum† | Trillium pusillum var. ozarkanum† | Ozark trillium | Forb |
| 7 | Trillium recurvatum | Trillium recurvatum | purple trillium | Forb |
| 8 | Trillium sessile | Trillium sessile | wakerobin | Forb |
| 10 | Trillium texanum† | Trillium texanum† | Texas trillium | Forb |
| 7 | Trillium viride | Trillium viride | green trillium | Forb |
| 5 | Triodanis lamprosperma | Triodanis lamprosperma | prairie Venus'-looking-glass | Forb |
| 7 | Triodanis leptocarpa | Triodanis leptocarpa | slim-pod Venus'-looking-glass | Forb |
| 2 | Triodanis perfoliata subsp. biflora | Triodanis biflora | small Venus'-looking-glass | Forb |
| 2 | Triodanis perfoliata subsp. perfoliata | Triodanis perfoliata | clasping-leaf Venus'-looking-glass | Forb |
| 8 | Triosteum angustifolium | Triosteum angustifolium var. angustifolium | yellow-flower horse-gentian | Forb |
| 8 | Triosteum aurantiacum var. illinoense† | Triosteum aurantiacum var. illinoense† | red-fruit horse-gentian | Forb |
| 8 | Triosteum perfoliatum | Triosteum perfoliatum | horse-gentian | Forb |
| 9 | Triphora trianthophoros subsp. trianthophoros | Triphora trianthophoros var. trianthophoros | three-birds orchid | Forb |
| 6 | Triplasis purpurea var. purpurea | Triplasis purpurea var. purpurea | purple sand grass | Gram |
| 7 | Tripsacum dactyloides | Tripsacum dactyloides var. dactyloides | eastern gama grass | Gram |
| 0 | TRISTAGMA UNIFLORUM | IPHEION UNIFLORUM | spring star-flower | Forb |
| 0 | TRITICUM AESTIVUM | TRITICUM AESTIVUM | wheat | Gram |
| 0 | TYPHA ANGUSTIFOLIA* | TYPHA ANGUSTIFOLIA* | narrow-leaf cat-tail | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|---------|---------------------------------|---|------------------------------|-------|
| 1 | <i>Typha domingensis</i> | <i>Typha domingensis</i> | southern cat-tail | Forb |
| 1 | <i>Typha latifolia</i> | <i>Typha latifolia</i> | common cat-tail | Forb |
| 2 | <i>Ulmus alata</i> | <i>Ulmus alata</i> | winged elm | Tree |
| 4 | <i>Ulmus americana</i> | <i>Ulmus americana</i> var. <i>americana</i> | American elm | Tree |
| 7 | <i>Ulmus crassifolia</i> | <i>Ulmus crassifolia</i> | cedar elm | Tree |
| 0 | ULMUS PARVIFOLIA | ULMUS PARVIFOLIA | Chinese elm | Tree |
| 0 | ULMUS PUMILA* | ULMUS PUMILA* | Siberian elm | Tree |
| 5 | <i>Ulmus rubra</i> | <i>Ulmus rubra</i> | slippery elm | Tree |
| 6 | <i>Ulmus serotina</i> | <i>Ulmus serotina</i> | September elm | Tree |
| 9 | <i>Ulmus thomasii</i> † | <i>Ulmus thomasii</i> † | rock elm | Tree |
| 0 | UROCHLOA ARIZONICA | UROCHLOA ARIZONICA | Arizona signal grass | Gram |
| NM I | <i>Urochloa ciliatissima</i> | <i>Urochloa ciliatissima</i> | fringed signal grass | Gram |
| 0 | UROCHLOA PLATYPHYLLA | UROCHLOA PLATYPHYLLA | broad-leaf signal grass | Gram |
| 0 | UROCHLOA RAMOSA | UROCHLOA RAMOSA | brown-top millet | Gram |
| 0 | UROCHLOA TEXANA | UROCHLOA TEXANA | Texas signal grass | Gram |
| 4 | <i>Urtica chamaedryoides</i> | <i>Urtica chamaedryoides</i> | stinging nettle | Forb |
| 4 | <i>Urtica gracilis</i> † | <i>Urtica gracilis</i> ssp. <i>gracilis</i> † | slender nettle | Forb |
| 5 | <i>Utricularia biflora</i> | <i>Utricularia biflora</i> | bladderwort | Forb |
| 10 | <i>Utricularia cornuta</i> † | <i>Utricularia cornuta</i> † | horned bladderwort | Forb |
| 5 | <i>Utricularia gibba</i> | <i>Utricularia gibba</i> | cone-spur bladderwort | Forb |
| 9 | <i>Utricularia inflata</i> † | <i>Utricularia inflata</i> † | swollen bladderwort | Forb |
| 9 | <i>Utricularia macrorhiza</i> † | <i>Utricularia macrorhiza</i> † | greater bladderwort | Forb |
| 7 | <i>Utricularia radiata</i> | <i>Utricularia radiata</i> | small swollen bladderwort | Forb |
| 0 | UTRICULARIA STRIATA | UTRICULARIA STRIATA | striped bladderwort | Forb |
| 10 | <i>Utricularia subulata</i> † | <i>Utricularia subulata</i> † | zigzag bladderwort | Forb |
| 8 | <i>Uvularia grandiflora</i> | <i>Uvularia grandiflora</i> | large-flower bellwort | Forb |
| 8 | <i>Uvularia perfoliata</i> † | <i>Uvularia perfoliata</i> † | perfoliate bellwort | Forb |
| 7 | <i>Uvularia sessilifolia</i> | <i>Uvularia sessilifolia</i> | sessile-leaf bellwort | Forb |
| 0 | VACCARIA HISPANICA | GYPSOPHILA VACCARIA | cow-soapwort | Forb |
| 6 | <i>Vaccinium arboreum</i> | <i>Vaccinium arboreum</i> | farkleberry | Shru |
| 5 | <i>Vaccinium ellottii</i> | <i>Vaccinium ellottii</i> | mayberry | Shru |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---------------------------------|--|---------------------------|-------|
| 7 | <i>Vaccinium fuscatum</i> | <i>Vaccinium fuscatum</i> | black high-bush blueberry | Shru |
| 6 | <i>Vaccinium pallidum</i> | <i>Vaccinium pallidum</i> | low-bush blueberry | Shru |
| 6 | <i>Vaccinium stamineum</i> | <i>Vaccinium stamineum</i> [var. <i>sericeum</i> + var. <i>stamineum</i>] | deerberry | Shru |
| 5 | <i>Vaccinium virgatum</i> | <i>Vaccinium virgatum</i> | high-bush blueberry | Shru |
| 0 | <i>VALERIANELLA DENTATA</i> | <i>VALERIANELLA DENTATA</i> | hairy cornsalad | Forb |
| 0 | <i>VALERIANELLA LOCUSTA</i> | <i>VALERIANELLA LOCUSTA</i> | narrow-fruit cornsalad | Forb |
| 7 | <i>Valerianella longiflora</i> | <i>Valerianella longiflora</i> | long-flower cornsalad | Forb |
| 8 | <i>Valerianella nuttallii</i> † | <i>Valerianella nuttallii</i> † | Nuttall's cornsalad | Forb |
| 8 | <i>Valerianella ozarkana</i> † | <i>Valerianella ozarkana</i> † | Ozark cornsalad | Forb |
| 8 | <i>Valerianella palmeri</i> † | <i>Valerianella palmeri</i> † | Palmer's cornsalad | Forb |
| 2 | <i>Valerianella radiata</i> | <i>Valerianella radiata</i> | cornsalad | Forb |
| 8 | <i>Vallisneria americana</i> † | <i>Vallisneria americana</i> † | eel-grass | Forb |
| 10 | <i>Veratrum latifolium</i> † | <i>Melanthium hybridum</i> † | bunchflower | Forb |
| 9 | <i>Veratrum virginicum</i> † | <i>Melanthium virginicum</i> † | bunchflower | Forb |
| 9 | <i>Veratrum woodii</i> † | <i>Melanthium woodii</i> † | Wood's false hellebore | Forb |
| 0 | <i>VERBASCUM BLATTARIA</i> | <i>VERBASCUM BLATTARIA</i> | moth mullein | Forb |
| 0 | <i>VERBASCUM PHLOMOIDES</i> | <i>VERBASCUM PHLOMOIDES</i> | orange mullein | Forb |
| 0 | <i>VERBASCUM THAPSUS</i> * | <i>VERBASCUM THAPSUS</i> SSP. <i>THAPSUS</i> * | woolly mullein | Forb |
| 0 | <i>VERBENA BONARIENSIS</i> | <i>VERBENA BONARIENSIS</i> | South American vervain | Forb |
| 1 | <i>Verbena bracteata</i> | <i>Verbena bracteata</i> | prostrate vervain | Forb |
| 0 | <i>VERBENA BRASILIENSIS</i> * | <i>VERBENA BRASILIENSIS</i> * | Brazilian vervain | Forb |
| 2 | <i>Verbena halei</i> | <i>Verbena halei</i> | Texas vervain | Forb |
| 6 | <i>Verbena hastata</i> | <i>Verbena hastata</i> | blue vervain | Forb |
| 0 | <i>VERBENA INCOMPTA</i> | <i>VERBENA INCOMPTA</i> | South American vervain | Forb |
| 0 | <i>VERBENA MONTEVIDENSIS</i> | <i>VERBENA MONTEVIDENSIS</i> | Uruguayan vervain | Forb |
| 0 | <i>VERBENA RIGIDA</i> | <i>VERBENA RIGIDA</i> | tuber vervain | Forb |
| 3 | <i>Verbena simplex</i> | <i>Verbena simplex</i> | narrow-leaf vervain | Forb |
| 6 | <i>Verbena stricta</i> | <i>Verbena stricta</i> | hoary vervain | Forb |
| 3 | <i>Verbena urticifolia</i> | <i>Verbena urticifolia</i> | white vervain | Forb |
| 4 | <i>Verbena xutha</i> | <i>Verbena xutha</i> | Gulf vervain | Forb |
| 5 | <i>Verbesina alternifolia</i> | <i>Verbesina alternifolia</i> | yellow ironweed | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|---|---|----------------------|-------|
| 0 | VERBESINA ENCELIOIDES | VERBESINA ENCELIOIDES | cowpen daisy | Forb |
| 7 | Verbesina helianthoides | Verbesina helianthoides | crownbeard | Forb |
| 5 | Verbesina virginica | Verbesina virginica var. virginica | frostweed | Forb |
| 9 | Verbesina walteri† | Verbesina walteri† | rayless crownbeard | Forb |
| 0 | VERNICIA FORDII | VERNICIA FORDII | tung-oil-tree | Tree |
| 7 | Vernonia arkansana | Vernonia arkansana | Arkansas ironweed | Forb |
| 6 | Vernonia baldwinii | Vernonia baldwinii [var. baldwinii + var. interior] | Baldwin's ironweed | Forb |
| 6 | Vernonia gigantea | Vernonia gigantea | tall ironweed | Forb |
| 9 | Vernonia lettermannii† | Vernonia lettermanii† | Letterman's ironweed | Forb |
| 10 | Vernonia lindheimeri† | Vernonia lindheimeri† | woolly ironweed | Forb |
| 5 | Vernonia missurica | Vernonia missurica | Missouri ironweed | Forb |
| 7 | Vernonia texana | Vernonia texana | Texas ironweed | Forb |
| 7 | Veronica americana† | Veronica americana† | American speedwell | Forb |
| 5 | Veronica anagallis-aquatica | Veronica anagallis-aquatica | water speedwell | Forb |
| 0 | VERONICA ARVENSIS | VERONICA ARVENSIS | corn speedwell | Forb |
| 0 | VERONICA HEDERIFOLIA | VERONICA HEDERIFOLIA | ivy-leaf speedwell | Forb |
| 2 | Veronica peregrina subsp. peregrina | Veronica peregrina var. peregrina | neckweed | Forb |
| 2 | Veronica peregrina subsp. xalapensis | Veronica peregrina var. xalapensis | neckweed | Forb |
| 0 | VERONICA PERSICA | VERONICA PERSICA | Persian speedwell | Forb |
| 0 | VERONICA POLITA | VERONICA POLITA | field speedwell | Forb |
| 0 | VERONICA SERPYLLIFOLIA VAR. SERPYLLIFOLIA | VERONICA SERPYLLIFOLIA VAR. SERPYLLIFOLIA | thyme-leaf speedwell | Forb |
| 0 | VERONICA TRIPHYLLOS | VERONICA TRIPHYLLOS | speedwell | Forb |
| 9 | Veronicastrum virginicum | Veronicastrum virginicum | Culver's-root | Forb |
| 8 | Viburnum acerifolium† | Viburnum acerifolium† | maple-leaf viburnum | Shru |
| 8 | Viburnum bracteatum | Viburnum bracteatum | Ozark arrow-wood | Shru |
| 7 | Viburnum dentatum var. dentatum | No match | arrow-wood | Shru |
| 8 | Viburnum dentatum var. scabrellum† | Viburnum scabrellum† | southern arrow-wood | Shru |
| 10 | Viburnum molle† | Viburnum molle† | soft-leaf arrow-wood | Shru |
| 7 | Viburnum nudum | Viburnum nudum | possumhaw | Shru |
| 7 | Viburnum prunifolium | Viburnum prunifolium | blackhaw | Tree |
| 8 | Viburnum rafinesquianum | Viburnum rafinesqueanum | downy arrow-wood | Shru |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|---------|--|--|-----------------------------|-------|
| 8 | <i>Viburnum recognitum</i> † | <i>Viburnum recognitum</i> † | northern arrow-wood | Shru |
| 5 | <i>Viburnum rufidulum</i> | <i>Viburnum rufidulum</i> | rusty blackhaw | Tree |
| 0 | <i>VIBURNUM SETIGERUM</i> | <i>VIBURNUM SETIGERUM</i> | tea viburnum | Shru |
| 6 | <i>Vicia caroliniana</i> | <i>Vicia caroliniana</i> | wood vetch | Herb |
| 0 | <i>VICIA GRANDIFLORA</i> | <i>VICIA GRANDIFLORA</i> | large yellow vetch | Herb |
| 0 | <i>VICIA HIRSUTA</i> | <i>VICIA HIRSUTA</i> | tiny vetch | Herb |
| 9 | <i>Vicia ludoviciana</i> subsp. <i>leavenworthii</i> † | <i>Vicia ludoviciana</i> [var. <i>leavenworthii</i> + var. 1 ('louisianica')]† | Leavenworth's vetch | Herb |
| NM I | <i>Vicia ludoviciana</i> subsp. <i>ludoviciana</i> † | <i>Vicia ludoviciana</i> var. <i>ludoviciana</i> † | Louisiana vetch | Herb |
| 0 | <i>VICIA LUTEA</i> | <i>VICIA LUTEA</i> | yellow vetch | Herb |
| 6 | <i>Vicia minutiflora</i> | <i>Vicia minutiflora</i> | small-flower vetch | Herb |
| 0 | <i>VICIA SATIVA</i> SUBSP. <i>NIGRA</i> | <i>VICIA SATIVA</i> SSP. <i>NIGRA</i> | common vetch | Herb |
| 0 | <i>VICIA SATIVA</i> SUBSP. <i>SATIVA</i> | <i>VICIA SATIVA</i> SSP. <i>SATIVA</i> | common vetch | Herb |
| 0 | <i>VICIA TETRASPERMA</i> | <i>VICIA TETRASPERMA</i> | lentil vetch | Herb |
| 0 | <i>VICIA VILLOSA</i> SUBSP. <i>VARIA</i> | <i>VICIA VILLOSA</i> SSP. <i>VARIA</i> | smooth vetch | Herb |
| 0 | <i>VICIA VILLOSA</i> SUBSP. <i>VILLOSA</i> | <i>VICIA VILLOSA</i> SSP. <i>VILLOSA</i> | hairy vetch | Herb |
| 0 | <i>VINCA MAJOR</i> * | <i>VINCA MAJOR</i> * | big-leaf periwinkle | Herb |
| 0 | <i>VINCA MINOR</i> * | <i>VINCA MINOR</i> * | common periwinkle | Herb |
| 1 | <i>Viola bicolor</i> | <i>Viola rafinesquei</i> | Johnny-jump-up | Forb |
| 9 | <i>Viola canadensis</i> var. <i>canadensis</i> † | <i>Viola canadensis</i> † | Canadian white violet | Forb |
| 7 | <i>Viola cucullata</i> † | <i>Viola cucullata</i> † | blue marsh violet | Forb |
| 7 | <i>Viola eriocarpa</i> | <i>Viola eriocarpa</i> | smooth yellow forest violet | Forb |
| 7 | <i>Viola lanceolata</i> | <i>Viola</i> [<i>lanceolata</i> + <i>vittata</i>] | lance-leaf violet | Forb |
| 5 | <i>Viola palmata</i> | <i>Viola palmata</i> var. <i>palmata</i> | three-lobe violet | Forb |
| 7 | <i>Viola pedata</i> | <i>Viola pedata</i> var. <i>pedata</i> | bird's-foot violet | Forb |
| 10 | <i>Viola pedatifida</i> † | <i>Viola pedatifida</i> † | prairie violet | Forb |
| 7 | <i>Viola primulifolia</i> | <i>Viola primulifolia</i> | bog white violet | Forb |
| 7 | <i>Viola pubescens</i> | <i>Viola pubescens</i> | downy yellow violet | Forb |
| 6 | <i>Viola sagittata</i> | <i>Viola sagittata</i> | arrow-leaf violet | Forb |
| 5 | <i>Viola sororia</i> var. <i>missouriensis</i> | <i>Viola missouriensis</i> | Missouri violet | Forb |
| 4 | <i>Viola sororia</i> var. <i>sororia</i> | <i>Viola sororia</i> var. <i>sororia</i> | woolly blue violet | Forb |
| 6 | <i>Viola striata</i> | <i>Viola striata</i> | cream violet | Forb |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|-----------------------------------|---|-------------------------------|-------|
| 0 | VIOLA TRICOLOR | VIOLA TRICOLOR | Johnny-jump-up | Forb |
| 7 | Viola villosa | Viola villosa | Carolina violet | Forb |
| 8 | Viola walteri† | Viola walteri† | Walter's violet | Forb |
| 0 | VITEX AGNUS-CASTUS | VITEX AGNUS-CASTUS | chaste-tree | Shru |
| 0 | VITEX NEGUNDO VAR. CANNABIFOLIA | VITEX NEGUNDO | negundo chaste-tree | Shru |
| 0 | VITEX NEGUNDO VAR. NEGUNDO | VITEX NEGUNDO | negundo chaste-tree | Shru |
| 5 | Vitis aestivalis var. aestivalis | Vitis aestivalis var. aestivalis | summer grape | WVn |
| 8 | Vitis aestivalis var. lincecumii† | Vitis lincecumii† | big summer grape | WVn |
| 4 | Vitis cinerea | Vitis cinerea | winter grape | WVn |
| 5 | Vitis palmata | Vitis palmata | catbird grape | WVn |
| 4 | Vitis riparia | Vitis riparia | river-bank grape | WVn |
| 4 | Vitis rotundifolia | Muscadinia rotundifolia var. rotundifolia | muscadine | WVn |
| 9 | Vitis rupestris† | Vitis rupestris† | rock grape | WVn |
| 4 | Vitis vulpina | Vitis vulpina | frost grape | WVn |
| 0 | VULPIA BROMOIDES | FESTUCA BROMOIDES | brome six-weeks grass | Gram |
| 0 | VULPIA MYUROS | FESTUCA MYUROS | rat-tail six-weeks grass | Gram |
| 3 | Vulpia octoflora var. glauca | Festuca octoflora var. tenella | common six-weeks grass | Gram |
| 3 | Vulpia octoflora var. octoflora | Festuca octoflora var. octoflora | common six-weeks grass | Gram |
| 8 | Vulpia sciurea† | Festuca sciurea† | squirrel-tail six-weeks grass | Gram |
| 0 | WAHLENBERGIA MARGINATA | WAHLENBERGIA MARGINATA | southern rockbell | Forb |
| 10 | Waldsteinia fragarioides† | Waldsteinia fragarioides† | barren-strawberry | Forb |
| 0 | WISTERIA FLORIBUNDA* | WISTERIA FLORIBUNDA* | Japanese wisteria | WVn |
| 6 | Wisteria frutescens | Wisteria frutescens [var. frutescens + var. macrostachya] | American wisteria | WVn |
| 0 | WISTERIA SINENSIS* | WISTERIA SINENSIS* | Chinese wisteria | WVn |
| 5 | Wolffia brasiliensis | Wolffia brasiliensis | water-meal | Forb |
| 5 | Wolffia columbiana | Wolffia columbiana | water-meal | Forb |
| 5 | Wolffiella gladiata | Wolffiella gladiata | mud-midget | Forb |
| 10 | Woodsia appalachiana† | Woodsia appalachiana† | Appalachian cliff fern | Fern |
| 5 | Woodsia obtusa subsp. obtusa | Woodsia obtusa ssp. obtusa | eastern blunt-lobe cliff fern | Fern |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|----|--|--|---------------------------------|-------|
| 6 | <i>Woodsia obtusa</i> subsp. <i>occidentalis</i> | <i>Woodsia obtusa</i> ssp. <i>occidentalis</i> | western blunt-lobe cliff fern | Fern |
| 7 | <i>Woodwardia areolata</i> | <i>Lorinseria areolata</i> | netted chain fern | Fern |
| 8 | <i>Woodwardia virginica</i> | <i>Anchista virginica</i> | Virginia chain fern | Fern |
| 4 | <i>Xanthisma spinulosum</i> var. <i>spinulosum</i> † | <i>Xanthisma spinulosum</i> var. <i>spinulosum</i> † | lacy tansy-aster | Forb |
| 0 | XANTHIUM SPINOSUM | XANTHIUM SPINOSUM | spiny cocklebur | Forb |
| 2 | <i>Xanthium strumarium</i> | <i>Xanthium</i> [<i>chinense</i> + <i>orientale</i>] | cocklebur | Forb |
| 8 | <i>Xyris ambigua</i> † | <i>Xyris ambigua</i> † | Coastal Plain yellow-eyed-grass | Forb |
| 9 | <i>Xyris baldwiniana</i> † | <i>Xyris baldwiniana</i> † | Baldwin's yellow-eyed-grass | Forb |
| 9 | <i>Xyris difformis</i> var. <i>curtissii</i> † | <i>Xyris curtissii</i> † | Curtiss' yellow-eyed-grass | Forb |
| 9 | <i>Xyris difformis</i> var. <i>difformis</i> † | <i>Xyris difformis</i> † | bog yellow-eyed-grass | Forb |
| 5 | <i>Xyris jupicai</i> | <i>Xyris jupicai</i> | yellow-eyed-grass | Forb |
| 7 | <i>Xyris laxifolia</i> var. <i>iridifolia</i> | <i>Xyris iridifolia</i> | iris-leaf yellow-eyed-grass | Forb |
| 7 | <i>Xyris torta</i> | <i>Xyris torta</i> | yellow-eyed-grass | Forb |
| 0 | YOUNGIA JAPONICA | YOUNGIA JAPONICA | Oriental false hawk's-beard | Forb |
| 0 | YOUNGIA THUNBERGIANA | YOUNGIA THUNBERGIANA | Thunberg's false hawk's-beard | Forb |
| 8 | <i>Yucca arkansana</i> | <i>Yucca arkansana</i> | Arkansas yucca | Shru |
| 0 | YUCCA FILAMENTOSA | YUCCA FILAMENTOSA | Adam's-needle | Shru |
| 0 | YUCCA FLACCIDA | YUCCA FLACCIDA | Adam's-needle | Shru |
| 9 | <i>Yucca freemanii</i> † | <i>Yucca freemanii</i> † | Freeman's yucca | Shru |
| 10 | <i>Yucca glauca</i> | <i>Yucca glauca</i> | soapweed | Shru |
| 8 | <i>Yucca louisianensis</i> | <i>Yucca louisianensis</i> | Louisiana yucca | Shru |
| 5 | <i>Zannichellia palustris</i> † | <i>Zannichellia palustris</i> † | horned-pondweed | Forb |
| 7 | <i>Zanthoxylum americanum</i> † | <i>Zanthoxylum americanum</i> † | prickly-ash | Tree |
| 4 | <i>Zanthoxylum clava-herculis</i> | <i>Zanthoxylum clava-herculis</i> | toothache-tree | Tree |
| 0 | ZEA MAYS SUBSP. MAYS | ZEA MAYS SSP. MAYS | corn | Gram |
| 0 | ZEPHYRANTHES CANDIDA | ZEPHYRANTHES CANDIDA | white rain-lily | Forb |
| 10 | <i>Zizania palustris</i> var. <i>interior</i> † | <i>Zizania palustris</i> var. <i>interior</i> † | interior wild rice | Gram |

| C | SCIENTIFIC NAME (GENTRY ET AL.) | SCIENTIFIC NAME (WEAKLEY) | COMMON NAME | GRFRM |
|---|---------------------------------|-----------------------------|---------------------------------|-------|
| 6 | <i>Zizaniopsis miliacea</i> | <i>Zizaniopsis miliacea</i> | southern wild rice | Gram |
| 8 | <i>Zizia aptera</i> | <i>Zizia aptera</i> | heart-leaf golden Alexanders | Forb |
| 6 | <i>Zizia aurea</i> | <i>Zizia aurea</i> | golden Alexanders | Forb |
| 0 | ZOYSIA JAPONICA | NO MATCH | Korean lawn grass | Gram |